



Whirlpool 8LIECH-SCSSFP5W User Manual

Self-cleaning hot & cold hidden bottle-water cooler

1
Table Of Contents
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17



-

[Table of Contents](#)

-

Troubleshooting

•

Bookmarks

Quick Links

[1 Self-Cleaning - an Exclusive Feature](#)


[2 Operation](#)

[3 Proper Care & Descaling](#)

[4 Led Indicator Lights](#)

[5 Troubleshooting](#)

[Download this manual](#)



Self-Cleaning
Hot & Cold Hidden
Bottle-Water Cooler
Model No.: 8LIECH-SCSSFP5W

USER'S MANUAL

SAVE THIS MANUAL FOR
FUTURE USE



For service, call 1-855-594-4755
or e-mail Whirlpool@electrotemp.com



[Table of Contents](#)

[Next Page](#)

1
2
3
4
5

Related Manuals for Whirlpool 8LIECH-SCSSFP5W

[Water Dispenser Whirlpool 8LIECH-SCSSFP5W User Manual](#)

Self cleaning hot & cold hidden bottle water cooler (20 pages)

[Water Dispenser Whirlpool 8171413 Installation Instructions](#)

Installation instructions (1 page)

[Water Dispenser Whirlpool 8LIECH-SC-SSS-5L-W User Manual](#)

Self cleaning full stainless hidden bottle water cooler with led indicators (21 pages)

[Water Dispenser Whirlpool 8LIECHK-SSF-WL User Manual](#)

Hot, room & cold temperature water cooler (19 pages)

[Water Dispenser Whirlpool 8LIECH-SCDSSFWL User Manual](#)

Self-cleaning hot & cold hidden bottled water cooler with display (18 pages)

[Water Dispenser Whirlpool 8LIECH-BP-WL User Manual](#)

Hot & cold hidden bottled water cooler (16 pages)

[Water Dispenser WHIRLPOOL WHES20 Installation And Operation Manual](#)

Demand controlled water softener (40 pages)

[Water Dispenser Whirlpool WDAB600XWX Use & Care Manual](#)

Water cooler (32 pages)

[Water Dispenser Whirlpool WHES33 Installation And Operation Manual](#)

Demand controlled water softener (28 pages)

[Water Dispenser Whirlpool WHES44 Installation And Operation Manual](#)

(28 pages)

[Water Dispenser Whirlpool WHES40 Installation And Operation Manual](#)

Demand controlled water softener (36 pages)

[Water Dispenser Whirlpool WHKM-D40 Use And Care Manual](#)

Whirlpool water dispenser user manual (13 pages)

[Whirlpool WHES40 \(LL40\), WHES44 \(LL44\) - Water Softener Manual](#)

(article)

[Water Dispenser Whirlpool WHESCS Installation And Operation Manual](#)

Demand controlled water softener (26 pages)

[Water Dispenser Whirlpool WHES40 Installation And Operation Manual](#)

Demand controlled water softener (24 pages)

[Water Dispenser Whirlpool WHES20 Installation And Operation Manual](#)

Whirlpool water softener installation and operation manual (39 pages)

Summary of Contents for Whirlpool 8LIECH-SCSSFP5W

[Page 1](#) Self-Cleaning Hot & Cold Hidden Bottle-Water Cooler Model No.: 8LIECH-SCSSFP5W
USERS' MANUAL SAVE THIS MANUAL FOR FUTURE USE For service, call 1-855-594-4755 or e-mail Whirlpool@electrotemp.com 8LIECH-SCSSFP5W PN: 5M010993XX00(E+S)

[Page 2: Table Of Contents](#)

Model # 8LIECH-SCSSFP5W: Page 2 TABLE OF CONTENTS Safety Precautions-Electrical RequirementsSafety PrecautionsProduct Features Key Information for

Future UseSpecificationsParts & FeaturesUnpacking and Assembly
.....InstallationSELF-CLEANING - An Exclusive Feature

[Page 3: Safety Precautions](#)

Model # 8LIECH-SCSSFP5W: Page 3 SAFETY PRECAUTIONS Your safety and the safety of others are very important. We have provided many important safety messages in this manual and your appliance. Always read and follow all safety messages. This is the safety alert symbol.

[Page 4: Product Features](#)

Model # 8LIECH-SCSSFP5W: Page 4 PRODUCT FEATURES Congratulations! You have chosen a technology advanced, state-of-the-art water cooler. To provide consistently cold water, this water cooler forms an "Ice Bank" in the cold tank. Formation of the initial "Ice Bank" can take up to 1 hour.

[Page 5: Specifications](#)

Model # 8LIECH-SCSSFP5W: Page 5 SPECIFICATIONS Power Supply AC 120V / 60Hz / 6.5Amp Refrigerant Type R-134A Cold Water Power □100 Watts Cold Capacity / Hour 4 Litres / 1.06 Gallon Cold Temperature 3°C - 10°C / 37.4°F - 50°F...

[Page 6: Unpacking And Assembly](#)

Model # 8LIECH-SCSSFP5W: Page 6 UNPACKING AND ASSEMBLY Remove the dispenser from packaging: WARNING TO OPEN: Excessive Weight Hazard Use two or more people to move and install the water cooler and the bottles. Failure to do so can result in back or other injury.

[Page 7: Self-Cleaning - An Exclusive Feature](#)

Model # 8LIECH-SCSSFP5W: Page 7 SELF-CLEANING - An Exclusive Feature Your water cooler has automatic SELF CLEANING feature to prevent the formation of bacteria laden bio-film and to maintain the original quality of the bottled water. It is not meant to filter or purify dirty water.

[Page 8](#) Model # 8LIECH-SCSSFP5W: Page 8 Initial Set Up Do NOT plug in until steps 1-3 are completed. WARNING WARNING Excessive Weight Hazard Use two or more people to move and install the water cooler and the bottles. Electrical shock Hazard Failure to do so can result in back or other injury.

[Page 9](#) Model # 8LIECH-SCSSFP5W: Page 9 tube lines. Call 1-855-594-4755 for assistance. 3. Turn the switches at the back of the dispenser to ON. • The red switch controls the hot water. If you do not want hot water, leave this switched OFF.

[Page 10: Dispensing Hot Water](#)

Model # 8LIECH-SCSSFP5W: Page 10 2. Press the right control downward to start dispensing water. 3. Release the control once desired fill level is achieved. Dispensing Hot Water Note: After setup, hot water will be available in 15-20 minutes. 1. Position the container you wish to fill with water securely below the hot-water tap.

[Page 11: Proper Care & Descaling](#)

Model # 8LIECH-SCSSFP5W: Page 11 PROPER CARE & DESCALING General Cleaning Perform: As needed Time Required: 5 minutes. Note: Do NOT use abrasive materials or chemical cleaners. 1. Clean cabinet surfaces with a soft cloth and warm soapy water. 2. Wipe dust from back of dispenser to improve the unit's efficiency.

[Page 12](#) Model # 8LIECH-SCSSFP5W: Page 12 - For descaling once every 6 months, use a mixture of 2 oz. of powdered lemon acid and 3.5 liters of hot water. - For descaling once every year, use a mixture of 4 oz. of powdered lemon acid and 3.5 liters hot water.

[Page 13: Led Indicator Lights](#)

Model # 8LIECH-SCSSFP5W: Page 13 12. Replace the drain plug and cap. 13. Place a fresh bottle of water into the machine and operate as usual. 14. This procedure must be repeated every 3 to 6 months, depending on mineral content and usage of water cooler.

[Page 14: Troubleshooting](#)

Model # 8LIECH-SCSSFP5W: Page 14 TROUBLESHOOTING Call 1-855-594-4755 for service.
Problem: Stainless steel surfaces are smudgy or fingerprinted. Solution: Use paper towel to wipe excess oils until surface feels dry to the touch. • To maintain beauty of stainless steel, oil it periodically using a stainless steel cleaning solution available at hardware stores, or use mineral oil (unscented baby oil).

[Page 15](#) Model # 8LIECH-SCSSFP5W: Page 15 Problem: Buttons are stuck. Solution: Apply mineral oil (unscented baby oil) to the button slides to reduce friction. Problem: No water is coming from the taps. Solution: Make sure the water bottle is not empty. If it is, replace it. If not, adjust the probe to an appropriate length.

[Page 16: Limited Warranty](#)

Model # 8LIECH-SCSSFP5W: Page 16 LIMITED WARRANTY Electrotemp Technologies Inc., (“Vendor”) warrants to the original purchaser of this dispenser, and to no other person, that if this dispenser is assembled and operated in accordance with the printed instructions accompanying it, then for a period of one (1) year from the date of purchase, all parts in such dispenser shall be free from defects in material and workmanship.

[Page 17](#) ®/ ©2015 Whirlpool. All rights reserved. Manufactured under license by Electrotemp Technologies Inc., Mississauga, ON. Canada Limited warranty provided by manufacturer.