



Toshiba CEX0122B Owner's Manual

Battery expansion unit/pc card expansion unit

1
2
3
4

--

•

Bookmarks

--

[Download this manual](#)

Quick Links



Battery Expansion Unit/PC CARD Expansion Unit Manual

CEX0121B

1 Introduction

Thank you for purchasing the Battery Expansion Unit/PC CARD Expansion Unit ("Expansion

Unit"). This manual contains important information concerning the safe and correct use of

your Expansion Unit. After reading this manual store it in a safe place for future reference.

■ Introduction

Thank you for purchasing the Battery Expansion Unit/PC CARD Expansion Unit"). This manual contains important information concerning the safe use of your Expansion Unit. After reading this manual store it in a safe place for

L SAFETY INSTRUCTIONS

Before using the Expansion Unit be sure to thoroughly read the GENIO e USER'S GUIDE to

TOSHIBA

ensure proper use and to prevent damage to your GENIO e and/or to data.

Before using the Expansion Unit be sure to thoroughly read all the SAFETY INSTRUCTIONS

CEX0121B

CEX0122B

contained in the GENIO e USER'S GUIDE. These SAFETY INSTRUCTIONS provide important

information for the proper use of the Expansion Unit to prevent serious personal and damage to property.

■ Introduction

WARNING

Thank you for purchasing the Battery Expansion Unit/PC CARD Expansion Unit. This manual contains important information concerning the safe use of your Expansion Unit. After reading this manual store it in a safe place for future reference.

Unit, immediately disconnect the AC Adapter from the power outlet, and stop using the Expansion Unit.

■ SAFETY INSTRUCTIONS

● Before using the Expansion Unit be sure to thoroughly read the GENIO e USER'S GUIDE. These SAFETY INSTRUCTIONS provide important information for the proper use of the Expansion Unit to prevent serious personal and damage to property.

● Before using the Expansion Unit be sure to thoroughly read all the SAFETY INSTRUCTIONS contained in the GENIO e USER'S GUIDE. These SAFETY INSTRUCTIONS provide important information for the proper use of the Expansion Unit to prevent serious personal and damage to property.

● Never drop your Expansion Unit or subject it to severe shock. Dropping your Expansion Unit or subjecting it to severe shock could cause the built-in battery to leak and damage or rupture.

⚠ WARNING

Never throw your Expansion Unit into a fire or heat it.

Throwing your Expansion Unit into a fire might cause the built-in battery to leak liquid, ignite and/or rupture.

● Never drop your Expansion Unit or subject it to severe shock. Dropping your Expansion Unit or subjecting it to severe shock could cause the built-in battery to leak, ignite and/or rupture.

● Never throw your Expansion Unit into a fire or heat it. Throwing your Expansion Unit into a fire might cause the built-in battery to leak liquid, ignite and/or rupture.

● Always immediately remove your Expansion Unit and its battery from the vicinity of heat, such as an open flame in the event the built-in battery leaks liquid or emits an odor. Continued use of your Expansion Unit under either of these conditions could cause ignition (i.e., fire) of the leaked battery liquid, or rupture.

● Never touch any fluid that might leak from the built-in battery. Such liquid when in contact with the eyes or skin, could cause injury to the skin or eyes. **Should the liquid come into contact with the eyes, irrigate the eyes thoroughly with clean water and immediately seek medical attention.**

● Never attempt to disassemble, repair or make any modification to the Expansion Unit. Disassembly, modification or any attempt at repair could cause bodily injury, damage, as well as damage to the Expansion Unit itself. Consult your repair person for any repairs.

with the eyes, irrigate the eyes thoroughly with clean water and immediately seek medical attention.

in the event the liquid comes into contact with the skin or clothing, wash it away immediately with clean water.

NOTE

Clean terminals (metallic parts) on a regular basis with a cotton swab. Dirty terminals can cause poor contact and data loss.

● Clean terminals (metallic parts) on a regular basis with a cotton swab. Dirty terminals can cause poor contact and data loss.

Never attempt to disassemble, repair or make any modification to your Expansion Unit.

Disassembly, modification or any attempt at repair could cause bodily injury or property damage, as well as damage to the Expansion Unit itself. Consult your store of purchase for repair.

TOSHIBA

Battery Expansion Unit/PC CARD Expansion

NOTE

CEX0121B

CEX0122B

Clean terminals (metallic parts) on a regular basis with a cotton swab. Dirty terminals could affect battery charging.

Introduction

The built-in battery discharges naturally a little at a time. If leave your Expansion Unit for a long period of time, the built-in battery may completely discharge. Check the remaining amount of battery power at all times, and recharge as necessary.

Thank you for purchasing the Battery Expansion Unit/PC CARD Expansion Unit"). This manual contains important information concerning the safe use of your Expansion Unit. After reading this manual store it in a safe place for future reference.

SAFETY INSTRUCTIONS

- Before using the Expansion Unit be sure to thoroughly read the GENIO e and/or to data ensure proper use and to prevent damage to your GENIO e and/or to data
 - Before using the Expansion Unit be sure to thoroughly read all the SAFETY INSTRUCTIONS contained in the GENIO e and/or to data ensure proper use and to prevent damage to your GENIO e and/or to data
- Information for the prevention of serious personal and damage to property.

WARNING

- If you smell abnormal odors, hear abnormal sounds, or see smoke coming from the Expansion Unit, immediately disconnect the AC Adapter from the power outlet, and

CEX0122B

[Next Page](#)

1
2
3
4

Related Manuals for Toshiba CEX0122B

[Computer Hardware Toshiba Strata CIX40 User Manual](#)

Voice processing system (96 pages)

[Computer Hardware Toshiba CD332 User Manual](#)

Toshiba change detect dc input module user's manual (32 pages)

[Computer Hardware Toshiba C3PU35 User Manual](#)

(78 pages)

[Computer Hardware Toshiba H9 Installation And Operation Manual](#)

Toshiba adjustable speed drive installation and operation manual (289 pages)

[Computer Hardware Toshiba G7 Operation Manual](#)

Adjustable speed drive (221 pages)

[Computer Hardware Toshiba HX7 Programming And Operations Manual](#)

Adjustable speed drive (193 pages)

[Computer Hardware Toshiba E3 Specifications](#)

Toshiba adjustable speed drive specification sheet (7 pages)

[Computer Hardware Toshiba TCB-PCIN3E Installation Manual](#)

Error output control board (1 page)

[Computer Hardware Toshiba Libretto 50CT Installation Manual](#)

8mb memory module/16mb memory module (1 page)

[Computer Hardware Toshiba D660 User Manual](#)

Usb dongle receiver (2 pages)

[Computer Hardware Toshiba Stratagy Flash General Description Manual](#)

Voice processing systems (71 pages)

[Computer Hardware Toshiba AD-4 Service Data](#)

Adres unit (20 pages)

[Computer Hardware Toshiba TOSVERT VF-MB1/S15 IPE002Z Function Manual](#)

For tosvrt vf-mb1/s15 (89 pages)

[Computer Hardware Toshiba GN-1060 Operator's Manual](#)

Wireless lan module multifunction digital system (56 pages)

[Computer Hardware Toshiba RemotEye III Quick Installation Manual](#)

(8 pages)

[Computer Hardware Toshiba TOSVERT VF-MB1 Function Manual](#)

(48 pages)

Summary of Contents for Toshiba CEX0122B

[Page 1: Safety Instructions](#)

Note that we cannot accept any responsibility whatsoever for the corruption or loss of data stored on your Expansion Unit caused by malfunction or repair, or discharge of the built-in battery. CEX0122B - 1 -...

[Page 2](#) A flashing yellow lamp indicates that charging is paused because the operating

environment is too low or too hot. There are two ways of connecting the AC Adapter. URL <http://www.audiovox.com/pda> Protrusions External Connection Port (concave side) –...

[Page 3](#) a By inserting the AC Adapter into the AC Adapter Jack on the Expansion Unit. a By connecting the External Connection Port (concave side) on the Expansion Unit into the USB Cradle (GENIO e accessory), and connecting the AC Adapter into the USB Cradle. L How to Confirm the Remaining Battery Power of the Expansion Unit Connect the Expansion Unit to the GENIO e, turn the GENIO e ON, and tap "Start"...

[Page 4: Fcc Information](#)

4.Reset the GENIO e and wait for the "Today" screen to appear. L FCC information Product Name: Battery Expansion Unit, PC CARD Expansion Unit Model Number(s): CEX0121B,CEX0122B FCC Notice "Declaration of Conformity Information" This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

This manual is also suitable for:

Cex0121b