




Whirlpool MAX-209S Instruction Manual

Freestanding combi steamer

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

Table Of Contents

48

--

•

[Table of Contents](#)

-

Troubleshooting

•

Bookmarks

--

Quick Links

[1 Important Safety Information](#)

[2 Control Panel](#)

[3 Suggested Recipes](#)


[4 How to Use](#)

[5 Problem Diagnose](#)

[6 Trouble Shooting Guide](#)

7 Error Code Description

[Download this manual](#)



MAX-209S

Freestanding Combi Steamer Instruction Manual

□□□□□□□□□□



[Table of Contents](#)

[Next Page](#)

1
2
3
4
5

Summary of Contents for Whirlpool MAX-209S

[Page 1](#) MAX-209S Freestanding Combi Steamer Instruction Manual 繁體中文說明書...

[Page 2](#) 歡迎閱讀本說明書，以瞭解如何安全、正確地使用本產品。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。

[Page 3](#) 1. 產品名稱/型號：MAX-209S 2. 產品用途：用於烹飪各種食物，如蒸餃、包子、饅頭等。3. 產品特點：具有多種烹飪模式，可滿足不同需求。4. 產品尺寸：長 450mm，寬 450mm，高 500mm。5. 產品重量：約 10kg。6. 產品顏色：白色。7. 產品材質：不銹鋼。8. 產品產地：中國。9. 產品認證：CE、RoHS。10. 產品包裝：原廠包裝。11. 產品附件：說明書、保修卡、安裝圖紙。

[Page 4](#) 12. 產品安裝：請按照說明書中的安裝圖紙進行安裝。13. 產品操作：請按照說明書中的操作說明進行操作。14. 產品維護：請定期清潔產品，以保持其外觀美觀。15. 產品故障排除：請參考說明書中的故障排除部分，以解決常見問題。16. 產品安全：請務必遵守說明書中的安全警告，以避免受傷。17. 產品使用壽命：本產品設計壽命為 10 年。18. 產品保修：本產品享有 1 年免費保修服務。19. 產品售後服務：請聯繫我們的售後服務中心，以獲得進一步的協助。20. 產品價格：請洽詢經銷商。21. 產品包裝：原廠包裝。22. 產品附件：說明書、保修卡、安裝圖紙。

[Page 5](#) 本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。

[Page 6](#) 本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。

[Page 7](#) 本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。

[Page 8](#) 本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。

[Page 9](#) 本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。

[Page 10](#) 本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。

[Page 11](#) 本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。

[Page 12](#) 本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。

[Page 13](#) 本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。本說明書包含有關本產品的重要安全資訊、警告、注意事項、安裝、操作、維護及故障排除的資訊。請務必仔細閱讀本說明書，並將其放在容易取出的地方，以便隨時參考。

Page 14 5. 00000000>000000 40:0000 000000 6. 0000000000000000>000000 15:0000 000000 7. 0000000000>000000 15:1000 000000 8. 0000000>00000000000 100°C000 000000...

Page 16 00000000000 00000000 000 0 0000000 000000000000 0000: 1. 000000000>00000000000
00 00000 00000 2. 00 00000000000 3. 000000000...

[illegible]

Page 20

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 10-15

[Page 22](#) 18. 〇〇〇〇〇〇〇〇〇〇〇〇 (〇〇〇〇〇〇〇〇〇〇〇〇)〇〇〇〇〇〇〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇〇〇〇〇(〇〇: Wpro 〇〇〇〇〇〇)

Page 24 D. ခုနစ် ခုနစ်ကို ခုနစ်ခု... ခုနစ် ခုနစ် ခုနစ်ခုနစ်ကို ခုနစ် 1 ခုနစ်ကို ခုနစ်ခုနစ်ကို ခုနစ်
 ခုနစ် ခုနစ်ကို ခုနစ်ခုနစ်ကို ခုနစ်ကို ခုနစ် 2 ခုနစ်ကို ခုနစ်ခုနစ်ကို ခုနစ်ကို ခုနစ် ခုနစ်ကို ခုနစ်
 ခုနစ်ကို ခုနစ် 3 ခုနစ်ကို ခုနစ်ကို ခုနစ်ကို ခုနစ် 4 ခုနစ်ကို ခုနစ်ကို ခုနစ်ကို ခုနစ်
 ခုနစ် ခုနစ် 5 ခုနစ် ခုနစ်ကို ခုနစ်ကို...

Page 26 A. IMPORTANT SAFETY INFORMATION This manual contains important information regarding safety, the use and maintenance of your combi steamer. Read the manual and keep it in an easily accessible place for future consultation. PRECAUTIONS FOR FIRST USE Two or more people are required to install or move this appliance as it is heavy. Failure to do so can cause physical injuries or damage to the product.

Page 28 17. It is dangerous to fix the appliance by anyone except professionally qualified person. 18. If the oven door or door's sealing ring is damaged, please stop using the appliance and call Whirlpool customer service.

[Page 29](#) B. OPERATING INSTRUCTIONS CONSTRUCTURE OF APPLIANCE AND ACCESSORIES
Function Air Exhaust Window To exhaust excess steam from the cavity. Safety Door Switch To enable the appliance from operating if the door is opened. Water Tank To be filled with water to generate steam. Shelves To support the trays during cooking.

[Page 30](#) Insulated Gloves To handle hot food or tray out of the oven. Sponge To clean the water in the cavity after using the oven.

[Page 31](#) CONTROL PANEL SIGNS FUNCTION Preset cooking time Time display Clock/ Alarm Water level display Temperature display Steam mode Grill mode Convection mode Convection + Steam mode Sterilization Keep warm/ proving Defrost Child Lock...

[Page 32](#) ICONS NAME FUNCTION Function Button 1. Select different working modes. 2. Increase and decrease time scale. 3. Increase and decrease temperature scale. Preset Button Use for adjusting clock time and select preset function. Lamp Button Use for controlling combi steamer lamp. Confirmation/ Stop Button Use for starting or cancelling programs.

[Page 33](#) Steam pork with black Meat Steam 20 Minutes 100°C bean sauce(0.6kg) Butter Cake(8") Pastry Convection 25 Minutes 180°C Grilled whole chicken Meat Convection 40 Minutes 180°C Baked Potato(Whole) Veggie Grill 25 Minutes 200°C Bread (8pcs) Pastry Convection 15 Minutes 180°C Soufflé(6 cups) Dessert Convection...

[Page 34](#) HOW TO USE Setting of time Example: To set the time to 13:20. Steps: 1. In standby mode, press the  button once. 2. The hour digits flash, press the  button until 13:00. Press the  button to confirm. 3. The minute digits flash, press the  button until 13:20. Press the  button to confirm. 4.

[Page 35](#) Setting of steam mode Example: 20 minutes of steaming at 90°C. Steps: ", which will flash. Press the  1. In standby mode, press the  button to the steam icon" to confirm.  button to confirm. 2. Press the  button to reflect 00:20. Press the  button to confirm.

[Page 36](#) The grill mode is set successfully. Setting of convection mode Example: 35 minutes of convection baking at 190°C. Steps:  1. In standby mode, press the  button to the convection icon" ", which will flash. Press the  button to confirm.  button to confirm. 2.

[Page 37](#) Setting of convection + steam mode Example: 45 minutes of steaming at 200°C. Steps: 1. In standby mode, press the  button to the convection + steam icon" ", which will flash. Press the  button to confirm.  button to confirm. 2.

[Page 38](#) 4. Set the cooking time. Press the  button to 40:00. Press the  button to confirm. 5. Set the ending time. The hour digits flash, press the  button to 15:00. Press the  button to confirm. 6. The minute digits flash, press the  button to 15:10. Press the  button to confirm. 7.

[Page 39](#) Note: Preset ending time can be checked by pressing the  button once.  If the preset function has to be ended, press the  button, and then press the  button. ...

[Page 40](#) Setting of sterilization function Example: To disinfect tableware Steps: 1. In standby mode, press the  button to the sterilization icon"  ", which will flash. Press the  button to confirm. 2. Press the  button twice to start this function. 3.

[Page 41](#) Setting of keep warm function Example: to keep the food warm for 50 minutes. Steps: 1. In standby mode, press the  button to the keep warm icon"  ", which will flash. Press the  button to confirm.  button to confirm. 2.

[Page 42](#) Setting of child lock function Function: To prevent children from using the oven without adult's supervision. Steps:  button for 3 seconds. 1. In standby mode, press the  2. The child lock icon"  "will show and oven cannot be operated.

[Page 43](#) Releasing of child lock function  button for 3 seconds. 1. In standby mode, press the  2. The child lock icon"  "will disappear and oven can be operated. C. CLEANING AND MAINTENANCE CLEANING AND MAINTENANCE GUIDE CLEANING IS THE ONLY MAINTENANCE

normally required. FAILURE TO MAINTAIN THE OVEN in a clean condition could lead to deterioration of the surface that could adversely affect the life of the appliance and possibly result in a hazardous situation. The appliance must be disconnected from the power supply before carrying out any cleaning or maintenance.

[Page 44](#) DO NOT ALLOW GREASE or food particles to build up around the door and door seal. Failure to keep the seal clean may result in damage on the fronts or adjacent units, due to the door not closing properly during operation.

[Page 45](#) 14. Water tank should be checked at least once per month. If necessary, take the water tank out horizontally and put it back after cleaning. 15. If the appliance will not be used for long time, please disconnect the appliance from the power supply. Keep the cavity clean and put it in an environment without corrosive gas.

[Page 46](#) D. TROUBLE SHOOTING GUIDE PROBLEM DIAGNOSE Problem Cause Solution Nothing appears on the display Oven is not connected to the power supply Connect to power supply screen Power cords fail to work Contact after-sales service Plug in the power supply Power supply plug is not in proper position again Oven door is not closed properly...

[Page 47](#) Continue working for 3 minutes but temperature of cavity is lower than 30 Sensor connection failure. Sensor connection failure, causing of open circuit. Sensor sense failure. Sensor sense failure, causing of short circuit. Whirlpool Hong Kong Ltd. 17/F., Elite Centre, 22 Hung To Road Kwun Tong, Kowloon, H.K.