



Toshiba W30 Quick Start Manual

2.4ghz blue led wireless optical mouse

1
2
3
4
5

--

•

[Table of Contents](#)

-

Troubleshooting

•

Bookmarks

--

Table of Contents

1 Important Safety Instructions

2 Quick Tour

3 System Requirements


4 Setting up the Mouse

5 Troubleshooting

6 Specification

7 Fcc Caution

[Download this manual](#)



eLE

TOSHIBA

Leading Innovation >>>

[Table of Contents](#)

[Next Page](#)

1
2
3
4
5

Related Manuals for Toshiba W30

[Mouse Toshiba E-Mouse PX1215E-1NAC User Manual](#)

(85 pages)

[Mouse Toshiba M66GF User Manual](#)

(2 pages)

[Mouse Toshiba U30 Quick Start Manual](#)

Usb optical mouse (103 pages)

Summary of Contents for Toshiba W30

[Page 1](#) Quick Star Guide 2.4GHz Blue LED Wireless Optical Mouse W30 Model: PA5155*
(Where * is 0-9, A-Z, - or blank for marketing purpose)

[Page 2: Important Safety Instructions](#)

Disconnect this product before cleaning. ■ This guide is copyrighted by Toshiba Corporation with all rights reserved. Under the copyright laws, this guide cannot be reproduced in any form without the prior written permission of Toshiba. No patent liability is assumed, however, with respect to the use of the information contained herein.

[Page 3: Quick Tour](#)

Toshiba Wireless Optical Mouse W30 Quick Tour The following figures show the components of the top and underside of the mouse. DO NOT direct the optical sensor light at anyone's eyes. System Requirements ® ® ® ® ® Microsoft Windows...

[Page 4: Troubleshooting](#)

Toshiba Wireless Optical Mouse W30 Establishing a Connection between the Mouse and the Computer Plug the Nano receiver into an available USB port on your computer. Slide the Power switch upward to the ON position. The battery indicator light on the top of the mouse will glow red for approximately three seconds.

[Page 5: Specification](#)

Toshiba Wireless Optical Mouse W30 Specification* Item Description Model number Buttons Left, Right, Scroll wheel Interface Power requirements Operating: 1.5V/35 mA Stand-by: 1.5V/1.29 mA Sleeping: 1.5V/0.45 mA Dimensions (D x W x H) 98.10 x 58.06 x 28.00 mm Weight...