

Whirlpool 8LIECH-SC-SSS-5L-W User Manual

Self cleaning full stainless hidden bottle water cooler with led indicators

18 19 20 21			

Table of Contents


•

Bookmarks

•

Quick Links

- 1 User Manual
- 2 Self Cleaning an Exclusive Feature
- 3 Parts & Features
- 4 Dispensing Cold Water
- 5 General Cleaning
- 6 Faq-Frequently Asked Questions



8<mark>LIECH-SC-SSS-5L-W</mark>

Call toll-free: 1-855-594-4755 or send email to: Whirlpool@electrotemp.com IMPORTANT: Do NOT Return Dispenser to Store. If you have a question or problem, please call 1-855-594-4755 or Whirlpool@electrotemp.com for assistance. Call center operates on EST time.

Self Cleaning Hidden Bottle Water Cooler



User Manual

Model No.: 8LIECH-SC-SSS-5L-W PN: 5M011413XX00(E)-(650W) Users of mineral water please read descaling instructions on page 12. SAVE THIS MANUAL FOR FUTURE USE



Table of Contents

Related Manuals for Whirlpool 8LIECH-SC-SSS-5L-W

Water Dispenser Whirlpool 8171413 Installation Instructions Installation instructions (1 page) Water Dispenser Whirlpool 8LIECH-SCSSFP5W User Manual Self-cleaning hot & cold hidden bottle-water cooler (17 pages) Water Dispenser Whirlpool 8LIECH-SCSSFP5W User Manual Self cleaning hot & cold hidden bottle water cooler (20 pages) Water Dispenser Whirlpool 8LIECHK-SSF-WL User Manual Hot, room & cold temperature water cooler (19 pages) Water Dispenser Whirlpool 8LIECH-SCDSSFWL User Manual Self-cleaning hot & cold hidden bottled water cooler with display (18 pages) Water Dispenser Whirlpool 8LIECH-BP-WL User Manual Hot & cold hidden bottled water cooler (16 pages) Water Dispenser Whirlpool 7LIECH-SSF-WL User Manual Stainless steel hot and ice cold (16 pages) Water Dispenser Whirlpool L30P Installation And Operation Manual Demand controlled water softener (28 pages) Whirlpool WHES40 (LL40), WHES44 (LL44) - Water Softener Manual (article) Water Dispenser Whirlpool WDAB600XWX Use & Care Manual Water cooler (32 pages) Water Dispenser Whirlpool WHES20 Installation And Operation Manual Whirlpool water softener installation and operation manual (39 pages) Water Dispenser Whirlpool WHKM-D40 Use And Care Manual Whirlpool water dispenser user manual (13 pages) Water Dispenser Whirlpool WHES40 Installation And Operation Manual Demand controlled water softener (36 pages) Water Dispenser Whirlpool WHES44 Installation And Operation Manual (28 pages) Water Dispenser WHIRLPOOL WHES20 Installation And Operation Manual Demand controlled water softener (40 pages)

Water Dispenser Whirlpool WHES33 Installation And Operation Manual

Demand controlled water softener (28 pages)

Summary of Contents for Whirlpool 8LIECH-SC-SSS-5L-W

Page 1: User Manual

Users of mineral water please read descaling instructions on page 12. SAVE THIS MANUAL FOR FUTURE USE Call toll-free: 1-855-594-4755 or send email to: Whirlpool@electrotemp.com IMPORTANT: Do NOT Return Dispenser to Store. If you have a question or problem, please call 1-855-594-4755 or Whirlpool@electrotemp.com...

Page 2: Table Of Contents

8LIECH-SC-SSS-5L-W Table of Contents Safety Precautions1 Important Safety

Page 3: Safety Precautions

8LIECH-SC-SSS-5L-W Safety Precautions Your safety and the safety of others are very important. We have built many safety features into the cooler. We have also provided many important safety messages in this manual. Please read and follow the safety messages.

Page 4: Electrical Requirements

8LIECH-SC-SSS-5L-W SAVE THESE INSTRUCTIONS When operating this dispenser, please observe the following: 1. Prior to use, this dispenser must be properly assembled and installed in accordance to the instructions indicated in this manual. 2. This dispenser is intended only for water dispensing. Do NOT use other liquids, such as coffee, tea, juices, beer or wine.

Page 5: Self Cleaning - An Exclusive Feature

8LIECH-SC-SSS-5L-W Offset, telescopic probe pumps out substantially all water, leaving less than one ounce of water in the bottle. SELF CLEANING - An Exclusive Feature Your water cooler has an automatic dual SELF CLEANING feature to prevent the formation of bacteria laden Bio-film and to maintain the original quality of the bottled water.

Page 6: Specifications

8LIECH-SC-SSS-5L-W Located on the label at the back of the dispenser) Serial ID Number Date of Purchase Power Supply AC 120V / 60Hz / 6.5Amp Three years of an Additional All inclusive Warranty (for the total of four years) is available for \$35.

Page 7: Parts & Features

8LIECH-SC-SSS-5L-W PARTS & FEATURES Front Back SELF CLEAN Hot Water Actuator Cold Power Switch(Energy Saving) Toddler Safe Hot Water Lock Switch for LED Night Light Cold Water Actuator Carry Handle Hot Water Faucet Drain Plug Cold Water Faucet Bottle Probe...

Page 8: Installation And Initial Setup

8LIECH-SC-SSS-5L-W INSTALLATION AND INITIAL SETUP WARNING Electrical Shock Hazard To prevent risk of electrical shock: -Plug into a grounded 3-prong outlet. -Do not remove ground prong. -Do not use an adapter. -Do not use an extension cord. -Failure to follow these instructions can result in serious injury and fire due to electrical shock.

Page 9: Initial Set Up

8LIECH-SC-SSS-5L-W Initial Set Up If you did not transport the water cooler laying on its side you can bypass instructions in (12). NOTE: Do NOT plug in until steps 11-19 are completed. 8. If unit was transported on its side, then make sure unit is in the OFF position and is upright for at least four hours prior to plugging the unit in.

Page 10: Clean Out Of The Box

8LIECH-SC-SSS-5L-W 14. Push down the probe head until it is seated. 15. Push bottle into compartment and close the door. Ensure the plastic tubing is not interfering with the door. 16. Plug power cord into the wall outlet. NOTE: At initial set up it will take less than three minutes to fill reservoirs with water. If the pump stops prematurely, please open and close the door to activate the door switch reset.

Page 11: Operation

8LIECH-SC-SSS-5L-W Rinsing 9. Fill bottle with 2 gallons of tap water. 10. Insert probe assembly, place bottle into water cooler and close the door. 11. Allow cooler to be filled with water. 12. Drain water out as in steps 10, 11 and 12.

Page 12: Dispensing Cold Water

8LIECH-SC-SSS-5L-W Turn the switches at the back of the dispenser to ON. • The red switch controls the hot water. If you do not want hot water, leave this switched OFF. • The blue switch controls the cold water. If you do not want cold water, leave this switched OFF.

Page 13: Dispensing Hot Water

8LIECH-SC-SSS-5L-W Dispensing Hot Water NOTE: After setup, hot water will be available in 15-20 minutes. 1. Position the container you are wishing to fill with water, securely below the hot water tap. • The left triangle below the hot water control indicates the location of the hot water PARTS &...

Page 14: Proper Care & Descaling

8LIECH-SC-SSS-5L-W • Push the probe down until it is seated. • Slide the bottle onto the tray and close the door completely. PROPER CARE & DESCALING General Cleaning Perform: As needed Time Required: Fifteen minutes. NOTE: Do NOT use abrasive materials or chemical cleaners.

Page 15: Descaling Procedure

8LIECH-SC-SSS-5L-W • For descaling less frequently than once a year, use undiluted white vinegar. Descaling Procedure 1. Fill a bucket or empty 5-gallon water bottle with solution of white vinegar. For proportions, refer to the instructions above. Choose quantity in accordance with the frequency of your treatments.

Page 16: Fag-Frequently Asked Questions

8LIECH-SC-SSS-5L-W When the LED light is flashing it indicates that the heating system is working. When the LED light is constantly lit, it indicates that the hot water is ready. When the LED light is off it shows that the heating system is off.

Page 17 8LIECH-SC-SSS-5L-W Q3. I can't find the rectangular bottles? What other kind of bottles does the cooler take? The cooler will accept any standard three or a five gallon water bottle, circular or rectangular. Q4. How do I know when and if the Self Cleaning function is working? The self cleaning function will run every four hours and the self clean LED light will flash.

Page 18 Q16. The warrant has expired and the cooler is out of warranty. Please call 1-855-594-4755 or email your request to Whirlpool@electrotemp.com. Q17. Hot water tap is dripping. Perform de-scaling procedure outlined in cleaning section.

<u>Page 19</u> 8LIECH-SC-SSS-5L-W Q20. The buttons for dispensing water are slow-moving or jammed. Ensure that buttons are clean and no dust or particles are causing buttons to move slowly. Q21. Dispenser is not operating. Make sure that the power cord is properly connected to a working outlet.

<u>Page 20</u> 8LIECH-SC-SSS-5L-W Q27. The dispenser is noisy. Make sure the cooler is properly levelled using the two adjustable feet at the back of the unit. Q28. Water tastes bad. • Drain the water from the reservoirs and replace the bottle with a fresh one.

Page 21 Use of this cooler confirms Purchasers agreement with the conditions of this warranty. Electrotemp Technologies Inc. 406 Watline Avenue Mississauga, Ontario, L4Z-1X2 1-855-594-4755 www.electrotemp.com Limited warranty provided by manufacturer. ®/ ©2016 Whirlpool. All rights reserved. Manufactured under license by Electrotemp Technologies Inc., Mississauga, ON. Canada Limited warranty provided by manufacturer.

Save PDF