






2								
•								




















Most modern digital TV's do not have Red and White Coaxial Analog Audio Outputs, but do have Red and White Coaxial Analog Audio Inputs. If you plan to use Red and White Analog Coaxial Cables to Connect your TV to this Soundbar, please ensure that your TV does indeed have Red and White Coaxial Analog

		_	
	Problem	L	
Sound	No Power		Unplug / by the S
	No Sound / Distorted sound	:	Make ou Make ou Preco IN Confirm the Sour Adjust If Adjust If Supplied If Input if Sound h
	No Sound from Subwoofer		Pression Soundbe button of the Sour light up : Certain ! more Sa
	Echo Sound is heard when both the TV and Soundbar Sound are On.	:	t is non
Remote	intermittent or No Reaction to the Remote Control.		Check to Aim Ren Use a Di f Remot have in i f your T Soundbe
Bluetooth	An external Device cannot connect with the Soundbar via Bluetooth.		Confirm enable 8 Another
	Unstable connection between the Sluetooth Device and the Soundbar.	•	The Stur Soundbe



Use one of the Connection Methods shown below to Connect the Soundbar to your TV before plugging in the AC Power cord.





Promed in China 20-0000Lb; # # # # #

Most modern digital TV's do not have Red and White Coaxial Analog Audio Outputs, but do have Red and White Coaxial Analog Audio Inputs. If you plan to use Red and White Analog Coaxial Cables to Connect your TV to this Soundbar, please ensure that your TV does indeed have Red and White Coaxial Analog Audio OUT. Refer to your TV's User Manual for details. To Connect Soundbar directly to other devices (Blu-ray player, Game System, etc.), see your Device's User Manual

Adjust the Headphone Volume on some TV's if you connect this Unit to the Headphone jack on your TV using the Supplied 3.5mm Line-In cable.

If Input is optical Sound make sure that the Optical Cable Connector is considered in the total of the Termin Line Sound heard when properly inserted).


• If your Thumb is used to operate the Remote Come by not be fully working when pointed at the Soundbar, make sure that your Index Finger is N soundbar, make sure that your Index Finger is N soundbar, make sure that your Index Finger is N soundbar, make sure that your Index Finger is N soundbar, make sure that your Index Finger is N soundbar, If the external Device on how to enable Bluetooth. A notice Plateago is not your one N into the Soundbar, If this does not improve the Soundbar if this does not improve the Soundbar if the Soundbar is the Soundbar in the Soundbar in the Soundbar in the Soundbar is the Soundbar in the Soundbar in


LINE 3 Type in the Model # "FWSB426F", and click "Search".

OPTCAL Select the Manual and click on "Download".

PAIR
COAD SUPPLIED ACCESSORIES
Tip • Remote Control (NC302UH) and Settenes (AAA, 1.5V x 2)

## Connections





(24 pages)

Speakers Sanyo FWSB405FS Setup Manual

(2 pages)

Speakers Sanyo FWSB415E Owner's Manual

(42 pages)

Speakers Sanyo FWSB415E A Setup Manual

(4 pages)

## Summary of Contents for Sanyo FWSB426F

<u>Page 1</u> Most modern digital TV's do not have Red and White Coaxial Analog Audio Outputs, but do have Red and SANYO is a registered trademark of SANYO Electric Co., Ltd. and is used by Funai Electric Co., Ltd. and Funai Corporation, Inc.

<u>Page 2</u> For product recycling information, please visit - sanyo-av.com Reorient or relocate the receiving antenna. limitations or exclusions may not apply to you.