

Whirlpool 7WAA5402S0 Installation, Use & Care Manual

1
2
3
4

--

•

Bookmarks

--


Available languages

EN

ES

Quick Links

[Download this manual](#)



Enlarged version

Filter Replacement:

The contaminants or other substances removed or reduced by this water filter are not necessarily in all users' water. Filter life depends on local water conditions and the volume of water used. We recommend that you change your filter every 6 months. However, it can be replaced earlier if there is a drop in water pressure.

To remove Chlorine Taste and Odor,
Use replacement filter: 2321008

Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system. Systems certified for Cyst reduction may be used on disinfected water that may contain filterable cysts. EPA Establishment #070595-CT-001.

Filter Cartridge Replacement Instructions:

NOTE: Before changing cartridge, turn off incoming water supply. Place a bucket under filter to catch the small amount of water that will run out after housing removal.

1. Shut off water.
2. Relieve pressure in housing by pushing red vent button.
3. Unscrew housing and remove old cartridge. Wash housing thoroughly with mild soap and water.
4. Insert new cartridge and re-install housing. Be sure cartridge is seated in the housing before tightening onto head.
5. Use filter wrench to fully seat the cartridge. Tighten to make a water tight seal.
6. Turn on water. If any leaks appear, tighten housing as needed.
7. Flush system for five (5) minutes.

Troubleshooting Guide

Water Leaks at Threaded Fittings:

Tighten slightly more until leak stops

Water leaks at Push-in Connections:

Push tubing in as far as it will go. If leaking continues, shut off water at the original valve and remove water line by pushing in on the connector collar while pulling the tubing away. (See Push-in Fittings Section) Inspect tubing for cracks and scratches. If tubing is cracked or scratched, simply cut that portion away and reinsert tubing into fitting.

Make sure tubing is cut straight. If not, recut.

Help Line 01 800 8 300 400

Monday Through Friday

8:00 a.m. to 6:00 p.m. CST

Saturday 8:00 a.m. to 1:00 p.m. CST

or visit us at

www.whirlpool-service.com.mx

UNDER SINK MAIN FAUCET FILTRATION SYSTEM

WARRANTY

ONE YEAR LIMITED WARRANTY

For one year from the date of purchase if the UNDER SINK MAIN FAUCET FILTRATION SYSTEM fails when operated and maintained according to instructions attached to or furnished with the product, Whirlpool México S.A. de C.V. will repair or, at our option, replace your UNDER SINK MAIN FAUCET FILTRATION SYSTEM. Your replacement unit is covered by our one year limited warranty. This warranty does not cover the filter included in your system. Use of a non-Whirlpool México S.A. de C.V. specified filter will invalidate this warranty. Keep this book and your sales receipt together for future reference. You must provide proof of purchase or installation date for in-warranty service.

Whirlpool México S.A. de C.V. will not pay for:

1. Service calls to instruct you on how to use your UNDER SINK MAIN FAUCET FILTRATION SYSTEM or to replace owner accessible water filters.
2. Replacement when your UNDER SINK MAIN FAUCET FILTRATION SYSTEM is used in other than normal, single-family household use.
3. Damage resulting from accident, alteration, misuse, abuse, fire, floods, acts of God, improper installation, installation not in accordance with local plumbing codes, or use of products not approved by Whirlpool México S.A. de C.V.
4. Replacement parts, repair labor costs and/or replacement of a "failed" UNDER SINK MAIN FAUCET FILTRATION SYSTEM for units operated outside México
5. Repairs to parts or systems resulting from unauthorized modifications made to the appliance.
6. Shipping or freight charges to return products for warranty service to Whirlpool México S.A. de C.V.
7. Damage resulting from improper packing of products returned for warranty service.
8. Damages created by insects and/or animals such as rats, cockroaches, etc.

If you reside in México and your UNDER SINK MAIN FAUCET FILTRATION SYSTEM should fail within the first year of ownership:

1. Call our Whirlpool Service at 01 800 8 300 400 (toll free), 8:00 a.m. to 6:00 p.m., Monday through Friday or 8:00 a.m. to 1:00 p.m., Saturday (CST). The Whirlpool Service operations are based in Antigua Carretera a Roma Km. 9, Colonia Milagro, Apodaca, N.L. México, C.P. 66600, Ph. (81) 8329-21-00, where you can find accessories and original parts and where the consumer can validate their product warranty, which is consistent with other Whirlpool Service locations throughout Mexico.
2. Give the consultant your complete model and serial numbers.
3. The consultant will identify the designated service center nearest your location.
4. You will be responsible for insurance and freight or other transportation to our service center. Please include your name and address on a piece of paper along with a copy of the proof of purchase (register receipt, credit card charge slip, etc.). The UNDER SINK MAIN

ManualsLib.com

7WAA5402S0

anualsLib.co

[Next Page](#)

1
2
3
4

Related Manuals for Whirlpool 7WAA5402S0

[Water Filtration Systems Whirlpool 7WUC4801S0 Installation, Use & Care Manual](#)

Whole house prefiltration (4 pages)

[Water Filtration Systems Whirlpool WHELJ1 Installation And Operation Manual](#)

Central water filtration system (27 pages)

[Water Filtration Systems Whirlpool WHES30 Installation And Operation Manual](#)

Demand controlled water softener (24 pages)

[Water Filtration Systems Whirlpool WHESFC Installation And Operation Manual](#)

Water conditioner (26 pages)

[Water Filtration Systems Whirlpool WHKF-DWHV Installation, Use And Care Manual](#)

Whole house filtration standard system with shut-off valve (12 pages)

[Water Filtration Systems Whirlpool WHER25 Installation And Operation Manual](#)

Reverse osmosis drinking water system (23 pages)

[Whirlpool WHAROS5 Reverse Osmosis Manual](#)

(article)

[Water Filtration Systems Whirlpool WHER25 Installation And Operation Manual](#)

Reverse osmosis drinking water system (27 pages)

[Water Filtration Systems Whirlpool WHADUS5 Installation And Operation Manual](#)

Dual stage water filtration system (12 pages)

[Water Filtration Systems Whirlpool WHCF-DWH Installation, Use & Care Manual](#)

Whole house prefiltration standard housing (4 pages)

[Water Filtration Systems Whirlpool WHCF-DWHV Installation, Use & Care Manual](#)

Whole house prefiltration, standard system with shut-off valve (4 pages)

[Water Filtration Systems Whirlpool WHCF-DUF Use & Care Manual](#)

Under sink main faucet filtration standard system (4 pages)

[Water Filtration Systems Whirlpool WHELJ1 Installation And Operation Manual](#)

Whirlpool central water filtration system (24 pages)

[Water Filtration Systems Whirlpool 4396508 Installation Instructions](#)

Refrigerator water filter 5 (1 page)

[Water Filtration Systems Whirlpool UltraEase WHER25 Installation And Operation Manual](#)

Reverse osmosis drinking water system (29 pages)

[Water Filtration Systems Whirlpool WHEUFF Installation And Operation Manual](#)

Undersink full flow water filtration system (8 pages)

Summary of Contents for Whirlpool 7WAA5402S0

[Page 1](#) Relieve pressure in housing by pushing red vent button. 1. Call our Whirlpool Service at 01 800 8 300 400 (toll free), 8:00 a.m. to 6:00 p.m., Monday Unscrew housing and remove old cartridge. Wash housing through Friday or 8:00 a.m.

[Page 2](#) Installation Instructions 6. Wrap Teflon® tape (2 1/2 wraps) around the 3/8" (0,95 For Use With Cold Water Only cm) fitting in a clockwise NOTE: Remove items from under the sink. Place a catch basin direction and fasten to filter there to collect small amounts of water that may run out when head (see Figure 4).

[Page 3](#) Modelo de Lunes a Viernes • Algunas reglamentaciones locales podrían obligar a contratar los 7WAA5402S0 de 8:00 a.m. a 6:00 p.m. hora oficial del Centro servicios de un plomero autorizado o de un instalador certificado cuando se corta una tubería de agua potable. Verifique lo anterior y Sabado de 8:00 a.m.

[Page 4](#) 1. Cierre la válvula de suministro de agua fría y retire el accesorio sistema. I uso de un filtro que no sea especificado por Whirlpool México S.A. de C.V. anulará esta garantía. Guarde este libro y su comprobante de compra juntos para referencia futura.