



BCN1100AEL  
NICD 4/5A1100mAhBT 1.2V

# Sanyo Cadnica KR-1200AUL Specifications

Sanyo cadnica specification sheet



1

--

•

## Bookmarks

## Quick Links

[Download this manual](#)

[Enlarged version](#)

# Typical Characteristics

Charge

1.6  
1.5  
1.4  
1.3  
0  
2  
4  
6

# SANYO

# Cadnica

Charge Time (Hrs.)



Charge

1.6  
1.5  
1.4  
1.3  
0  
20  
40  
60

Charge Input (%)

Discharge (at low rate)


1.4  
1.2  
1.0  
0.8  
(0.5 It)  
(0.2 It)  
0





2  
 4  
 6  
 Discharge Time (Hrs.)  
 D  
 d  
 42.0  
 ±0.3  
 mm  
 H  
 ±0.12  
 1.654  
 inch  
 Dimensions  
 ±0.2  
 mm  
 16.5  
 of  
 D  
 ±0.008  
 inch  
 0.650  
 Bare Cell  
 8.5  
 mm  
 d  
 0.335  
 inch  
 Charge : 120mA  
 0°C/32°F  
 20°C/68°F  
 45°C/113°F  
 8  
 10  
 12  
 14  
 Temperature :  
 20°C/68°F  
 1.5 It  
 0.1 It  
 80  
 100  
 120  
 140  
 160  
 Charge : 120mA, 16Hrs.  
 at 20°C/68°F  
 (0.1 It)  
 8  
 10  
 12  
 14  
 16

# SANYO

## Cadnica











### Cell Type KR-1200AUL

### Specifications

Nominal Capacity  
 Nominal Voltage  
 Charging Current  
 Charging Time  
 Charge  
 Ambient Temperature  
 Discharge  
 Storage  
 Internal Impedance (Av.)  
 (at 50% discharge)  
 Weight  
 Dimensions(D)×(H)  
 (with tube)  
 Discharge (at high rate)







# SANYO

Discharge (at high rate)

# Cadnica

Temperature (Charge & Discharge)



1200mAh

1.2V

Standard

120mA

Fast

1800mA

Standard

14 to 16Hrs.

Fast

about 1Hr.

Standard

0°C to +45°C [+32°F to 113°F]

Fast

0°C to +45°C [+32°F to 113°F]

-20°C to +60°C [-4°F to 140°F]

-30°C to +50°C [-22°F to 122°F]

12.0mΩ

(at 1000Hz)

29g/1.02oz

× 43.0

17.0

-0.5

× 1.69

0.67

-0.02

Charge : 120mA×16Hrs.

(1 It)

(2 It)

20

30

40

50

60

Discharge Time (Mins)

Charge : 120mA×16Hrs.

(8 It)

(4 It)

4

6

8

10

12

Discharge Time (Mins)

Charge Characteristics

Discharge Characteristics

Condition Charge : 120mA×16Hrs.

Discharge : 240mA


(End Volt 1.0V)

0


10

20


Cell Voltage (V)




Cell Voltage (V)




Cell Voltage (V)




Cell Voltage (V)



Capacity (%)



Capacity (%)




ManualsLib.com

86  
104  
Operating Temperature  
0  
mm  
-1.2  
0  
inch  
-0.05  
at 20°C/68°F  
70  
80  
at 20°C/68°F  
14  
16  
50  
60°C  
122  
140°F  
CD010830

# SANYO

## Cadnica







### Related Manuals for Sanyo Cadnica KR-1200AUL

[Camera Accessories Sanyo KR-1000SCL Cadnica Specifications](#)

Sanyo battery charger specification sheet (1 page)

[Camera Accessories Sanyo KR-1100AAU Cadnica Specifications](#)

Sanyo battery charger specification sheet (1 page)

[Camera Accessories Sanyo KR-1100AEL Cadnica Specifications](#)

Sanyo battery charger specification sheet (1 page)

[Camera Accessories Sanyo KR-1200AAE Specifications](#)

Sanyo battery charger specification sheet (1 page)

[Camera Accessories Sanyo KR-1400AE Cadnica Specifications](#)

Sanyo battery charger specification sheet (1 page)

[Camera Accessories Sanyo KR-1500AUL Cadnica Specifications](#)

Sanyo battery charger specification sheet (1 page)

[Camera Accessories Sanyo KR-1500SC Cadnica Specifications](#)

Sanyo battery charger product manual (1 page)

[Camera Accessories Sanyo KR-1500SCT Cadnica Specifications](#)

Sanyo battery charger specification sheet (1 page)

[Camera Accessories Sanyo KR-1700AU Cadnica Specifications](#)

Sanyo battery charger specification sheet (1 page)

[Camera Accessories Sanyo KR-1800SCE Cadnica Specifications](#)

Sanyo battery charger specification sheet (1 page)

[Camera Accessories Sanyo Cadnica KR-1200SCL Specifications](#)

Sanyo cadnica specification sheet (1 page)

[Camera Accessories Sanyo Lithium ion Brochure & Specs](#)

Sanyo rechargeable batteries brochure (8 pages)

[Camera Accessories Sanyo CR17335HE-R Specifications](#)

Sanyo lithium product manual (1 page)

[Camera Accessories Sanyo CR14250SE Specifications](#)

Sanyo lithium specification sheet (1 page)

[Camera Accessories Sanyo UR18500F Specifications](#)

Lithium ion (1 page)

[Camera Accessories Sanyo UF103450P Specifications](#)

Lithium ion 1700mah □□□□ □□□□□□ (1 page)