



Sanyo Cadnica KR-2300SCE Specifications

Sanyo cadnica specification sheet

1

--

•

Bookmarks

Quick Links

[Download this manual](#)



[Enlarged version](#)

SANYO

Discharge Time (Hrs.)



Cadnica

D
d
49.0
±0.3
mm
H
±0.012
1.929
inch
Dimensions
±0.3
mm
22.0
of
D
±0.012
inch
0.866
Bare Cell
10.0
mm
d
0.394
inch
Charge : 230mA
0°C/32°F
20°C/68°F
45°C/113°F



Temperature :
20°C/68°F



1.5 It
0.1 It
80
100
120
140
160
Charge : 230mA x 16Hrs.
at 20°C/68°F
(0.1 It)





Cell Type KR-2300SCE

Specifications

Nominal Capacity
Nominal Voltage
Standard Charging Current
Fast Standard Charging Time
Fast Standard Charge



Ambient Temperature
Discharge Storage
Internal Impedance (AV.)



[Camera Accessories Sanyo Cadnica KR-1200SCL Specifications](#)

Sanyo cadnica specification sheet (1 page)

[Camera Accessories Sanyo UF103450P Specifications](#)

Lithium ion 1700mah□□□□□ □□□□□□□□ (1 page)

[Camera Accessories Sanyo KR-1500SCT Cadnica Specifications](#)

Sanyo battery charger specification sheet (1 page)

[Camera Accessories Sanyo UF653450R Specifications](#)

Lithium ion (1 page)