





## Sanyo KR-1400AE Cadnica Specifications

Sanyo battery charger specification sheet



1

--

•

## Bookmarks

## Quick Links

[Download this manual](#)


[Enlarged version](#)



# SANYO

Discharge Time (Hrs.)

# Cadnica





Discharge Time (Hrs.)	Temperature (°C)	Capacity (mAh)
2	20	1400
4	20	1400
6	20	1400
8	20	1400
10	20	1400
12	20	1400
14	20	1400
16	20	1400

D  
d  
48.5  
±0.3  
mm  
H  
±0.012  
1.909  
inch  
Dimensions  
±0.2  
mm  
16.5  
of  
D  
±0.008  
inch  
0.650  
Bare Cell  
8.5  
mm  
d  
0.335  
inch  
Charge : 140mA  
0°C/32°F  
20°C/68°F  
45°C/113°F  
8  
10  
12  
14  
16  
Temperature :

Temperature :  
20°C/68°F





1.5 It  
0.1 It  
80  
100  
120  
140  
160  
Charge : 140mA x 16Hrs.  
at 20°C/68°F  
(0.1 It)



## Cell Type KR-1400AE

## Specifications

Nominal Capacity  
Nominal Voltage  
Standard Charging Current  
Fast Charging Current  
Standard Charging Time  
Fast Charging Time  
Standard Charge  
Fast Charge  
Ambient Temperature  
Discharge Storage  
Internal Impedance (Av.)









[Camera Accessories Sanyo N-1200SCK Cadnica Specifications](#)

Sanyo battery charger specifications sheet (1 page)

[Camera Accessories Sanyo ML414R Lithium Specifications](#)

Sanyo lithium specification sheet (1 page)

[Camera Accessories Sanyo N-270AA Cadnica Specifications](#)

Sanyo battery charger specification sheet (1 page)

[Camera Accessories Sanyo Cadnica KR-600AAL Specifications](#)

Sanyo battery specification sheet (1 page)