



Sanyo KR-4400D Cadnica Specifications

Sanyo battery charger specifications sheet

1

--

•

Bookmarks

Quick Links

[Download this manual](#)

[Enlarged version](#)



(0.5 lt)
 (0.2 lt)
 0
 2
 4
 6

SANYO



Cadnica

Discharge Time (Hrs.)

D
 d
 60.0
 ±0.4
 mm
 H
 ±0.016
 2.362
 inch
 Dimensions
 ±0.3
 mm
 32.3
 of
 D
 ±0.012
 inch
 1.272
 Bare Cell
 8.5
 mm
 d
 0.335
 inch
 Charge : 440mA
 0°C/32°F
 20°C/68°F
 45°C/113°F





8
 10
 12
 14
 16
 Charge : 440mA x 16Hrs.
 Discharge : End Volt 1.0V
 at 20°C/68°F
 Charge : 440mA x 16Hrs.
 at 20°C/68°F
 (0.1 lt)
 8
 10
 12
 14





Cell Type KR-4400D

Specifications

Nominal Capacity
 Nominal Voltage
 Charging Current
 Charging Time
 Charge
 Ambient
 Discharge
 Temperature
 Storage
 Internal Impedance (Av.)
 (at 50% discharge)
 Weight



Dimensions(D) x (H)
 (with tube)
 Discharge (at high rate)
 Voltage (V)
 1.4
 1.2





SANYO







Cadnica

1.0
0.8
0
10
1.4
1.2
1.0
0.8
0
2
8
100
90
80
70
60
50
40
16
-20
-10
-4
14
4400mAh
1.2V
440mA
14 to 16Hrs.
0°C to +45°C [+32°F to 113°F]
-20°C to +60°C [-4°F to 140°F]
-30°C to +50°C [-22°F to 122°F]
3.8mΩ
(at 1000Hz)
145g/5.11oz
x 61.1
0
33.0
-0.9
x 2.41
0
1.30
-0.04
Charge : 440mA x 16Hrs.
(2 It)
(1 It)
20
30
40
50
60
Discharge Time (Mins)
Charge : 440mA x 16Hrs.
(8 It)
4
6
8
10
12
Discharge Time (Mins)
Charge Characteristics
Discharge Characteristics
Condition Charge : 440mA x 16Hrs.
Discharge : 880mA
(End Volt 1.0V)
0
10
20
30
40
32
50
68
86
104
Operating Temperature
0
mm
-1.5
0
inch
-0.06
at 20°C/68°F
70

Discharge (at high rate)

Temperature (Charge & Discharge)





80
at 20°C/68°F
(4 It)
14
16
50
60°C
122
140°F
CD010830

SANYO
Cadnica



Related Manuals for Sanyo KR-4400D Cadnica

[Camera Accessories Sanyo ML414R Lithium Specifications](#)

Sanyo lithium specification sheet (1 page)

[Camera Accessories Sanyo N-270AA Cadnica Specifications](#)

Sanyo battery charger specification sheet (1 page)

[Camera Accessories Sanyo Cadnica KR-600AAL Specifications](#)

Sanyo battery specification sheet (1 page)

[Camera Accessories Sanyo CR17335 Specifications](#)

Sanyo lithium specification sheet (1 page)

[Camera Accessories Sanyo N-1250SCRL Cadnica Specifications](#)

Sanyo battery charger specification sheet (1 page)

[Camera Accessories Sanyo N-100AAS Cadnica Specifications](#)

Sanyo battery charger specification sheet (1 page)

[Camera Accessories Sanyo HR-AAC Specifications](#)

Sanyo digital camera battery specification sheet (1 page)

[Camera Accessories Sanyo UR18650A Datasheet](#)

Safety data sheet for chemical products (5 pages)

[Camera Accessories Sanyo Lithium ion Brochure & Specs](#)

Sanyo rechargeable batteries brochure (8 pages)

[Camera Accessories Sanyo CR17335HE-R Specifications](#)

Sanyo lithium product manual (1 page)

[Camera Accessories Sanyo CR14250SE Specifications](#)

Sanyo lithium specification sheet (1 page)

[Camera Accessories Sanyo UR18500F Specifications](#)

Lithium ion (1 page)

[Camera Accessories Sanyo Cadnica KR-1200SCL Specifications](#)

Sanyo cadnica specification sheet (1 page)

[Camera Accessories Sanyo UF103450P Specifications](#)

Lithium ion 1700mah□□□□□ □□□□□□ (1 page)

[Camera Accessories Sanyo KR-1500SCT Cadnica Specifications](#)

Sanyo battery charger specification sheet (1 page)