



Sanyo Twicell HR-AAU Specifications

Sanyo twicell specification sheet

1

--

•

Bookmarks

[Download this manual](#)

Quick Links

10.5 mm

D

Dimensions

(with tube)

H

Typical Characteristics

Charge

1.8

1.7

1.6

1.5

1.4


1.3

1.2

Charge : 700mA (-V=10mV)

Ambient Temp. : 0°C,20°C,40°C

SANYO
Twicell



1.1
1.0
0
10
20
30
40
50
60
70
80



Charge Time (min)

43.6, 44.5mm

10.5 mm

43.6, 44.5mm

0°C

20°C

40°C

Cell Type HR-AAAU

Specifications

Type : Nickel-Metal Hydride Battery

Typical

Capacity

1) Minimum

Nominal Voltage

Charging Current x Time

Fast Charge

Charge

Fast Charge

Condition

Discharge Condition

Less than

Ambient Temp.

30days

Storage

Less than

Condition

90days

Less than

1year

Internal Impedance

3)

(after discharge to E.V.=1.0V)

Weight

4)

Size

:(Diameter) x (Height)

4)

1)Single cell capacity under the following condition.

Charge : 73mA×16h,

Discharge : 146mA(E.V.=1.0V) at 20°C

2)Use recommended charging system.

3)After a few charge and discharge cycles under the above 1) condition.

ManualsLib.com

Sanyo twicell specification sheet (1 page)
[Camera Accessories Sanyo Twicell HR-AAU Specifications](#)

Sanyo twicell specification sheet (1 page)
[Camera Accessories Sanyo Twicell HR-AU Specifications](#)

Sanyo twicell specification sheet (1 page)
[Camera Accessories Sanyo Twicell HR-AUC Specifications](#)

Sanyo twicell specification sheet (1 page)
[Camera Accessories Sanyo Twicell HR-D Specifications](#)

Sanyo twicell specification sheet (1 page)
[Camera Accessories Sanyo Twicell HR-SCC Specifications](#)

Sanyo twicell specification sheet (1 page)
[Camera Accessories Sanyo HR-AAUL Specifications](#)

Sanyo digital camera battery specification sheet (1 page)
[Camera Accessories Sanyo HR-SCU Specifications](#)

Sanyo digital camera battery specification sheet (1 page)
[Camera Accessories Sanyo HR-AAC Specifications](#)

Sanyo digital camera battery specification sheet (1 page)
[Camera Accessories Sanyo ML414R Lithium Specifications](#)

Sanyo lithium specification sheet (1 page)
[Camera Accessories Sanyo N-270AA Cadnica Specifications](#)

Sanyo battery charger specification sheet (1 page)
[Camera Accessories Sanyo Cadnica KR-600AAL Specifications](#)

Sanyo battery specification sheet (1 page)
[Camera Accessories Sanyo CR17335 Specifications](#)

Sanyo lithium specification sheet (1 page)
[Camera Accessories Sanyo N-1250SCRL Cadnica Specifications](#)

Sanyo battery charger specification sheet (1 page)
[Camera Accessories Sanyo N-100AAS Cadnica Specifications](#)

Sanyo battery charger specification sheet (1 page)

Related Products for Sanyo Twicell HR-AAAU

[Sanyo Twicell HR-AAU](#)

[Sanyo Twicell HR-AU](#)

[Sanyo Twicell HR-AUC](#)

[Sanyo Twicell HR-D](#)

[Sanyo Twicell HR-SCC](#)

[Sanyo Twicell HR-AAUL](#)

[Sanyo Twicell HR-SC](#)

[Sanyo Twicell HR-SCU](#)

[Sanyo Twicell](#)

[Sanyo Twicell HR Series](#)

[Sanyo Twicell Slim HF Series](#)

[Sanyo TH2442](#)

[Sanyo TRC-590M](#)

[Sanyo TLS-4024P](#)

[Sanyo TRC-7060](#)

[Sanyo TP20](#)