

Sanyo 3LCD PLC-WXU300 Quick Reference Manual

Sanyo projector user manual

1	1	



Download this manual	Quick Links	

2 5 0 0 A N S I L U M E N S	
PLC-WXU300 • •	
Light weight. WXGA Portable Multimedia Projector TRUE WXGA (1280 x 800) RESOLUTION Compatible with wide screen laptops for an accurate wide screen WXGA (16:10) presentation. The PLC-WXU300 has an HDMI input terminal which is the most popular port for wide aspect ratio projector. PICTURE (IN PICTURE (P IN P) AND PICTURE BY PICTURE (P BY P)	
FUNCTION Capable of projecting two images simultaneously by using either "P in P" and "P by P" functions. These functions are useful in video conferencing and educational systems. COMPLETE EASY AUTO SET TION PLC-WXU800 provides "A luo p Function" that corrects keystone shaped distortion by searching and detecting projector	
incline, therefore reducing set up time. PLC-wx658 compensales for keystone picture distortion. Auto Keystone Correction, Auto	

Input Search and Auto PC Adjustment make it a really smart projector. SHORT THROW LENS WITH 1.6 ZOOM AND 7W SPEAKER PLC-WXU300 is equipped with a zoom lens that allows screen size adjustment. The short-focus type lens allows large screen image projections with a short throw distance. The PLC-WXU300 enables 100-inch screen projection at the shortest distance, 100 inches. The PLC-WXU300 features a high-output 7 Walt speaker. Sufficient audio is delivered through its built-in speaker, so the projector can be used in conference rooms, classrooms, and other similar spaces. Wired LAN (RJ-45) for projector control This model s equipped with Wired LAN (RJ-45) that allows you to manage and control the projector via Network. It is possible to check the operating time of larp and manage the warning notification by email. Power ON/OFF and switching of the input signal can be controlled. You can save a lot of time in manage and control. BLACK BOARD / COLOR BOARD MODE The PLC-W XU300 is conclustible with black and four variously colored (red, blue, green, and yellow) projectors without a screen. POWER OFF AND GO An easy-off function enables the projectors without wai ing for the lamp to cool down. CLOSED C APTION PLC-WXU300 Closed Caption compatible. Issued 8/00	
PLC-WXU300 is equipped with a zoom lens that allows screen size adjustment. The short-focus type lens allows large screen image projections with a short throw distance. The PLC WXU300 enables 100 inch screen projection at the shortest distance, 100 inches. The PLC-WXU300 features a high-output 7 Watt speaker. Sufficient audio is delivered through its built-in speaker, so the projector can be used in conference rooms, classrooms, and other similar spaces. Wired LAN (RJ-45) for projector control This model s equipped with Wired LAN (RJ-45) that allows you to manage and control the projector via Network. It is possible to check the operating time of lamp and manage the warning notification by email. Power ON/OFF and switching of the input signal can be controlled. You can save a lot of time in manage and control. BLACK BO ARD / COLOR BOARD MODE The PLC-WXU300 is coil patible with black and four variously colored (red, blue, green, and yellow) grois a surfaces via 'Black (Color) Board Mode'. without a screen. POWER OFF AND GO An easy-off function enables the projector relugged immediately without waiting for the lamp to cool down. CLOSED C APTION PLC-WXU300 Closed Caption compatible. Issued 8/0	
adjustment. The short-focus type lens allows large screen image projections with a short throw distance. The PLC-WXU300 enables 100 inch screen projection at the shortest distance, 100 inches. The PLC-WXU300 features a high-output 7 Watt speaker. Sufficient audio is delivered through its built-in speaker, so the projector can be used in conference rooms, classrooms, and other similar spaces. Wired LAN (RJ-45) for projector control This model is equipped with Wired LAN (RJ-45) that allows you to manage and control the projector via Network. It is possible to check the operating time of lamp and manage the warning notification by email. Power ON/OFF and switching of the input signal can be controlled. You can save a lot of time in manage and control. BLACK BOARD / COLOR BOARD MODE The PLC-WXU300 is cone patible with black and four variously colored (red, blue, green, and yellow) projection surfaces via 'Black (Color) Board Mode'. without a screen. POWER OFF AND GO An easy-off function enables the projector of surfaces via 'Black (Color) Board Mode'. without waiting for the lamp to cool down. CLOSED CAPTION PLC-WXU300 Closed Caption compatible. Issued 8/0)	
with a short throw distance. The PLC-WXU300 enables 100-inch screen projection at the shortest distance, 100 inches. The PLC-WXU300 features a high-output 7 Watt speaker. Sufficient audio is delivered through its built-in speaker, so the projector can be used in conference rooms, classrooms, and other similar spaces. Wired LAN (RJ-45) for projector control This model is equipped with Wired LAN (RJ-45) that allows you to manage and control the projector via Network. It is possible to check the operating time of lamp and manage the warning notification by email. Power ON/OFF and switching of the input signal can be controlled. You can save a lot of time in manage and control. BLACK BOARD / COLOR BOARD MODE The PLC-WXU300 is con patible with black and four variously colored (red, blue, green, and yellow) projector surfaces via 'Black (Color) Board Mode'. without a screen. POWER OFF AND GO An easy-off function enables the projector surfaces via 'Black (Color) Board Mode'. without wailing for the lamp to cool down. CLOSED CAPTION PLC-WXU300 Closed Caption compatible. Issued 8/09	
projection at the shortest distance, 100 inches. The PLC-WXU300 features a high-output 7 Watt speaker. Sufficient audio is delivered through its built-in speaker, so the projector can be used in conference rooms, classrooms, and other similar spaces. Wired LAN (RJ-45) for projector control This model s equipped with Wired LAN (RJ-45) that allows you to manage and control the projector via Network. It is possible to check the operating time of lamp and manage the warning notification by email. Power ON/OFF and switching of the input signal can be controlled. You can save a lot of time in manage and control. BLACK BOARD / COLOR BOARD MODE The PLC-WXU300 is coil patible with black and four variously colored (red, blue, green, and yellow) projector is surfaces via 'Black (Color) Board Mode'. without a screen. POWER OFF AND GO An easy-off function enables the projector without walling for the lamp to cool down. CLOSED CAPTION PLC-WXU300 Closed Caption compatible. Issued 8/0;	
high-output 7 Watt speaker. Sufficient audio is delivered through its built-in speaker, so the projector can be used in conference rooms, classrooms, and other similar spaces. Wired LAN (RJ-45) for projector control This model is equipped with Wired LAN (RJ-45) that allows you to manage and control the projector via Network. It is possible to check the operating time of larnip and manage the warning notification by email. Power ON/OFF and switchi g of the input signal can be controlled. You can save a lot of time in manage and control. BLACK BO ARD / COLOR BOARD MODE The PLC-WXU300 is controlled with black and four variously colored (red, blue, gree e, and yellow) projector surfaces via 'Black (Color) Board Mode'. without a screen. POWER OFF AND GO An easy-off function enables the projector surgated immediately without waiting for the lamp to cool down. CLOSED CAPTION PLC-WXU300 Closed Caption compatible. Issued 8/00	
other similar spaces. Wired LAN (RJ-45) for projector control This model is equipped with Wired LAN (RJ-45) that allows you to manage and control the projector via Network. It is possible to check the operating time of lamp and manage the warning notification by email. Power ON/OFF and switching of the input signal can be controlled. You can save a lot of time in manage and control. BLACK BO ARD / COLOR BOARD MODE The PLC-WXU300 is conspatible with black and four variously colored (red, blue, green, and yellow) projectors surfaces via 'Black (Color) Board Mode'. without a screen. POWER OFF AND GO An easy-off function enables the projector solunged immediately without wailing for the lamp to cool down. CLOSED C APTION PLC-WXU300 Closed Caption compatible. Issued 8/0)	
Wired LAN (RJ-45) for projector control This model is equipped with Wired LAN (RJ-45) that allows you to manage and control the projector via Network. It is possible to check the operating time of lamp and manage the warning notification by email. Power ON/OFF and switching of the input signal can be controlled. You can save a lot of time in manage and control. BLACK BOARD / COLOR BOARD MODE The PLC-WXU300 is controlled with black and four variously colored (red, blue, green, and yellow) projector surfaces via 'Black (Color) Board Mode'. without a screen. POWER OFF AND GO An easy-off function enables the projector surfaced immediately without waiting for the lamp to cool down. CLOSED CAPTION PLC-WXU300 Closed Caption compatible. Issued 8/09	
This model is equipped with Wired LAN (RJ-45) that allows you to manage and control the projector via Network. It is possible to check the operating time of lamp and manage the warning notification by email. Power ON/OFF and switching of the input signal can be controlled. You can save a lot of time in manage and control. BLACK BOARD / COLOR BOARD MODE The PLC-WXU300 is coil patible with black and four variously colored (red, blue, green, and yellow) proise in surfaces via 'Black (Color) Board Mode'. without a screen. POWER OFF AND GO An easy-off function enables the projector without waiting for the lamp to cool down. CLOSED CAPTION PLC-WXU300 Closed Caption compatible. Issued 8/0)	
and control the projector via Network. It is possible to check the operating time of lamp and manage the warning notification by email. Power ON/OFF and switching of the input signal can be controlled. You can save a lot of time in manage and control. BLACK BO ARD / COLOR BOARD MODE The PLC-WXU300 is contractable with black and four variously colored (red, blue, green, and yellow) projects a surfaces via 'Black (Color) Board Mode'. without a screen. POWER OFF AND GO An easy-off function enables the projector analyzaged immediately without waiting for the lamp to cool down. CLOSED CAPTION PLC-WXU300 Closed Caption compatible. Issued 8/0)	
time of lamp and manage the warning notification by email. Power ON/OFF and switching of the input signal can be controlled. You can save a lot of time in manage and control. BLACK BO ARD / COLOR BOARD MODE The PLC-WXU300 is contractible with black and four variously colored (red, blue, green, and yellow) projection a surfaces via 'Black (Color) Board Mode'. without a screen. POWER OFF AND GO An easy-off function enables the projector: without waiting for the lamp to cool down. CLOSED CAPTION PLC-WXU300 Closed Caption compatible. Issued 8/0)	
and switching of the input signal can be controlled. You can save a lot of time in manage and control. BLACK BO ARD / COLOR BOARD MODE The PLC-WXU300 is controlled with black and four variously colored (red, blue, green, and yellow) projections surfaces via 'Black (Color) Board Mode'. without a screen. POWER OFF AND GO An easy-off function enables the projector without waiting for the lamp to cool down. CLOSED CAPTION PLC-WXU300 Closed Caption compatible. Issued 8/0)	
BLACK BO ARD / COLOR BOARD MODE The PLC-W XU300 is contractible with black and four variously colored (red, blue, green, and yellow) projection surfaces via 'Black (Color) Board Mode'. without a screen. POWER OFF AND GO An easy-off function enables the projector analyzaged immediately without waiting for the lamp to cool down. CLOSED CAPTION PLC-WXU300 Closed Caption compatible. Issued 8/0)	
The PLC-WXU300 is contractible with black and four variously colored (red, blue, green, and yellow) projection surfaces via 'Black (Color) Board Mode'. without a screen. POWER OFF AND GO An easy-off function enables the projector wellugged immediately without waiting for the lamp to cool down. CLOSED CAPTION PLC-WXU300 Closed Caption compatible. Issued 8/0)	
blue, gree 1, and yellow) projects a surfaces via 'Black (Color) Board Mode'. without a screen. POWER OFF AND GO An easy-off function enables the projector polygoed immediately without wai ing for the lamp to cool down. CLOSED CAPTION PLC-WXU300 Closed Caption compatible. Issued 8/0)	
without a creen. POWER OFF AND GO An easy-off function enables the projector relugated immediately without waiting for the lamp to cool down. CLOSED CAPTION PLC-WXU300 Closed Caption compatible. Issued 8/00	
POWER OF F AND GO An easy-off function enables the projector polygoed immediately without wailing for the lamp to cool down. CLOSED CAPTION PLC-WXU300 Closed Caption compatible. Issued 8/0)	
An easy-off function enables the projector relugged immediately without waiting for the lamp to cool down. CLOSED CAPTION PLC-WXU300 Closed Caption compatible. Issued 8/0)	
without wai ing for the lamp to cool down. CLOSED CAPTION PLC-WXU300 Closed Caption compatible. Issued 8/0)	
PLC-WXU3D0 Closed Caption compatible. Issued 8/09	
Issued 8/00	
T D II Flory C A	
T R U E W X G A	
Resolution Brightness (trpical)	
Uniformity	
Panel System Number of Pikels	
Contrast Ratio Full on / off)	_
Image Size	_
Aspect Ratio Projection Lamp (s)	
Scanning Frequency	
Dot Clock Fan Noise	
Voltage	
BTU Rating Power Consumption	
Input signal compatibility	
Color System Projection Lens (inch)	
Projection Lens (inch) Throw Ratio	<u> </u>
Throw Distance (feet)	
Zoom / Focus Zoom Ratio	
Up / Down Ratio	
automatically	
Digital Keyst ne Correction Projection System	
Digital Zoom	
Speaker Out ut Weight (lbs.)	
Dimensions (Inch) W,H,D	
Lamp Life * (hours Normal / Eco)	
Replacement Lamp	
Replacement Remote Input	
Output	=
Control	
Others Included Accessories	
Optional Accessories	
User Maintenance Warranty	
Because its products are subject to continuous improvement, SANYO reserves the right to modify product design	
and specifications without notice and without incurring any obligations. * Lamp life may vary due to room conditions, usage, and maintenance. The replacement time is a general	
estimate. The Irightness of a lamp usually decreases over time and use.	
Terminals	
M U L T M E D I A P R O J E C T O R	
	$\overline{}$
Spe (titications	
Specifications WXGA (1,280 x 800)	
WXGA (1,280 x 800) 0.59" TFT Poly k 3	
WXGA (1,280 x 800)	



Related Manuals for Sanyo 3LCD PLC-WXU300

Projector Sanyo Plc-WXU300 Service Manual

(118 pages)

Projector Sanyo PLC-WXU300K Owner's Manual

Sanyo multimedia projector owner's manual (82 pages)

Projector Sanyo PLC-WXU300 - 2500 Lumens Manual

Rs232 expand (73 pages)

Projector Sanyo WXU30 - PLC - LCD Projector Owner's Manual

Network set-up and operation (58 pages)

Software Sanyo PLC-XU300 - XGA LCD Projector Owner's Manual

Pj network manager for windows (32 pages)

Projector Sanyo PLC-WXU300 - 2500 Lumens Manual

Basic serial command specifications (23 pages)

Projector Sanyo PLC-WXU300 Specifications

Ultra portable multimedia projector (2 pages)

Projector Sanyo PLC-WXU300 - 2500 Lumens Brochure

Ultra portable multimedia projector (2 pages)

Projector Sanyo PLC-WXU300 Technical Information

Sanyo lcd projector datasheet (1 page)

Projector Sanyo PLC-WXU300 Dimensional Drawing

Sanyo plc-wxu300 projector dimensional drawing (1 page)

Projector Sanyo PLC-WXU300 Command List

Ir command list (1 page)

Projector Sanyo 305A Specifications

Xga ultraportable multimedia projector (1 page)

Projector Sanyo PLC-EF12B Owner's Manual

Sanyo multimedia projector owner's manual plc-ef12n, plc-ef12nl, plc-ef12e, plc-ef12el, plc-ef12bl, plc-ef12bl (56 pages)

Projector Sanyo PLC PLC-ET30L Owner's Manual

Sanyo multimedia projector owner's manual (78 pages)

Projector Sanyo PLC-XP50 Owner's Manual

Sanyo owner's manual multimedia projector plc-xp50, plc-xp51, plc-xp50l(lensless), plc-xp51l (lensless) (56 pages)

Projector Sanyo PLC-XU300 Owner's Manual

Sanyo projector user manual (79 pages)

Related Products for Sanyo 3LCD PLC-WXU300

Sanyo PLC-WXU10N

Sanyo PLC-WXU300K

Sanyo PLC-WXU30

Sanyo PLC-WXU30A

Sanyo PLC-WXU30A - 3700 Lumens

Sanyo PLC-WXU700A - 3800 Lumens

Sanyo PLC-WXU7000A

Sanyo PLC-WXU700A

Sanyo Think GAIA PLC-WXU700

Sanyo PLC-WXU3ST

Sanyo PLC-WXU10E

Sanyo PLC-WXU10B

Sanyo PJLink PLC-WXU30K

Sanyo PLC-WXE45

Sanyo PLC-WXE46 Sanyo PLC-WXL46A

This manual is also suitable for:

Plc-wxu300 - 2500 lumensPlc-wxu300