





## Sanyo DAS-204 Instruction Manual

Digital answering system with 3 mailboxes



1	
Table Of Contents	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	

---

•

[Table of Contents](#)

- 

Troubleshooting

•

## Bookmarks

[Download this manual](#)

## Quick Links





All manuals and user guides at [all-guides.com](http://all-guides.com)

## INSTRUCTION MANUAL

40

D  
2  
3

MAIL BOX  
2-WAY MEMO  
SIGN  
ERASE

### Model DAS-204

## Digital Answering System with 3 Mailboxes

Please read this operation manual before using your new digital answering system and keep it for further reference

MINUTE  
A  
S  
DIGITAL  
ANSWERING  
SYSTEM  
ANSWER  
1  
LANGUAGE  
TIME/STOP  
NEXT  
REPEAT



## Table of Contents

[Next Page](#)

1  
2  
3  
4  
5

# Related Manuals for Sanyo DAS-204

## [Answering Machine Sanyo DAS-204 Instruction Manual](#)

Digital answering system with 3 mailboxes (12 pages)

## [Answering Machine Sanyo DAS201 Owner's Instruction Manual](#)

Fully digital answering system (10 pages)

## [Answering Machine Sanyo DAS202 Instruction Manual](#)

Fully digital answering system (11 pages)

## [Answering Machine Sanyo DAS-203 Instruction Manual](#)

Digital answering system with 3 mailboxes (19 pages)

## [Answering Machine Sanyo CLA-1380 Service Manual](#)

Cordless telephone answering system (66 pages)

## Summary of Contents for Sanyo DAS-204

[Page 1](#) INSTRUCTION MANUAL MINUTE DIGITAL ANSWERING SYSTEM ANSWER LANGUAGE MAIL BOX 2-WAY/MEMO TIME/STOP NEXT ERASE REPEAT Model DAS-204 Digital Answering System with 3 Mailboxes Please read this operation manual before using your new digital answering system and keep it for further reference...

### [Page 2: Table Of Contents](#)

SANYO COMFORT WARRANTY ..... .18 ANSWER LED Indicator: Lights up when the DAS-204 is ready to answer calls.

[Page 3](#) All manuals and user guides at all-guides.com 17. Adapter receptacle (DC IN 9-V): Used to connect the DAS-204 to the 1 (Mailbox 1)/PAUSE Key: Used to play messages recorded in supplied AC power adapter. mailbox 1. Press 2WAY/MEMO and this key for memo recording and playing messages.

### [Page 4: Battery Installation](#)

(Figure 1). You may have to unplug your telephone to do this. To use a phone in the same area of the DAS-204, simply plug the telephone into the TEL input jack on the machine (Figure 2).

### [Page 5: Before Operation](#)

6. After the minutes are set, the time will be announced. Disconnect the unit from power, and then re-connect it. NOTE: If no key is pressed within 8 seconds, the DAS-204 will return to normal mode. For example: if you wish to set to Friday 10:30 pm a.

### [Page 6: Playing Outgoing Messages](#)

Memo message: 1. The DAS-204 answers the call and then plays OGM1. For a caller to 1. Press the 2WAY/MEMO key and hold it for 2 seconds. All mailbox keys leave a message in a particular mailbox, the caller is requested to press will flash.

### [Page 7: Playing Callers' Message](#)

If the mailbox doesn't have any messages, the unit will play "no message" O. Call breakthrough operation 3. To pause playback: To alert someone in the area that the DAS-204 is being used, follow these steps. Press 1 key to pause message playback. If a pause exceeds 8 1.

### [Page 8: Remote Control Operation](#)

Q. Remote control operation R. Remote control security code The DAS-204 allows you to perform many of its functions from a remote The security code is set to a factory default of 159. This code can be telephone. Follow these simple steps: changed to any number between 000 to

### [Page 9: Led Display Description](#)

Two-way recording LED indicates "88" or number Unplug unit, remove battery, and ON/Flashing Display/setup 1st digit of code of keys will not operate plug it back in. This resets the DAS-204. ON/Flashing Display/setup 2nd digit of code - ON/Flashing Display/setup 3rd digit of code OGM1 and OGM2 are erased Back-up battery power low or absent.

### [Page 10: Care](#)

All manuals and user guides at [all-guides.com](http://all-guides.com) CARE THE CANADIAN INDUSTRY STATEMENT • Keep the unit dry. "Notice: To ensure Industry Canada label identifies certified equipment. This • Handle the unit carefully. Do not drop it. certification means that the equipment meets certain telecommunications •...

### [Page 11: Sanyo Comfort Warranty](#)

ORIGINAL RETAIL PURCHASER'S RESPONSIBILITY You, the original retail purchaser, must present your original, dated bill-of-sale together with this warranty to SANYO Canada Inc. or to an authorized Sanyo Service Depot when you make a claim under this warranty You, the original retail purchaser, are responsible for any costs of TRANSPORTING the product to and from SANYO Canada Inc.