



Whirlpool HT015 User Manual

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18

19
20
21
22
23
24

•

Bookmarks

[Download this manual](#)

Quick Links



HT015

陶瓷暖風機

[Next Page](#)

1
2
3
4
5

Related Manuals for Whirlpool HT015

[Heater Whirlpool HT220 User Manual](#)

Ceramic heater (17 pages)

[Heater Whirlpool HB124 Operation Manual](#)

Bathroom ventilation heater (18 pages)

[Heater Whirlpool RT1209 Health & Safety, Use & Care And Installation Manual](#)

(12 pages)

[Heater Whirlpool WCC Installation Instructions](#)

Upflow/downflow cased evaporator coil (4 pages)

[Heater Whirlpool FHT1200 Health & Safety, Use & Care And Installation Manual](#)

2 in 1 fan heater (36 pages)

Summary of Contents for Whirlpool HT015

[Page 1](#) HT015...

[Page 6](#) 重要安全信息...

[Page 8](#) 警告 重要安全信息 警告 重要安全信息 警告 重要安全信息...

[Page 9](#) 警告 重要安全信息 警告 重要安全信息 警告 重要安全信息...

[Page 10](#) 警告...

[Page 12: Ceramic Heater](#)

Ceramic Heater HT015 User Manual...

[Page 13: Important Safety Information](#)

Important Safety Information □ Must be supplied with 220V-240V~/50Hz. □ The plug must be plugged into an appropriate outlet that is installed and grounded in accordance with all local law and regulations. □ Do not modify the plug provided with the appliance. If it does not fit the outlet, please consult with a qualified electrician for advice.

[Page 14](#) □ WARNING: In order to avoid overheating, do not cover the heater. □ The heater must not be located immediately below a socket outlet or other appliance. □ Do not use this heater in the surroundings of a bath, a shower or a swimming pool.

[Page 15](#) working and cool down completely before clean the unit. □ Please do not pull out the power plug by pulling the power cord. It may cause the power cord damage or electric shock. □ If there is abnormal smell or noise when uses the product, please stop using and pull out the power cord immediately.

[Page 16](#) of the reach of children. □ Do not use the appliance for any purpose not expressly specified in this manual. □ This appliance must be attended at all times when it is switched on. □ Do not insert any objects into the heater. □...

[Page 17](#) □ Persons (including children) with reduced physical, sensory or mental capabilities, or any individual lacking experience and knowledge should be supervised or given instruction

by a person responsible for their safety when they using this appliance. Unless being supervised, children can't use this appliance.

[Page 18](#) A. Features 1. Use the high quality PTC heating element, can be automatically trimming power according to the change of the environment temperature, No oxidation characteristics make it has a longer service life; 2. Two gear knobs, for power selection & heat adjustment; 3.

[Page 19](#) Display & Operation panel C. Product operation instructio Functions and instructions 1. Please refer to the Important Safety Information, and make sure the power outlet meeting the requirement before insert the plug to connect the power; (1) Plug in the power cord, products into electricity state; (2) It is energized by spinning power selection knob (High Swing / High / Low / Low Swing) and the "Temperature control knob"...

[Page 20](#) temperature, heater will automatically shut down, when the indoor temperature is lower than the set temperature, heater automatically open again, cycle in order to keep the temperature needed for you. b. Temperature control knob rotation within a specified range of operation, the knob should not travel beyond the scope of effective instruction, in order to avoid damage the knob, and affect the machine function.

[Page 21](#) ● With any indication of malfunction, contact ● Do not hand the plug or product with wet service center repairs. Do not attempt to hands. Otherwise it may cause electric disassemble the product or replace faulty shock. parts with unauthorized components because it will damage the unit.

[Page 22](#) ●Do not broken power cord, otherwise it will ● Do not fold power cord or place heavy result in electric shock, and fire, Please object on it, because it can cause electric contact service center for repairs. shock. Electric shock Must obey Electric shock Must obey...

[Page 23](#) D. Cleaning & Maintenance (1) Make sure that the device is switched off and chill-down before cleaning or maintenance. (2) Wipe the surface of the device by using a soft clean cloth when the surface is dirty. (3) When cleaning, do not use petrol, tianna water, attenuant and anything which is easy to damage the outer surface of the material.

[Page 24](#) E. Technology Parameters Model NO. HT015 Voltage 220-240VAC Frequency 50Hz Power 1500W Dimension(L*W*H) 195mm×140mm×353mm...