



VF-S9  
400V - 5.5KW

**危险** **DANGER**

注意：检修时必须先切断电源。  
检修时请勿打开机盖，以免触电。  
检修完毕后，请等待10分钟后再打开机盖。

Read the instruction manual.  
Do not open the cover while power is applied or for 10 minutes after power has been removed.

# Toshiba TOSVERT VF-S9 Instruction Manual

Compact inverter




1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18

19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68

69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118

119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168

169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200





•

## Bookmarks

[Download this manual](#)

## Quick Links



# Instruction Manual

**The new generation**

**Compact inverter**

**TOSVERT**

1-phase 200V class 0.2

3-phase 200V class 0.2

3-phase 400V class 0.75

# TOSHIBA

**TOSHIBA INDUSTRIAL PRODUCTS MANUFACTURING CORPORATION**

1. Make sure that this instruction manual is delivered to the end user of the inverter unit.
2. Read this manual before installing or operating the inverter unit, and store it in a safe place for reference.

# S9

# VF-

2.2kW

15kW

15kW

NOTICE

E6580757

# TOSHIBA

Safety  
precautions

Introduction  
Contents

Read first

Connecting  
equipment

Operations

Basic VF-S9  
operations

Basic  
parameters

Extended  
parameters

Applied  
operation

Monitoring the  
operation status

ManualsLib.com



Taking measures to satisfy the CE/UL directive

Peripheral devices

Table of parameters and data

# TOSHIBA

Specifications

Before making a service call - Trip information and remedies

Inspection and maintenance

Warranty

Disposal of the inverter

2000 Ver. 101

Manualslib.com

[Next Page](#)

1  
2  
3  
4  
5



## Related Manuals for Toshiba TOSVERT VF-S9

[Inverter Toshiba TOSVERT VF-S9 Instruction Manual](#)

(200 pages)

[Inverter Toshiba TOSVERT VF-S9 Instruction Manual](#)

Compact inverter 1-phase 200v class 0.2 2.2kw 3-phase 200v class 0.2 15kw 3-phase 400v class 0.75 15kw (198 pages)

[Inverter Toshiba TOSVERT VF-S11 Specifications](#)

Transistor inverter (12 pages)

[Inverter Toshiba Tosvert VF-S11 Instruction Manual Supplement](#)

Toshiba tosvert vf-s11 totally-enclosed box type inverter (8 pages)

[Inverter Toshiba CC-Link TOSVERT VF-S11 Option Instruction Manual](#)

(22 pages)

[Inverter Toshiba DEV001Z Function Manual](#)

Devicenet built-in board option (26 pages)

[Inverter Toshiba TOSVERT VF-S11 Instruction Manual](#)

New global standard inverter (269 pages)

[Inverter Toshiba TOSVERT VF-S15 Instruction Manual](#)

Traverse control (6 pages)

[Inverter Toshiba TOSVERT VF-AS3 Manual](#)

(69 pages)

[Inverter Toshiba VF-S15 Instruction Manual](#)

For 3-phase induction motors (360 pages)

[Inverter Toshiba TOSVERT VF-S15 Function Manual](#)

(80 pages)

[Inverter Toshiba VF-S15 Instruction Manual](#)

Industrial inverter for 3-phase induction motors (217 pages)

[Inverter Toshiba TOSVERT VF-S15 Instruction Manual](#)

Shock monitoring function (6 pages)

[Inverter Toshiba Tosvert VF-S15 Series Instruction Manual](#)

Rs485 communication function (76 pages)

[Inverter Toshiba TOSVERT VF-MB1 Function Manual](#)

Tosvert vf-mb1/s15 series ethercat option unit ipe003z (49 pages)

[Inverter Toshiba TOSVERT VF-S15 Instruction Manual](#)

Pid control (23 pages)

## Summary of Contents for Toshiba TOSVERT VF-S9

[Page 1](#) TOSVERT 1-phase 200V class 0.2 3-phase 200V class 0.2 3-phase 400V class 0.75  
TOSHIBA INDUSTRIAL PRODUCTS MANUFACTURING CORPORATION NOTICE 1. Make sure that  
this instruction manual is delivered to the end user of the inverter unit. 2. Read this manual  
before installing or operating the inverter unit, and store it in a safe place for reference.

[Page 2](#) ([SODQDWLRQ RI PDUNLQJV 'DQJHU :DUQLQJ OHDQLQJV RI V\PEROV 3 /LPLWV LQ  
SXUSRVH 6DIHW\ SUHFDXWLRQV...

[Page 3](#) 3 \*HQHUDO RSHUDWLRQ 'DQJHU :DUQLQJ...

[Page 4](#) 3 7UDQVSRUWDWLRQ R ,QVWDOODWLRQ 3 :LULQJ 'DQJHU :DUQLQJ 'DQJHU...

[Page 5](#) 3 2SHUDWLRQV 'DQJHU :DUQLQJ 'DQJHU...

[Page 6](#) :KHQ VHTXHQFH IRU UHVWUDUW DIWHU D PRPHQWU\ SRZHU IDLOXUH LV VHOHFWHG LQYHUWHU :KHQ UHWU\ IXQFWLRQ LV VHOHFWHG LQYHUWHU 0DLQWHQDQFH DQG LQVSHFWLRQ :DUQLQJ :DUQLQJ :DUQLQJ 'DQJHU...

[Page 7](#) 'LVSRVDO :DUQLQJ \$WWDFK ZDUQLQJ ODEHOV...

[Page 8](#) 3 )HDWXUHV...

[Page 9](#) □□ &RQWHQWV □□...

[Page 12](#) :DUQLQJ Name plate...

[Page 13](#) □□□□9 □□□9 □□□9 □□□□9 □□□9 □□□□ □□□N: □□□□ □□□N: □□□□ □□□□N: □□□□ □□□□N: □□□□ □□□□N: □□□□ □□□□N: □□□□ □□□□N: □□ □□...

[Page 16](#) Top warning label Note 1) Wiring hole Cooling fin Ventilation slits Name Plate [Bottom] [Side]...

[Page 17](#) Shorting-bar R/L1 S/L2 U/T1 Screw hole of EMC plate M3 screw (2002~2007) M4 screw (2015/2022) V/T2 W/T3 Grounding terminal M5 screw...

[Page 18](#) R/L1 S/L2 T/L3 M3 screw (2002~2007) M4 screw (2015) U/T1 V/T2 W/T3 Shorting-bar Grounding terminal M5 screw Screw hole of EMC plate R/L1 S/L2 T/L3 M4 screw U/T1 V/T2 W/T3 Shorting-bar Grounding terminal Screw hole of EMC plate M5 screw...

[Page 19](#) Shorting-bar Shorting-bar R/L1 S/L2 T/L3 Screw hole of EMC plate R/L1 S/L2 T/L3 Screw hole of EMC plate M5 screw U/T1 V/T2 W/T3 Grounding terminal M5 screw M6 screw U/T1 V/T2 W/T3 Grounding terminal M5 screw...

[Page 20](#) M3 screw (0.5N□m) M2 screw (0.25N□m) FLA FLB FLC RY CC VIA VIB PP II FM F Remove the screw at the right hand side of the front cover. JP302 JP301A JP301 JP301: Input JP301A: Output SOURCE R RST S1 S2 S3 CC OUT P24 /FMC /SINK Pull and lift the front...

[Page 21](#) :DUQLQJ...

[Page 24](#) 3 'LVSRVDO :DUQLQJ...

[Page 27](#) 3 ,QVWDOODWLRQ HQYLURQPHQW 'DQJHU :DUQLQJ :DUQLQJ...

[Page 28](#) 0HDVXUHPHQW SRVLWLRQ 0HDVXUHPHQW SRVLWLRQ...

[Page 29](#) 3 +RZ WR LQVWDOO 3 ,QVWDOODWLRQ ORFDWLRQ x x x x 6WDQGDUJ LQVWDOODWLRQ 9)6□ □ FHQWLPHWHUV RU PRUH 'DQJHU :DUQLQJ x x x x +RUL]RQWDO LQVWDOODWLRQ VLGH□E□VLGH LQVWDOODWLRQ □□ FHQWLPHWHUV RU PRUH 9)6□ 9)6□ □ FHQWLPHWHUV RU PRUH □□ FHQWLPHWHUV RU PRUH □□ FHQWLPHWHUV RU PRUH...

[Page 30](#) 3 &DORULILF YDOXH RI WKH LQYHUWHU DQG WKH UHTXLUHG YHQWLODWLRQ 3 3DQHO GHVLJQLQJ WDNLQJ LQWR FRQVLGHUDWLRQ WKH HIIHFW RI QRLVH□...

[Page 31](#) 3 ,QVWDOOLQJ PRUH WKDQ RQH XQLW LQ D FDELQHW EMC plate...

[Page 32](#) 'DQJHU :DUQLQJ 'DQJHU...

[Page 33](#) 'DQJHU :DUQLQJ...

[Page 34](#) 'DQJHU...

[Page 35](#) Low-speed detection signal DC reactor (DCL) \*2 (option) MCCB R/L1 S/L2 Filter Main circuit T/L3 Control circuit VF-S9 Operation panel Connector for common serial communications SOURCE SINK CC VIA VIB Meter Frequency meter Braking resistor (option) Motor...

[Page 36](#) Meter DC reactor (DCL) \*2 (option) Braking resistor (option) U/T1 V/T2 Filter Main circuit W/T3 Control circuit VF-S9 Operation panel Connector for common serial communications SOURCE SINK CC VIA Frequency meter External potentiometer (or input voltage signal across VIA-CC terminals: 0 ~ 10V) \*The VIA terminal and II terminal cannot be used at the same time.

[Page 37](#) Power supply Circuit VF-S9 Power lines are Motor lines are connected to R., connected to U., S. and T. V. and W. R/L1 S/L2 T/L3 U/T1 V/T2 W/T3 Note) Model of 3-phase 200V-0.2, 0.4, 0.75kW don't have grounding terminal. Ground connecting to flame of inverter.

[Page 38](#) JP302 FMV SOURCE FMC SINK FLA FLB FLC CC VIA VIB PP II FM F R RST S1 S2 S3 CC OUTP24 □24V SINK SOURCE JP301 □5V 4.7K ~ 0.1μ 3.9K...

[Page 39](#) +24V Voltage converter JP302 0.01μ 100K 4.7K 0.01μ □24V 100K 100K +24V...

[Page 40](#) □24V SOURCE JP301 □5V FUSE +24V +24V...

[Page 41](#) 3 6LQN ORJLF QHJDWLYH FRPPRQ □VRXUFH ORJLF SRVLWLYH FRPPRQ ORJLF VZLWFKLQJ RI LQSXW RXWSXW WHUPLQDOV...

[Page 42](#) FMV(voltage output) Case of SOURCE SINK logic FMC(0~20maoutput) SINK...

[Page 43](#) 'DQJHU :DUQLQJ...

[Page 46](#) & 0&&% 5□/□ 8□7□ 6□/□ 9□7□ 1RLVH 0DLQ FLUFXLW ILOWHU 7□/□ :□7□ &RQWURO FLUFXLW && 0RWURU )RUZDUG URWDWLRQ VLJQDO 5HYHUVH URWDWLRQ VLJQDO &RPPRQ...

[Page 52](#) 6WDQGDUG PRQLWRU PRGH 6WDWXV PRQLWRU PRGH 6HWWLQJ PRQLWRU PRGH...

[Page 54](#) 6ZLWFKHV WR WKH VHWLQJ PRQLWRU PRGH□ 6HOHFWV SDUDPHWHU WR EH FKDQJHG□ 5HDGV WKH SURJUDPPHG SDUDPHWHU VHWLQJ□ &KDQJHV WKH SDUDPHWHU VHWLQJ□ 6DYHV WKH FKDQJHG YDOXH RI WKH SDUDPHWHU VHWLQJ□...

[Page 64](#) □ □ □ □...

[Page 71](#) □...

[Page 75](#) □...

[Page 76](#) □ □ □ □...

[Page 77](#) □ □ □ □...

[Page 82](#) □...

[Page 83](#) 9)□6□ ) )RUZDUG UXQ 5 5HYHUVH UXQ )RUZDUG 5HYHUVH && 3UHVHW□VSHHG □ 3UHVHW□VSHHG □ 3UHVHW□VSHHG □ 3UHVHW□VSHHG □...

[Page 91](#) ,QYHUWHU ,QSXW WHUPLQDO ,QYHUWHU ,QSXW WHUPLQDO \$FRQWDFW VZLWFK + 7KLV IXQFWLRQ LV DFWLYDWHG ZKHQ WKH LQSXW WHUPLQDO DQG && FRPPRQ DUH VKRUW□ FLUFXLWHG□ 8VH WKLV IXQFWLRQ WR VSHFLI\ IRUZDUG□UHYHUVH UXQ RU D SUHVHW□VSHHG RSHUDWLRQ□ 3URJUDPPDEOH FRQWUROOHU + 2SHUDWLRQ FDQ EH

FRQWUROOHG E\ FRQQHFWLQJ WKH LQSWX DQG &&...

[Page 100](#) RUN command Incrementing (UP) signal Decrementing (DOWN)signal Set frequency clearing signal Upper limit frequency...

[Page 111](#) □ '\QDPLF EUDNLQJ VHOHFWLRQ □ %UDNLQJ UHVLVWRU RSHUDWLRQ UDWH...

[Page 112](#) MCCB Three-phase main circuits Power supply External braking resistor (optional) Motor R/L1 U/T1 S/L2 V/T2 T/L3 W/T3 Inverter Connecting thermal relays and an external braking resistor TH-R Without control power MCCB R/L1 Three-phase main circuits R/L2 Power supply R/L3 Step-down transformer 2 : 1 Inverter...

[Page 116](#) >□□ 6XSSO\ YROWDJH XQFRUUHFHWG RXWSXW YROWDJH OLPLWHG@ 5DWHG YROWDJH ,QSWX YROWDJH 2XWSXW IUHTXHQF\ 7KH DERYH DSSOLHV ZKHQ 9□) FRQWURO PRGH VHOHFWLRQ SDUDPHWHU LV VHW WR □ RU □ □ WKH RXWSXW YROWDJH FDQ EH SUHYHQWHG IURP H[FHHGLQJ WKH 5DWHG YROWDJH LQSWX YROWDJH□ ,QSWX YROWDJH +LJK...

[Page 117](#) □ 3RWHQWLRPHWHU VHWWLQJ □ ([WHUQDO DQDORJ VHWWLQJ □ 3DQHO LQSWX VHWWLQJ □ ,QWHUQDO SUHVHW□ VSHHG VHWWLQJ...

[Page 126](#) □ \$FFHOHUDWLRQ DW WKH JUDGLHQW □ 'HFHOHUDWLRQ DW WKH JUDGLHQW FRUUHVSRQGLQJ WR DFFHOHUDWLRQ FRUUHVSRQGLQJ WR GHFHODWLRQ WLP WLP □ \$FFHOHUDWLRQ DW WKH JUDGLHQW □ 'HFHOHUDWLRQ DW WKH JUDGLHQW FRUUHVSRQGLQJ WR DFFHOHUDWLRQ FRUUHVSRQGLQJ WR GHFHODWLRQ WLP WLP...

[Page 135](#) □ □...

[Page 137](#) □...

[Page 148](#) &RPPXQL□ FDWLRQ 1R□...

[Page 149](#) &RPPXQL□ FDWLRQ 1R□...

[Page 151](#) &RPPXQL□ FDWLRQ 1R□...

[Page 152](#) &RPPXQL□ FDWLRQ 1R□...

[Page 158](#) 3 6HOHFWLRQ RI ZLULQJ GHYLFHV...

[Page 159](#) 3 0DJQHWLF FRQWDFWRU LQ WKH SULPDU\ FLUFXLW MCCB Power supply Surge killer 3 0DJQHWLF FRQWDFWRU LQ WKH VFRQGDU\ FLUFXLW VF-S9 Thermal relay R/L1 U/T1 Motor W/T2 S/L2 T/L3 W/T3 Forward run Reverse run...

[Page 160](#) Input AC reactor (ACL) High-attenuation radio noise filter Foot-mounted noise filter Zero-phase reactor ferrite core-type radio noise filter DC reactor VF-S9 Braking resistor Zero-phase reactor ferrite core-type radio noise filter Motor -end surge voltage suppression filter (for 400V models only)

[Page 163](#) Fig.A Fig.B VF-S9 VF-S9S □□1) KROHV...

[Page 164](#) Fig.A Fig.C Fig.B...

[Page 165](#) VF-S9...

[Page 166](#) W1(Mounting dimension) VF-S9 VF-S9 Filter...

[Page 167](#) Fig.A Fig.B VF-S9 Fig.C VF-S9 Fig.D...

[Page 168](#) 3DUDPHWHU ZULWHU □□□□□□ □□□□□□□□ □ PWU001Z □□□□□□□□□□□□ □

CAB0011 1m CAB0013 3m CAB0015 5m ([WHQWLRQ SDQHO &RPPXQLFDWLRQ  
&RQYHUWHU RS232C RS485 RS4001Z RKP001Z RS485...

[Page 169](#) 1 KROHV \*URXQGLQJ 1RWH 0RXQWLQJ GLPHQVLRQ RI &%95% ROG W\SH LV  
VDPH CBVR-7B DV &%95% VF-S9 0RWRU U/T R/L1 3RZHU V/T S/L2 VXSSO\ 5HPRWH SDQHO W/T T/L3  
RSWLRQV )RUZDUG 5HYHUVH...

[Page 170](#) 1 QS- T Hz-1mAdc - QY-11

[Page 177](#) AE AE...

[Page 178](#) 3 'HIDXOW VHWWLQJV E\ LQYHUWHU UDWLQJ...

[Page 185](#) 3 2XWVLGH GLPHQVLRQV DQG PDVV...

[Page 186](#) 3 2XWOLQH GUDZLQJ 5 (Mounting dimension) R2.5 \* VFS9-2002PM and  
VFS9S-2002PL don't have fan. Fig. A (Mounting dimension) Fig. C (Mounting dimension) VF-S9  
plate 4-M4 VF-S9 plate 4-M4 VF-S9 plate 4-M4 Fig. B...

[Page 189](#) 1RWH

[Page 192](#) DQG D IDLOXUH PHVVDJH GLVSOD\HG DOWHUQDWHO\"

[Page 195](#) 'DQJHU...

[Page 196](#) 3 &KHFN SRLQWV 3 &KHFN LWHPV 'DQJHU...

[Page 197](#) 9 LQVXODWLRQ WHVWHU PHJJHU 3 5HSODFHPHQW RI H[SHQGDEOH  
SDUWV...

[Page 198](#) 3 6WDQGDUG UHSODFHPHQW F\FOHV RI SULQFLSDO SDUWV...

[Page 200](#) :DUQLQJ...