



Whirlpool LER3622P Dimensions

Electric compact dryer

1

--

•

Bookmarks

[Download this manual](#)

Quick Links

®

Electric Compact Dryer


PRODUCT MODEL NUMBER
LER3622P



Electrical: A four-wire or three-wire, single phase, 120/240-volt, 60-Hz, AC-only, electrical supply (or 120/208-volt electrical supply, if specified on the serial/rating plate) is required on a separate 30-amp circuit, fused on both sides of the line. A time-delay fuse or circuit breaker is recommended.

Exhaust venting: Exhaust your dryer to the outside. Four-inch diameter vent is required. Rigid or flexible metal exhaust vent must be used. Do Not use plastic or metal foil vent. Exhaust outlet hood must be at least 12 inches from the ground or any object that may be in the path of the exhaust.

RECESSED AREA AND CLOSET INSTALLATION



Recessed or closet installation - Dryer only

14"
(35.6 cm)
18" (45.7 cm)
3"
0"*
(7.6 cm)
(0 cm)



A
A. Side view - closet or confined area

B. Recessed area

*Additional spacing recommended

EXHAUST VENTING

Recommended hood styles

B
A
4"
(10.2 cm)
4"
(10.2 cm)

A. Louvered hood style

B. Box hood style

Select the route that will provide the straightest and most direct path outdoors. Plan the installation to use the fewest number of elbows and turns.

Use the fewest 90° turns possible.


Do not use vent runs longer than specified in vent length chart.

Determine the number of elbows you will need.

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice.

OVERALL DIMENSIONS

*Most installations require a minimum 5" (14.0 cm) clearance behind the dryer for the exhaust vent with elbows.







Recessed or closet installation - Stacked

12"
(30.5 cm)
12"
(30.5 cm)
0"*
0"*
(0 cm)
(0 cm)
B

Angled hood style is acceptable.

4"
(10.2 cm)
2.5"
(6.4 cm)
3"
(7.6 cm)





DRYER WASHER

0"*
1"
(0 cm)
(2.5 cm)

A
B
A. Recessed area
B. Side view - closet or confined area
C. Closet door with vents

Vent system chart

Number of
Type of
90° turns
vent



or elbows

0

Rigid metal

Flexible metal

1

Rigid metal

Flexible metal

2

Rigid metal

Flexible metal

Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

3

20

"

*

4

(52.7 cm)

31"

†

(78.7 cm)

7

23

"

8

(60.6 cm)

Closest confined area

For closet installation

3"

with a door, minimum

(7.6 cm)

ventilation openings

2

48 in.

in the top and bottom

2

(309.7 cm)

of the door are

required. Louvered

doors with equivalent

ventilation openings

are acceptable.

2

24 in.

2

(154.8 cm)

3"

(7.6 cm)

C

Box or

Angled

hoods

hoods

36 ft (11 m)

26 ft (7.9 m)

28 ft (8.5 m)

22 ft (6.7 m)

26 ft (7.9 m)

16 ft (4.9 m)

18 ft (5.5 m)

12 ft (3.7 m)

16 ft (4.9 m)


6 ft (1.8 m)

8 ft (2.8 m)

2 ft (0.6 m)







Ref. 8577196

08-24-05



1/2

ManualsLib.com



Related Manuals for Whirlpool LER3622P

[Dryer Whirlpool W10151595A Use & Care Manual](#)

240-volt electric compact dryer (20 pages)

[Dryer Whirlpool W10151595B Use & Care Manual](#)

240-volt electric compact dryer (20 pages)

[Dryer Whirlpool W10100920C Specifications](#)

Dryer venting (8 pages)

[Dryer Whirlpool WED5500XW Instruction Manual](#)

Cabrio® high efficiency electric dryer with accudry™ drying system ventilation specification (8 pages)

[Dryer Whirlpool LER3624PQ User Instructions](#)

User instructions (16 pages)

[Dryer Whirlpool LDR3822D Use And Care Manual](#)

Compact electric and gas dryers (20 pages)

[Dryer Whirlpool LDR3822B Use And Care Manual](#)

Compact electric and gas dryers (21 pages)

[Dryer Whirlpool LER3622HQ1 Use And Care Manual](#)

240-volt electric compact dryer (20 pages)

[Dryer Whirlpool LER3622PQ1 Parts List](#)

Compact electric dryer bulkhead parts (6 pages)

[Dryer WHIRLPOOL LER3622PQ2 Use & Care Manual](#)

240-volt electric compact dryer (24 pages)

[Dryer WHIRLPOOL LER3622HQ Use & Care Manual](#)

240-volt electric compact dryer (20 pages)

[Dryer Whirlpool LER3624EQ1 Use & Care Manual](#)

Electric and gas dryers (21 pages)

[Dryer Whirlpool LER56000 Use & Care Manual](#)

(21 pages)

[Dryer Whirlpool LER3624BW0 Parts List](#)

Whirlpool ler3624bw0 electric dryer parts list (5 pages)

[Dryer Whirlpool LER3422AW0 Parts List](#)

Whirlpool compact dryer parts list (7 pages)

[Dryer Whirlpool WED5100SQ Product Dimensions](#)

Dimensions (1 page)

Related Products for Whirlpool LER3622P

[Whirlpool LER3624PQ](#)

[Whirlpool LER3422A](#)

[Whirlpool LER3622D](#)

[Whirlpool LER3622B](#)

[Whirlpool LER3622HQ1](#)

[Whirlpool LER3622PQ0](#)

[Whirlpool LER3622](#)

[WHIRLPOOL LER3622PQ2](#)

[WHIRLPOOL LER3622HQ](#)

[Whirlpool LER3624EQ1](#)

[Whirlpool LER3624EQ0](#)

[Whirlpool LER4634PT](#)

[Whirlpool LER5600HQ0](#)

[WHIRLPOOL LER4634JZ0](#)

[Whirlpool LER7646EQ0](#)

[Whirlpool LER8858EZ2](#)

This manual is also suitable for:

[ler3622pqLer3622pq - 3.4 cu. ft. electric dryer](#)