



Whirlpool WED7500V Dimensions And Installation Information

Whirlpool electric dryer specification sheet

1

--

•

Bookmarks

--

[Download this manual](#)

Quick Links


®

Electric Dryer
Whirlpool
CORPORATION
PRODUCT MODEL NUMBERS
WED7500V

Electrical: A four-wire or three-wire, single phase, 120/240-volt, 60 Hz, AC-only, electrical supply (or 120/208-volt electrical supply, if specified on the serial/rating plate) is required on a separate 30 amp circuit, fused on both sides of the line. A time-delay fuse or circuit breaker is recommended.

Exhaust venting: Exhaust your dryer to the outside. 4" (10.2 cm) diameter vent is required. Heavy metal exhaust vent must be used. Do not use plastic or metal foil vent. Exhaust outlet hood must be at least 12" (30.5 cm) from the ground or any object that may be in the path of the exhaust.

CUSTOM UNDERCOUNTER, RECESSED AREA AND



CLOSET INSTALLATION

Custom under counter installation - Dryer only

0"
(0 cm)
33 1/4" min.
(84.45 cm)



0"
(0 cm)
(59.37 cm)

Recessed or closet installation - Dryer only

14"
(35.6 cm)
18" (45.7 cm)
3"
(7.6 cm)
0"
1" (2.5 cm)
(0 cm)

A
A. Side view - closet or confined area
B. Recessed area
C. Closet door with vents

Recessed or closet installation - Stacked with stack kit (Accessory)



12"
(30.5 cm)
DRYER
WASHER
0" (0 cm)
0" (0 cm)
1" (2.5 cm)

A
B
A. Recessed area
B. Side view - closet or confined area
C. Closet door with vents

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice.



OVERALL DIMENSIONS

23 3/4"
0"
(0 cm)
3"
(7.6 cm)
2
48 in.
2
(310 cm)
)
2
24 in.
3"
2
(155 cm)
)
(7.6 cm)
0"
(0 cm)
B
C
3" (7.6 cm)
3"
(7.6 cm)
2
48 in.
2
(310 cm)
)
2
24 in.
3"
2
(155 cm)
)
(7.6 cm)



C
39"
(99.1 cm)
23 3/4"
(59.37 cm)

EXHAUST VENTING
Vent material



- Use a heavy metal vent. Do not use plastic or metal foil vent.
- 4" (10.2 cm) heavy metal exhaust vent and clamps must be used.

Rigid metal vent

- For best drying performance, rigid metal vents are recommended.

• Rigid metal vent is recommended to avoid crushing and kinking.

Flexible metal vent

- Flexible metal vents are acceptable only if accessible for cleaning.
- Flexible metal vent must be fully extended and supported when the dryer is in its final location.
- Remove excess flexible metal vent to avoid sagging and kinking that may result in reduced airflow and poor performance.

Exhaust

Recommended hood styles are shown here.

The angled hood style (shown here) is acceptable.

- An exhaust hood should cap the vent to keep rodents and insects from entering the home.
- Exhaust hood must be at least 12" (30.5 cm) from the ground or any object that may be in the path of the exhaust (such as flowers, rocks or bushes, snow line, etc.).
- Do not use an exhaust hood with a magnetic latch.

Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

*

23 3/4"

(60.3 cm)

33 3/4"

(84.45 cm)

* Most installations require a minimum 5 -1/2" (14.0 cm) clearance behind the dryer for the exhaust vent with elbows.

10.2 cm

4" (10.2 cm) heavy metal exhaust vent

B

A

4"

(10.2 cm)

4"

(10.2 cm)

A. Louvered hood style

B. Box hood style

4"

(10.2 cm)




2 1/2"

(6.4 cm)

4"

Ref. W10189310

04-02-08



Related Manuals for Whirlpool WED7500V

[Dryer Whirlpool W10189310B Use & Care Manual](#)

240-volt electric dryer (20 pages)

[Dryer Whirlpool 8565592B Use And Care Manual](#)

240-volt electric dryer (20 pages)

[Dryer Whirlpool W10100920C Specifications](#)

Dryer venting (8 pages)

[Dryer Whirlpool WED5500XW Instruction Manual](#)

Cabrio® high efficiency electric dryer with accudry™ drying system ventilation specification (8 pages)

[Dryer Whirlpool WED7500VW Installation Instructions](#)

Compact electric dryer with 11 cycles (2 pages)

[Dryer Whirlpool WED7800XB0 Installation Instructions Manual](#)

27" electric dryer (16 pages)

[Dryer Whirlpool Cabrio,- WED7300X Use And Care Manual](#)

Electronic dryer (32 pages)

[Dryer Whirlpool WED6200S Dimensions And Installation Information](#)

Whirlpool electric dryer dimensions (1 page)

[Dryer Whirlpool WED7300X Dimension Manual](#)

Whirlpool electric dryer dimensions (2 pages)

[Dryer Whirlpool W10596019A Use & Care Manual](#)

Electronic dryer (40 pages)

[Dryer Whirlpool WED87HEDC Installation Instructions Manual](#)

(24 pages)

[Dryer Whirlpool Electronic Dryer Use & Care Manual](#)

Electronic dryer (40 pages)

[Dryer Whirlpool WED7000DW Use & Care Manual](#)

(40 pages)

[Dryer Whirlpool WGD7500GW Installation Instructions Manual](#)

Gas and electric dryer (40 pages)

[Dryer Whirlpool WED7500GC0 Installation Instructions Manual](#)

Gas and electric dryer (24 pages)

[Dryer Whirlpool 7120 Quick Reference Manual](#)

Electric/gas dryer (15 pages)

Related Products for Whirlpool WED7500V

[Whirlpool WED7500](#)

[Whirlpool WED75HEFW](#)

[Whirlpool WED7500GW](#)

[Whirlpool WED7500GC](#)

[Whirlpool WED7500G](#)

[Whirlpool WED7500GC0](#)

[Whirlpool WED7500GW0](#)

[Whirlpool WED7800XL](#)

[Whirlpool WED7300XW](#)

[Whirlpool WED7800XW](#)

[Whirlpool WED7800XB0](#)

[Whirlpool WED7990XG0](#)

[Whirlpool WED7990X](#)

[Whirlpool WED7600X](#)

[Whirlpool WED7000DW](#)

[Whirlpool WED7120HC](#)

This manual is also suitable for:

wed7500vw