



Toshiba BDX1100KU Owner's Manual

Bdx1100ku user's guide

1
Table Of Contents
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46

--

•

[Table of Contents](#)

-

Troubleshooting


•

Bookmarks

Quick Links

- [1 Regions.codes](#)
- [2 Remote.control](#)
- [3 Inserting.an.sd.card](#)
- [4 Playback.functions](#)
- [5 Specification](#)
- [6 Troubleshooting](#)

[Download this manual](#)



Blu-ray Disc Player
BDX1100KU
Owner's Manual

TOSI



Table of Contents

[Next Page](#)

1
2
3
4
5

Related Manuals for Toshiba BDX1100KU

[Blu-ray Player Toshiba BDX3100KB How To Upgrade](#)

How to upgrade the f/w (3 pages)

[Blu-ray Player Toshiba BDX1100 Specifications](#)

Toshiba bdx1100: specifications (2 pages)

[Blu-ray Player Toshiba BDX1250KB Owner's Manual](#)

Blu-ray player with usb connectivity (48 pages)

[Blu-ray Player Toshiba BDX1300KB Owner's Manual](#)

Bdx1300 blu-ray player (36 pages)

[Blu-ray Player Toshiba BDX1300KB Owner's Manual](#)

Blu-ray disc player (21 pages)

[Blu-ray Player Toshiba BDX1300 Owner's Manual](#)

(23 pages)

[Blu-ray Player Toshiba BDX1200 Owner's Manual](#)

Owners manual (48 pages)

[Blu-ray Player Toshiba BDX1200 Quick Manual](#)

(2 pages)

[Blu-ray Player Toshiba BDX1100KC Owner's Manual](#)

Blu-ray disc player (47 pages)

[Blu-ray Player Toshiba BDX1105KY Owner's Manual](#)

Blu-ray disc player (49 pages)

[Blu-ray Player Toshiba BDX1200KE Owner's Manual](#)

(88 pages)

[Blu-ray Player Toshiba BDX2300KE Owner's Manual](#)

Blu-ray disc player (41 pages)

[Blu-ray Player Toshiba BDX1300KY Owner's Manual](#)

Blu-ray disc player (40 pages)

[Blu-ray Player Toshiba BDX1400KU User Manual](#)

Blu-ray disc/dvd player (37 pages)

[Blu-ray Player Toshiba BDX1250KE Owner's Manual](#)

Blu-ray disc player (73 pages)

[Blu-ray Player Toshiba BDX1250KE Service Manual](#)

(32 pages)

Summary of Contents for Toshiba BDX1100KU

[Page 1](#) Blu-ray Disc Player BDX1100KU Owner's Manual...

[Page 2: Table Of Contents](#)

Contents 1 Important... 3-4 Safety.and.important.notice..3
Disposal.of.your.old.product.and.batteries... 2 Your Product..5-7 Regions.codes... 5
Product.overview... 6 Remote.Control..7 3 Connections... 8-9 Connecting.to.a.TV... 8
Optional.Connection..9 Inserting.an.SD.Card..9 Connect.power... 9 4 Preparation... 10
Prepare.the.remote.control... 10 Setting.up.the.player.

[Page 3: Important](#)

1 Important Safety and important notice WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS APPARATUS TO RAIN OR MOISTURE. CAUTION RISK OF ELECTRIC SHOCK DO NOT OPEN CAUTION: TO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE COVER (OR BACK). NO USER SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.

[Page 4: Notice For Trademark](#)

- Reorient or relocate the receiving antenna. -
- Increase the separation between the equipment and receiver. -
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. -
- Consult the dealer or an experienced radio/TV technician for help. Changes or modifications made to this equipment, not expressly approved by Toshiba, or parties authorized by Toshiba, could void the user's authority to operate the equipment.
Be aware that this equipment is still powered when in standby mode. To disconnect this equipment completely from the mains power, pull out the power plug from the wall outlet. The mains plug is used as the disconnect device, the disconnect device shall remain readily operable. Note about Recycling This unit's packaging materials are recyclable and can be reused. Please dispose of any materials in accordance with your local recycling regulations. Batteries should never be thrown away or incinerated but disposed of in accordance with your local regulations concerning chemical wastes. Copyright notice This product incorporates copyright.

[Page 5: Your Product](#)

2. Your Product Regions Codes Both the Blu-ray Disc player and the discs are coded by region. These regional codes must match in order to play the disc. If the codes do not match, the disc will not play. The Region Number for this Blu-ray Disc player is described on the rear panel of the Blu-ray Disc player. Region DVD discs that can be played U.S.A. and Canada regions U.K., Europe regions and Japan Asia Pacific, Taiwan, Korea Australia, New Zealand, Latin America Russia and India regions China, Calcos Islands, Walls and Futuna Islands...

[Page 6: Product overview](#)

Product overview Main Unit Control SD card slot Display panel IR Sensor Disc compartment Control AC power cord COAXIAL jack ANALOG AUDIO OUTPUT jacks VIDEO OUTPUT jack HDMI OUTPUT jack LAN jack Function Insert an SD card Turns the power on or restores the unit to the standby mode. Playback/Pause. Stop play. Show information about the current status of this unit. Point the remote control at the IR sensor. Open or close the disc compartment. Loads a disc into the disc drive. Function Connects to a standard AC outlet. Output digital audio signals when connecting the coaxial digital cable. Outputs audio signals to a connected TV or AV amplifier. Output video signals to a connected TV.

[Page 7: Remote control](#)

Remote Control REMOTE SIGNAL EMITTER • Point remote control to the sensor on the front panel ON / STANDBY • To switch the BD player to ON or standby mode SETUP Enters or exits the system setup menu MC(Media Center) To OPEN/CLOSE Media Center •...

[Page 8: Connections](#)

3 Connections Make the following connection to use this product. Connecting to a TV Connect the product to TV to view disc play. Select the best video connection that TV can support: Option 1: Connect to the composite video jack (VIDEO) Option 2: Connect to the HDMI Jack Option 1: Connect to the composite video jack (VIDEO) You can connect this product to a TV through the composite video cable which provides standard picture quality.

[Page 9: Optional connection](#)

- Insert only SD Card to the SD card slot on this product. - When you enjoy BD-live bonus content, as your local storage, use a 1 GB or larger SD Card. - TOSHIBA does not guarantee 100% compatibility with all SD Cards. Connect Power 1. Connect the AC power cable to: ...-

.the.wall.socket.

[Page 10: Preparation](#)

4 Preparation Always follow the instructions in this chapter in sequence. Note: - Use of controls or adjustments or performance of procedures other than herein may result in hazardous radiation exposure or other unsafe operation. Prepare the remote control

1. Open the battery compartment. 2. Insert two R03 batteries with correct polarity (+/-) as indicated. 3. Close the battery compartment. Notes: - If you are not going to use the remote control for a long time, remove the batteries.

[Page 11: Playback](#)

5 Playback Playback Functions Basic Playback 1. Press button on the front panel or the remote control, your BD player will turn on. The unit will take around 20 seconds to warm up. 2. Turn on the TV, and then select the input setting on the TV that matches the connection method you used to connect your player.

3. Press OPEN/CLOSE.Z to slide out the disc tray. 4. Place a disc on the disc tray with the label facing up, and then press OPEN/CLOSE.Z to slide back and close the disc tray.

The disc loading time depends on the types of disc you are loading, and loading a Blu-ray Disc will take longer time. 5. If the disc does not start playing.

automatically, please press B/X to start playback. 6. If a Blu-ray disc or DVD menu displays, use cursor buttons to select PLAY. Then, press OK to confirm.

7. To eject the disc, press OPEN/CLOSE.Z. Pause playback 1. Press B/X to pause playback. The sound will be muted. 2. Press B/X to resume the playback. Stop playback

1. Press STOP. button once to go to resume.

[Page 12](#)

Advanced Playback DISPLAY Press this button and the screen will display some information about disc, such as: Title number, Chapter number, Track number, Elapsed Time, Mode, Audio, Angle, and Subtitle languages. Press this button again to turn off the information display. During DVD/CD playback, you may edit the chapter and track. REPEAT Press REPEAT repeatedly to select different repeat modes.

DVD: Repeat Chapter, Repeat Title, and All. VCD/PBC Off/CD/JPEG/MP3: Repeat Track and All. To play certain section within the video or song, press A-B button to set the start point.

Then, press A-B button again to set the end point and complete the setting. The selected section will be played repeatedly. Press A-B button the third time to cancel this function.

The end point cannot be set until 5 seconds of playback has elapsed from the start point.

SEARCH During playback, press SEARCH button to edit Title, Chapter, and Time. Press / and OK button on the remote control to select Title, Chapter, or Time. Then

press the numeric buttons or / and then press OK. The playback will skip to the desired location. For Time Search, press / to select Title or Chapter time search.

[Page 13](#)

AUDIO Press AUDIO button on the remote control to

select the audio streams that set within the Blu-ray or DVD disc. The screen will display:

AUDIO: X./XX.XXX.XXXX. "X" - the Current Audio Stream Number "XX" -

The total number of Audio Stream "XXX" - Audio Language. "XXXX" - Audio Technology Press

this button to play media files in the SD card. ZOOM

1. Press ZOOM button repeatedly to Zoom in/ out playback in the video.

Zoom mode: .Zoom.2x.->.Zoom.3x.->.Zoom. 4x.->.Zoom.1/2.->.Zoom.1/3.->.Zoom.1/4.

DIGEST During playback of JPEG disc, press DIGEST to view a page of 12 thumbnail images. -

.Use / / / to select an image. Press OK to view the selected image in full-

screen and subsequent images will be displayed one after another automatically. - Press PREV. / .NEXT.

[Page 14: Customizing](#)

SETUP Load Default 3. It may take awhile when loading default is in progress. Please wait...

4. TV will display as follow: Welcome to the Toshiba BD Player Setting Wizard. Some simple settings are suggested before you begin. You can also access detailed settings from the Setup Menu. 5. Press OK, enter language setting. Press OK, enter language setting. Press / to select a language option.

[Page 15](#)

6. Press OK, enter Resolution setting. Press OK, enter Resolution setting. Auto Choose 480i/576i a resolution that fits your TV. 480P/576P Change will be applied immediately, you have 15s to determine whether to save the setting 720P or rollback to prior resolution. Better performance will be provided by a HDMI 1080i connection! 1080P...

[Page 16: Closed Caption](#)

• [Menu] Select the menu language. [Audio] • Select the default audio language. [Subtitle] • Select the default subtitle language. [Playback] ... General Setting ... System Closed Caption Language Angle Mark PIP Mark Playback Secondary Audio... Security Last Memory Network Move cursor key to select menu option then use "OK" key to select [Closed Caption] •...

[Page 17: Internet Connection](#)

... General Setting ... System Screen Save Parental Control Language Disc Auto Playback Playback Enter password: Disc Auto Upgrade Security Load Default Network Move cursor key to select menu option RETURN Return then use "OK" key to select
3..Select a rating level, then press OK..General Setting ... Screen Save System Parental Control...

[Page 18: Display setting](#)

Display Setting 1. Press SETUP [General Setting] menu is displayed. 2. Press \square to select [Display Setting], then press \square . 3. Select an option, press \square to access..Display Setting... TV Screen Resolution Video Process Motion Vide... Color Space HDMI Deep Color HDMI 1080P 24F Move cursor key to select menu option then use "OK"...

[Page 19: Video Adjust](#)

• [Video Adjust] Select a predefined setting of the video. 1..Press OK.. 2..Press \square / \square to adjust the video Brightness, Contrast, Hue and Saturation. {Brightness}- press \square / \square to adjust the brightness of display, goes left means dark and right means bright {Contrast}- ..press \square / \square to adjust the contrast of display, goes left means low.

[Page 20: System information](#)

{192K}-For discs recorded at sampling rate of 192 kHz. • [DRC]. Select the Dynamic Range Control mode which makes it available to listen to a movie at a low volume without losing sound clarity. {Off}-Non-dynamic range compress.. {On}-Dynamic range compress. {Auto}. - Adjust the DRC according to input audio. The setting of Auto is effective for Dolby TrueHD. System Information 1. Press SETUP [General Setting] menu is displayed. 2. Press \square to select [System Information],

[Page 21: Specification](#)

7 Specification Playable media This product can play: • BD-Video, BD-R/RE2.0. • DVD, DVD-Video, DVD+R/+RW, DVD-R/-RW, DVD+R/-R DL (Dual Layer) • Video CD/SVCD • Audio CD, CD-R/CD-RW • AVCHD, AVCREC • SD card Video Signal system: NTSC Composite video output: 1Vp-p (75 ohm). HDMI Output: 480i/576i, 480p/576p, 720p, 1080i, 1080p, 1080P/24F. Audio • 2 Channel analog output - Audio L&R : 2 Vrms (> 1 kohm) Signal-to-noise Ratio \geq 95 dB THD+N 1kHz \leq -85 dB Dynamic Range 1kHz \geq 85 dB Crosstalk 1kHz \leq ...

[Page 22: Troubleshooting](#)

8 Troubleshooting If you experience any of the following difficulties while using this unit, check the list below before consulting your nearest TOSHIBA dealer. Problem No reaction to the remote control. No video signal on the display device. No video output through VIDEO OUTPUT jack. No audio/video signal on the display device via HDMI cable. No high-definition video signal on the TV. No audio signal from the loudspeakers of the TV. No audio signal from the loudspeakers of the audio system. Connect the product to the power outlet. Point the remote control at the product.

[Page 23](#)

Cannot play back a disc. Make sure that the BD Player supports the disc. Make sure that the Blu-ray Disc player supports the region code of the DVD or BD. For DVD+RW/+R or DVD-RW/-R, make sure that the disc is finalized. Clean the disc. Cannot play back JPEG. Make sure that the disc was recorded in the UDF, ISO9660 or files from a disc. JOLIET format. Cannot play MP3 files. Make sure that the disc was recorded in the UDF, ISO9660 or from a disc. JOLIET format. Make sure that the bit rate of the MP3 files is between 8 and 320 kbps. Make sure that the sample rate of the MP3 files is 32 kHz, 44.1 kHz or 48 kHz.

[Page 24: Glossary](#)

9 Glossary Aspect ratio Aspect ratio refers to the length to height ratio of TV screens. The ratio of a standard TV is 4:3, while the ratio of a high-definition or wide TV is 16:9. The letter box allows you to enjoy a picture with a

wider perspective on a standard 4:3 screen. Blu-ray Disc (BD) Blu-ray Disc is a next generation optical video disc capable of storing five times more data than a conventional DVD. The large capacity makes it possible to benefit from the features such as high-definition videos, multichannel surround sound,

[Page 25](#) compression ratio. Files are recognized by their file extension ' .jpg' or ' .jpeg.' LAN (Local Area Network) A group of linked devices in a company, school or home. Indicates the boundaries of a particular network. Local storage. This storage area is used as destination for storing additional contents from BD-Live enabled BD-Video. A file format with a sound data compression system. MP3 is the abbreviation of Motion Picture Experts Group 1 (or MPEG-1) Audio Layer 3. With the MP3 format, one CD-R or CD-RW can contain about 10 times more data than a regular CD. PBC. Playback Control. A system where you navigate through a Video CD/Super VCD.

[Page 26: License Information](#)

This document is statement purpose only. Not concerned with operation of this product. The software pre-installed in this product consists of multiple, independent software components. Each software component is copyrighted by a third party. This product uses software components that are distributed as freeware under a third party end-user license agreement or copyright notice (hereinafter referred to as a "EULA"). Some EULAs require that the source code of the applicable component be disclosed as the condition for distributing the software component in executable format. You can check the software components subject to such EULA requirements on the following phone number: Phone number: 1-800-631-3811 TOSHIBA provides a warranty for this product you have purchased under conditions set forth by TOSHIBA. However, some of the software components distributed under an EULA are made available for use by the user on the assumption that they are not copyrighted or warranted by a third party. These software components are licensed to the user free of charge and therefore not covered by any warranty within the scope of the applicable laws. These software components are not subject to any copyrights or other third party rights and are provided in "as is" condition without any warranty, whether express or implied. "Warranty" here includes, but not limited to, an implied warranty for marketability or fitness for specific uses. All risks associated with the quality or performance of these software components are assumed by the user. TOSHIBA shall not be liable.

[Page 27](#) ...GNU GENERAL PUBLIC LICENSE ...Version 2, June 1991 Copyright (C) 1989, 1991 Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed. Preamble The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to

[Page 28](#) an appropriate copyright notice and disclaimer. of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program. You may charge a fee for the physical act of transferring a copy, and you may at your option

[Page 29](#) tion files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

[Page 30](#) of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License,

you may choose any version ever published by.

[Page 31](#) Also add information on how to contact you by electronic and paper mail. If the program is interactive, make it output a short notice like this when it starts in an interactive mode: Gnomovision version 69, Copyright (C) year name.of.author ...Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details. The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License... Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program. You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer"...

[Page 32](#) complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. . . And you must show them these terms so they know their rights. We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library. To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is

[Page 33](#) The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language... (Hereinafter, translation is included without limitation in the term "modification".) "Source code"...

[Page 34](#) wish.) Do not make any other change in these notices... Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy... This option is useful when you wish to copy part of the code of the Library into a program that is not a library. 4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange. . . If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code.,

[Page 35](#) d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place. e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy. For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the

[Page 36](#) on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice. This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License. 12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded... In such case, this License incorporates the limitation as if written in the body of this License. 13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of

[Page 37](#) will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE... See the GNU Lesser General Public License for more details. You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA. Also add information on how to contact you by electronic and paper mail. You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer"...

[Page 38](#) duce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. 3. All advertising materials mentioning features or use of this software must display the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (http://www.openssl.org)"...

[Page 39](#) * in documentation (online or textual) provided with the package. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: 1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer. 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. 3. All advertising materials mentioning features or use of this software must display the following acknowledgment: "This product includes cryptographic software written by Eric Young (eay@cryptsoft.com)"...

[Page 40](#) The FreeType Project LICENSE ...2006-Jan-27 Copyright. 1996-2002, 2006 by David Turner, Robert Wilhelm, and Werner Lemberg Introduction ===== ..The FreeType Project is distributed in several archive packages; ..some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project. This license applies to all files found in such packages, and which do not fall under their own explicit license... The license affects, thus.

[Page 41](#) IS 'WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE... IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT. 2. Redistribution ..This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to.

[Page 42](#) use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.

[Page 43](#) unmodified library. If you use our work, you ought to acknowledge us. Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it... This software may be referred to only as "the Independent JPEG Group's software". We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor. ansi2knr.c is included in this distribution by permission of L. Peter Deutsch, sole proprietor of its copyright holder, Aladdin Enterprises of Menlo.

[Page 44](#) Software components as distributed by the Copyright Holder(s). Modified Version

refers to any derivative made by adding to, deleting, or substituting -- in part or in whole -- any of the components of the Original Version, by changing formats or by porting the Font Software to a new environment.

[Page 45: Limited United States Warranty](#)

Limited United States Warranty (6) This warranty does not cover product sold AS IS or WITH ALL FAULTS.

[Page 46](#) 72 - 1100KU - 370B1...

This manual is also suitable for:

[Bdx1100Bdx1100ke](#)