



# Whirlpool 7LIECK-W-WL User Manual

Cold and room temperature bottle water cooler



1

2

3

Table Of Contents

4

5

6

7

8

9

10

11

12

13

14

15

16

17

--	--

•

[Table of Contents](#)

- 

Troubleshooting

•

Bookmarks

--

## Table of Contents

1 Safety Precautions

2 Safety Precautions-Electrical Requirements

3 Table of Contents

4 Key Information for Future Use

5 Specifications

6 Parts & Features



[7 Assembly](#)

[8 Cleaning Prior to Initial Use](#)

[9 Installation](#)

[10 Installing the Correct Bottle Receptacle](#)


[11 Operation](#)

[12 Proper Care & Cleaning](#)

[13 Troubleshooting](#)

[14 Limited Warranty](#)

[Download this manual](#)



COLD AND ROOM  
TEMPERATURE BOTTLE  
WATER COOLER  
Model No.: 7LIECK-W-WL

# USER MANUAL

SAVE THIS MANUAL FOR  
FUTURE USE

temp Technologies Inc



## [Table of Contents](#)

[Next Page](#)

1  
2  
3  
4  
5

## Related Manuals for Whirlpool 7LIECK-W-WL

### [Water Dispenser Whirlpool 7LIECH-SSF-WL User Manual](#)

Stainless steel hot and ice cold (16 pages)

### [Water Dispenser Whirlpool 8LIECH-SC-SSS-5L-W User Manual](#)

Self cleaning full stainless hidden bottle water cooler with led indicators (21 pages)

### [Water Dispenser Whirlpool HOT WATER DISPENSER Installation Instructions And Use And Care Manual](#)

Hot water dispenser (24 pages)

### [Water Dispenser Whirlpool 8LIECH-SCDSSF-WL User Manual](#)

Self-cleaning hot & cold hidden bottled water cooler with display (18 pages)

### [Water Dispenser Whirlpool WHES33 Installation And Operation Manual](#)

Demand controlled water softener (28 pages)

### [Whirlpool WHES40 \(LL40\), WHES44 \(LL44\) - Water Softener Manual](#)

(article)

### [Water Dispenser Whirlpool WDAB600XWX Use & Care Manual](#)

Water cooler (32 pages)

### [Water Dispenser Whirlpool WHKM-D10 Series Use & Care Manual](#)

(28 pages)

### [Water Dispenser Whirlpool WHES44 Installation And Operation Manual](#)

(28 pages)

### [Water Dispenser Whirlpool 8LIECH-SCSSFP5W User Manual](#)

Self-cleaning hot & cold hidden bottle-water cooler (17 pages)

### [Water Dispenser Whirlpool WHKM-D40 Use And Care Manual](#)

Whirlpool water dispenser user manual (13 pages)

### [Water Dispenser Whirlpool WHES Series Installation Instructions Manual](#)

Demand controlled water softener (25 pages)

### [Water Dispenser Whirlpool WHES40 Installation And Operation Manual](#)

Demand controlled water softener (36 pages)

### [Whirlpool WHER25 Reverse Osmosis Manual](#)

(article)

## Summary of Contents for Whirlpool 7LIECK-W-WL

[Page 1](#) COLD AND ROOM TEMPERATURE BOTTLE WATER COOLER Model No.: 7LIECK-W-WL  
USER MANUAL SAVE THIS MANUAL FOR FUTURE USE 7LIECK-W-WL © 2013 Electротemp  
Technologies Inc. PN: 5M000223XW...

### [Page 2: Safety Precautions](#)

Model # 7LIECK-W-WL: Page 2 SAFETY PRECAUTIONS Your safety and the safety of others are very important. We have provided many important safety messages in this manual and your appliance. Always read and follow all safety messages. This is the safety alert symbol.

### [Page 3: Safety Precautions-Electrical Requirements](#)

Model # 7LIECK-W-WL: Page 3 • Position the back of the dispenser no closer than 4 inches from the wall and permit free airflow between the wall and the dispenser. There must be at least 4 inches clearance on the sides of the dispenser to permit airflow.

### [Page 4: Table Of Contents](#)

Model # 7LIECK-W-WL: Page 4 TABLE OF CONTENTS Safety Precautions Safety Precautions-Electrical Requirements Key Information for Future Use Specifications Parts & Features Assembly Cleaning prior to initial use Installation Installing the Correct Bottle Receptacle Operation Proper Care & Cleaning Troubleshooting...

### [Page 5: Specifications](#)

Model # 7LIECK-W-WL: Page 5 SPECIFICATIONS Power Supply 1.5 Amp Refrigerant Type R-134A Cold Water Power 100 Watts Cold Capacity / Hour 4 L / 1.05 Gallon Cold Temp Range 3°C - 10°C / 37.4°F - 50°F 91.3 H x 27.5 W x 28.6 D(cm) Dimensions 35.9 H x...

### [Page 6: Assembly](#)

Model # 7LIECK-W-WL: Page 6 ASSEMBLY 1. Remove the dispenser from packaging. 2. Lay the dispenser on its back. 3. Place the cooler in an upright position. Unpack the drip tray and insert it into the dispenser. 4. Properly dispose of all the packaging.

### [Page 7: Cleaning Prior To Initial Use](#)

Model # 7LIECK-W-WL: Page 7 CLEANING PRIOR TO INITIAL USE To remove any odors or dust that may have accumulated during shipment, you must clean the dispenser prior to first use. DO NOT PLUG THE COOLER INTO AN ELECTRICAL POWER OUTLET Time Required: 40 minutes.

### [Page 8: Installation](#)

Model # 7LIECK-W-WL: Page 8 INSTALLATION 1. Put the dispenser upright. 2. Place the dispenser on a hard and level surface in a cool shaded location near a grounded wall outlet. Notice: Do NOT plug in the power cord yet.

### [Page 9: Installing The Correct Bottle Receptacle](#)

Model # 7LIECK-W-WL: Page 9 INSTALLING THE CORRECT BOTTLE RECEPTACLE If your water bottle Then use this looks like this bottle receptacle This model comes with a Probe Receptacle (1). No changes are required. The probe will push the plug out of the way when you place the bottle into the receptacle.

### [Page 10: Operation](#)

Model # 7LIECK-W-WL: Page 10 OPERATION IMPORTANT This unit is intended for water dispensing only. Do NOT use other liquids. Do NOT use for other purposes. Warranty is void if used with any other liquids such as coffee, tea, juices, beer or wine.

[Page 11](#) Model # 7LIECK-W-WL: Page 11 Initial Rinsing of Water Lines This unit has been tested and sanitized prior to packing and shipping. During transit, dust and odors can accumulate in the tank and lines. You must dispense and dispose at least one quart of water prior to drinking any water dispensed from this unit.

### [Page 12: Proper Care & Cleaning](#)

Model # 7LIECK-W-WL: Page 12 PROPER CARE & CLEANING General Cleaning Perform: As needed Time Required: 5 minutes. Note: Do NOT use abrasive materials or chemical cleaners. 1. Clean the cabinet surfaces using a soft cloth and warm soapy water, then rinse.

[Page 13](#) Model # 7LIECK-W-WL: Page 13 9. Fill the reservoir with 1 gallon tap water. 10. Remove the water from the reservoir by dispensing it from both taps into a pitcher. 11. Replace all parts. WARNING Excessive Weight Hazard Ask two or more people to move and install the water cooler and the bottles.

### [Page 14: Troubleshooting](#)

Model # 7LIECK-W-WL: Page 14 TROUBLESHOOTING Dispenser is not operating. • Make sure that the power cord is properly connected to a working outlet. Water is leaking. • Replace water

bottle. Most common cause is a cracked bottle. • Call 1-855-5WHIRL5 for assistance.

### [Page 15: Limited Warranty](#)

Model # 7LIECK-W-WL: Page 15 LIMITED WARRANTY Electrotemp Technologies Inc., (“Vendor”) warrants to the original purchaser of this dispenser, and to no other person, that if this dispenser is assembled and operated in accordance with the printed instructions accompanying it, then for a period of one (1) year from the date of purchase, all parts in such dispenser shall be free from defects in material and workmanship.

[Page 16](#) ® © 2013 Whirlpool. All rights reserved. Manufactured under license by Electrotemp Technologies Inc., Mississauga, ON. Warranty provided by manufacturer.

[Page 17](#) 7LIECK-W-WL-English 5M000223XW 143×210mm RoHS

[Save PDF](#)