

# Asus VP32A Series User Manual

```
Table Of Contents
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
```

18			
19			
20			
21			
22			
23			
24			
25			
26			
(			

•




_			
/ \ı		LIM	
L AL	III K	Lin	IK S
$\sim$ $\sim$	$A \cap C \cap A$		1113

- 1 Table of Contents
- 2 Connect Cables
- 3 Using the Control Buttons
- 4 Osd (On-Screen Display) Menu
- 5 Specifications

Download this manual



# VP32A Series LCD Monitor User Guide





### Related Manuals for Asus VP32A Series

Monitor Asus VP32U Series User Manual (26 pages) Monitor Asus VP348 Series User Manual (31 pages) Monitor Asus VP349CGL Series User Manual (32 pages) Monitor Asus VP327Q Series User Manual (28 pages) Monitor Asus VP228HE User Manual (30 pages) Monitor Asus VP278H User Manual (30 pages) Monitor Asus VP279 Series User Manual (30 pages) Monitor Asus VP279 Series User Manual (35 pages) Monitor Asus VP279H User Manual (35 pages) Monitor Asus VP28UQG User Manual Vp28u series (30 pages) Monitor Asus VP28U Series User Manual (30 pages) Monitor Asus VP249 Series User Manual (38 pages) Monitor Asus VP249 Series User Manual (33 pages) Monitor Asus VP229 Series User Manual (29 pages)

Monitor Asus VA229Q Series User Manual

Monitor Asus VP229HE Series User Manual

(35 pages)

(35 pages)

## Summary of Contents for Asus VP32A Series

Page 1 VP32A Series LCD Monitor User Guide...

<u>Page 2</u> Product warranty or service will not be extended if: (1) the product is repaired, modified or altered, unless such repair, modification of alteration is authorized in writing by ASUS; or (2) the serial number of the product is defaced or missing.

### Page 3: Table Of Contents

Table of Contents Notices	iv Safety Information	v Care & Cleaning
vi Takeback Services .	vii Welcome!	1-1 Package Contents
1-1 Assembling the Mo	nitor Base 1-2 Connect	Cables1-3 1.4.1

### Page 4: Notices

Notices Federal Communications Commission Statement This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: • This device may not cause harmful interference, and • This device must accept any interference received including interference that may cause undesired operation.

### Page 5: Safety Information

Safety Information • Before setting up the monitor, carefully read all the documentation that came with the package. • To prevent fire or shock hazard, never expose the monitor to rain or moisture. • Never try to open the monitor cabinet. The dangerous high voltages inside the monitor may result in serious physical injury.

### Page 6: Care & Cleaning

Care & Cleaning • Before you lift or reposition your monitor, it is better to disconnect the cables and power cord. Follow the correct lifting techniques when positioning the monitor. When lifting or carrying the monitor, grasp the edges of the monitor. Do not lift the display by the stand or the cord. •...

### Page 7: Takeback Services

These documents are not part of the standard package. Takeback Services ASUS recycling and takeback programs come from our commitment to the highest standards for protecting our environment. We believe in providing solutions for our customers to be able to responsibly recycle our products, batteries and other components as well as the packaging materials.

### Page 8: Welcome

® Thank you for purchasing the ASUS LCD monitor! The latest widescreen LCD monitor from ASUS provides a crisper, broader, and brighter display, plus a host of features that enhance your viewing experience. With these features, you can enjoy the convenience and delightful visual...

### Page 9: Assembling The Monitor Base

Turn the screw clockwise to secure the base. Then adjust the monitor to the angle that is most comfortable for you. We recommend that you cover the table surface with soft cloth to prevent • damage to the monitor. ASUS LCD Monitor VP32A Series...

### Page 10: Connect Cables

Connect Cables 1.4.1 Rear of the LCD Monitor HDMI Power AC Input HDMI Port DisplayPort Port Earphone jack Chapter 1: Product Introduction...

### Page 11: Monitor Introduction

Move the option upwards or increase the option value. Down key: • Use this hotkey to Brightness. • Move the option downwards or decrease the option value. • Key Lock shortcut key. Press and hold it for 5 seconds to enable/disable Keys Lock. ASUS LCD Monitor VP32A Series

### Page 12: 2.1 Adjusting The Monitor

2.1 Adjusting the Monitor • For optimal viewing, we recommend that you look at the full face of the monitor, then adjust the monitor to the angle that is most comfortable for you. • Hold the stand to prevent the monitor from falling while changing its angle.

### Page 13: Detaching The Arm/Stand (For Wall Mount)

Figure 1 Figure 2  $\bullet$  The wall mount kit (  $100 \times 100 \text{ mm}$ ) is purchased separately.  $\bullet$  Use only the UL Listed Wall Mount Bracket with minimum weight/load 12 kg (Screw size: M4  $\times$  10 mm). ASUS LCD Monitor VP32A Series...

### Page 14: Osd (On-Screen Display) Menu

or buttons, according to the indicators on the menu, to make your changes. Select the to return to previous menu or to accept and return to previous menu. ASUS LCD Monitor VP32A

### Page 15: Osd Function Introduction

This function contains eight sub-functions that you can select for your preference. Each mode has the Reset selection, allowing you to maintain your setting or return to the preset mode. ASUS VP32AQ HDR OFF Splendid Standard Mode HDMI 2560  $\times$  1440 @ 75Hz...

<u>Page 16</u> High energy blue light may lead to eye strain and AMD (Age-Related Macular Degeneration). Blue light filter to reduce 70% (max.) harmful blue light to avoiding CVS (Computer Vision Syndrome) when the user adjusts blue light filter bar to maximum level. ASUS LCD Monitor VP32A Series...

<u>Page 17</u> This function is not available when Reddish or Yellowish is selected in the Skin Tone menu. Color Select the image color you like from this function. ASUS VP32AQ HDR OFF Color Standard Mode HDMI 2560  $\times$  1440 @ 75Hz Brightness...

<u>Page 18</u> 48Hz to 75Hz . HDR: High Dynamic Range. Contains two HDR modes (ASUS • Cinema HDR & ASUS Gaming HDR). HDR function will be locked when connected to AMD FreeSync2 HDR video. ASUS LCD Monitor VP32A Series...

Page 19 Dispiay Port System Setup Adjust the system configuration. ASUS VP32AQ HDR OFF System Setup Standard Mode HDMI 2560 x 1440 @ 75Hz Splendid Demo Mode Volume QuickFit GamePlus ECO Mode OSD Setup Language Key Lock More (Page 1/2) ASUS LCD Monitor VP32A Series...

Page 20 ASUS VP32AQ HDR OFF System Setup Standard Mode HDMI 2560 x 1440 @ 75Hz Back Information Power Indicator Power Key Lock All Reset (Page 2/2) Splendid Demo Mode: Activate the demo mode for the Splendid • function. Volume:The adjusting range is from 0 to 100.

Page 21 Shortcut Assign the specific function to the two shortcut keys. ASUS VP32AQ HDR OFF Shortcut Standard Mode HDMI 2560 x 1440 @ 75Hz Shortcut 1 Blue Light Filter Shortcut 2 Splendid Brightness Contrast Input Select Color Temp. Volume More (Shortcut 1)

<u>Page 22</u> 3.1.2.1 GamePlus Function The GamePlus function provides a toolkit and creates a better gaming environment for users when playing different types of games. The crosshair overlay with 6 different crosshair options letting you choose the one that best suits the game you're playing. There's also an onscreen timer you can position on the left of the display so you can keep track of the elapsed gaming time;...

Page 23 3.1.2.2 QuickFit Function The QuickFit function contains three patterns: (1) Grid (2) Paper size (3) Photo size. Grid pattern: Facilitates designers and users to organize content and layout on one page and achieve a consistent look and feel. Alignment Grid 1 Alignment Grid 2 Paper size: Provides users to view their documents in real size on the screen.

### Page 24: Specifications

Phys. Dimension without stand (WxHxD) 715mm x 492mm x 202mm (For Wall Mount) Box Dimension (WxHxD) 799mm x 526mm x140mm Net Weight (Esti.) 7.9g Gross Weight (Esti.) 9.8kg Voltage Rating AC:  $100-240V \sim 150/60$ Hz,1.2A Temperature(operation)  $0^{\circ}C \sim 40^{\circ}C$  3-13 ASUS LCD Monitor VP32 Series...

### Page 25: Troubleshooting (Fag)

Troubleshooting (FAQ) Problem Possible Solution Power LED is not ON • Press the button to check if the monitor is turned • Check if the power cord are properly connected to the monitor and the power outlet. • Check the Power Indicator function in the OSD menu.

Page 26 Horizontal Vertical Resolution Frequency Frequency Pixel.(MHz) Memo Frequency (KHz) (Hz) 640x480 31.47(N) 59.94(N) 25.18 640x480 35.00(N) 66.66(N) 30.24 640x480 37.87(N) 72.82(N) 31.5 640x480 37.5(N) 75.00(N) 31.5 720x400 31.47(N) 70.08(P) 28.32 800x600 35.16(P) 56.25(P) 800x600 37.88(P) 60.32(P) 800x600 46.86(P) 75.00(P) 49.5 1024x768 48.36(N) 60.00(N)

# This manual is also suitable for:

Vp32aq195553046954