



# Toshiba RAD-Y200H Instruction Manual



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18

Table Of Contents

19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36

|  |
|--|
|  |
|--|

•

[Table of Contents](#)

- 

Troubleshooting

•

Bookmarks

|  |
|--|
|  |
|--|

## Table of Contents

1 Table of Contents

2 Safety Precautions 2~4

3 Component Parts 5~6

4 Function Options

5 Laundry Drying

6 Preparation and Confirmation

[7 Filter Installation Method](#)

[8 How to Operate 10~12](#)

[9 Continuous Drainage](#)


[10 Maintenance Tips 14~15](#)



[11 Operation & Performance](#)

[12 Troubleshooting](#)

[13 Specifications](#)

[Download this manual](#)





RAD-Y200H

RAD-Y200H **TOSHIBA**

RAD-Y300H

□□□□□

0



## [Table of Contents](#)

[Next Page](#)

1  
2  
3  
4  
5

## Related Manuals for Toshiba RAD-Y200H

### [Dehumidifier Toshiba RAD-X200H Instruction Manual](#)

Compressor dehumidifier (32 pages)

### [Dehumidifier Toshiba RAD-DIA17HK User Manual](#)

Inverter compressor 2 in 1 air purifying dehumidifier (40 pages)

### [Dehumidifier Toshiba TDDP7011ES2 User Manual](#)

(15 pages)

### [Dehumidifier Toshiba TDDP5012ES2C Owner's Manual & Installation Manual](#)

(22 pages)

### [Dehumidifier Toshiba TDDP2213ES2C User Manual](#)

(28 pages)

### [Dehumidifier Toshiba TDDP2213ES2 User Manual](#)

(16 pages)

### [Dehumidifier Toshiba TDDP2012ES2 User Manual](#)

(16 pages)

### [Dehumidifier Toshiba TDDP2012ES2C User Manual](#)

(28 pages)

## Summary of Contents for Toshiba RAD-Y200H

[Page 1](#) <目次> RAD-Y200H RAD-Y250H RAD-Y300H 目次...

[Page 2](#) 安全に関する注意事項 取扱説明書の読み方...

[Page 3](#) 設置場所の選び方 2° 設置場所の電圧 220V 設置場所の湿度 設置場所の温度 設置場所の騒音 設置場所の振動 設置場所の電源コードの長さ 設置場所の排水ホースの長さ 設置場所の排水ホースの径...

[Page 4](#) 運転モードの選び方 運転モードの切り替え 運転モードの表示 運転モードのランプ 運転モードの音 運転モードの匂い 運転モードの光 運転モードの熱 運転モードの湿気 運転モードの乾燥 運転モードの除菌 運転モードの脱臭 運転モードの除湿 運転モードの加湿 運転モードの空気清浄...

[Page 5](#) 電源の切り替え 電源の切り替えの仕方 電源の切り替えの場所 電源の切り替えの時間 電源の切り替えの回数 電源の切り替えの回数制限 電源の切り替えの回数制限解除...

[Page 6](#) 運転 SWING POWER FAN SPEED TIMER HUMIDITY 運転 1. 運転モードの切り替え 2. 運転モードの表示 3. 運転モードのランプ 4. 運転モードの音 5. 運転モードの匂い 6. 運転モードの光 7. 運転モードの熱 8. 運転モードの湿気 9. 運転モードの乾燥 10. 運転モードの除菌 11. 運転モードの脱臭 12. 運転モードの除湿 13. 運転モードの加湿 14. 運転モードの空気清浄 15. 運転モードの湿度表示...

[Page 7](#) 運転...

[Page 8](#) 運転 運転モードの切り替え 運転モードの表示 運転モードのランプ 運転モードの音 運転モードの匂い 運転モードの光 運転モードの熱 運転モードの湿気 運転モードの乾燥 運転モードの除菌 運転モードの脱臭 運転モードの除湿 運転モードの加湿 運転モードの空気清浄...

Page 9

Page 12 □□□□□□□□ □□□□□□□□...

Page 13 □□□□□...

Page 14 □□□□□□□□□□□□□□□□□□□□ □ □...

Page 18 RAD-Y200H RAD-Y250H RAD-Y300H 5°C~32°C □□□□□ \*□□□□□□□□□□□□□□□□  
3.15A...

Instruction Manual <Family use> RAD-Y200H RAD-Y250H Table of Contents RAD-Y300H Safety  
Precautions Component Parts Function Options Laundry Drying Preparation and Confirmation  
Filter installation method How to Operate 10~12 Continuous Drainage Maintenance Tips 14~15  
Operation & Performance Troubleshooting Specifications...

Please consult your dealer or fire, electric shock or injury. Prohibited Please contact Toshiba Repairing Toshiba Repairing Service & Parts Centre. Service & Parts Centre for repair. Do not remove the power plug by pulling the power cord as this may damage the power cord and cause short circuit, fire or electric shock.

**Page 22** Safety Precautions (Cont.) CAUTION Power plug and power cord Operating the Dehumidifier Do not remove the power plug by pulling the Check the Drainage Hose during the Continuous power cord, but by grabbing hold of the plug, Drainage Operation. Wetting furniture may result in as mishandling may cause result in fire caused Strict Strict...

□ □ Component Parts □ Top Cover Louver Pre-filter Front Panel 3-in-1 Multi Handle function filter  
Water Tank Cover Back Panel Drainage Outlet Water Tank Handle Cord Tie Water Tank Caster  
Water Tank Do not remove the Float from the Water Tank, or otherwise the Dehumidifier cannot  
detect the water level that may cause leakage and malfunction.

In this Mode, the Unit operates intermittently. When the current humidity is higher than the preset humidity level by 5%, the compressor turns on and the Fan starts operating with the preset Fan Speed. When the current humidity is lower than the preset humidity level by 5%, the compressor stops operating, Fan stops running.

## [Page 26: Laundry Drying](#)

Drying Laundry Proper use of the Laundry Drying Mode Hang and space the laundry evenly Pointing airflow from the Unit directly at the laundry and spacing the laundry evenly could shorten the laundry Position of the Dehumidifier Shifting the position of the Dehumidifier and the laundry to shorten the drying time. Sort the laundry according to fabric type and thickness and position the laundry accordingly.

## [Page 27: Filter Installation Method](#)

Filter installation method Install the 3-in-1 Multi function filter onto the filter frame, so that the intake air can be purified. Remove the filter frame behind the fuselage. Install the 3-in-1 Multi function filter into the filter frame. Put the filter frame back into the machine. Note: The dehumidification performance will be decreased after adding the filter.

## [Page 28: How To Operate 10~12](#)

How to Operate (Dehumidification and Internal Dry Operation)                                                                                                                                                                                                                                                                                                                            

This manual is also suitable for:

Rad-y250hRad-y300h