
# TOSHIBA

Toshiba A20-S259 Specification Sheet

Satellite a20 series







# **TOSHIBA** Satellite® A20Series Feature Model(s): Satellite A20-259 P4 2660/15.0"TFT/256MB/40GB/DVD-CDRW/Mdm/LAN/WiFi(802.11g)/WinXP Pro Satellite A20-2591 P4 2660/15.0"TFT/256MB/40GB/DVD-CDRW/Mdm/LAN/WiFi(802.11g)/WinXP Home Satellite A20 Small Business Series P4 2660/15.0"TFT/256MB/40GB/DVD-CDRW/Mdm/LAN/WiFi(802.11g)/WinXP Pro/Office XP SB P4 2660/15.0"TFT/256MB/40GB/DVD-CDRW/Mdm/LAN/WiFi(802.11g)/WinXP Pro/Office XP Pro Product Highlights Performance Intel® Pentium® 4 processor 2.66GHz

```
256MB of Main Memory
40GB* hard disk drive
Great Features
15.0" XGA TFT screen
DVD-ROM/CDRW multi-function drive
Get On-Line
Integrated V.92/56K modem
Integrated 10/100 Ethernet LAN
Integrated Wireless (802.11g) LAN
System Characteristics
(See CPU Performance Disclaimer)**
Intel® Pentium® 4 processor 2.66GHz**
Integrated co-processor
L2 Cache
512KB Level 2 Cache integrated on die
533MHz Processor System Bus Clock Speed
Memory
256MB (1 DIMM) DDR SDRAM (Expandable to 1024MB)
Expansion memory: 128MB/256MB/512MB PC2100 DDR, SODIMM
2.5V
Data/Address Bus Width; 64-bit/32-bit
                                                <u>Manual</u>sLib.con
Ali M1672 + M1535 Chipset
Mass Storage/Optical Drive
Primary Hard Disk Drive: 40GB* hard disk drive, Enhanced IDE
(ATA-5), 4200rpm, 9.7mm height, 0.2lbs, Service Removable
DVD-ROM/CDRW Multi-function drive: Max Speed: CD-R(24x),
CD-RW(10x), CD-ROM(24x), DVD-ROM(8x); Compatibility: CD-
ROM, CD-R(read/write), CD-RW(read/re-write), DVD-ROM, DVD-R
(read), DVD-RW(read); Service removable
Software Decoder: InterVideo® (WinDVD™)
Graphics/Video
15.0" XGA TFT**** active-matrix display; internal display supports up
to 16M colors at 1024 x 768
Trident CyberBlade XP2 graphics processor; 32MB shared video
memory
External Color Support/Refresh rate: Non-Interlaced@16M Colors
640 x 480
60/75/85/100Hz
800 x 600
60/75/85/100Hz
1024 x 768
60/75/85/100Hz
1280 x 1024 60/75/85/100Hz
```

60/75/85/100Hz 1920 x 1440 60/75Hz 2048 x 1536 60Hz Input Devices  * Keyboard: Full sized 85 keys with 12 function keys, 2.7mm key stroke, 6mm height; Dedicated Windows® & Application keys support; HotKey function; TouchPad pointing device  * CD Control Function: Play/Pause, Stop, Previous, Next, Mode Control Switch (CD/DVD) Expandability  * 2 Memory slots (Both slots may be occupied)  * CC Card slot supports 1 Type II (5mm) Communications  * Integrated V.92/56K modem; Data and fax support Due to FCC limitations, speeds of 53kbps are the maximum permissible Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Copyright 2003 TAIS satellite_A20-S259.doc transmission rates during Download. Actual data transmission speeds will var depending on line conditions.  * Ports  * * * * * * * * * * * * * * * * * *
2048 x 1536 60Hz Input Devices  Keyboard: Full sized 85 keys with 12 function keys, 2.7mm key stroke, 6mm height; Dedicated Windows® & Application keys support; HotKey function; TouchPad pointing device  CD Control Function: Play/Pause, Stop, Previous, Next, Mode Control Switch (CD/DVD) Expandability  2 Memory slots (Both slots may be occupied)  PC Card slot supports 1 Type II (5mm) Communications  Integrated V.92/56K modem; Data and fax support Due to FCC limitations, speeds of 53kbps are the maximum permissible Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Copyright 2003 TAIS satellite_A20-S259.doc transmission rates during Download. Actual data transmission speeds will var depending on line conditions.
Input Devices  Keyboard: Full sized 85 keys with 12 function keys, 2.7mm key stroke, 6mm height; Dedicated Windows® & Application keys support; HotKey function; TouchPad pointing device  CD Control Function: Play/Pause, Stop, Previous, Next, Mode Control Switch (CD/DVD)  Expandability  Memory slots (Both slots may be occupied)  PC Card slot supports 1 Type II (5mm)  Communications  Integrated V.92/56K modem; Data and fax support  Due to FCC limitations, speeds of 53kbps are the maximum permissible  Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without  notice. Copyright 2003 TAIS satellite_A20-S259.doc  transmission rates during Download. Actual data transmission speeds will var depending on line conditions.
stroke, 6mm height; Dedicated Windows® & Application keys support; HotKey function; TouchPad pointing device  CD Control Function: Play/Pause, Stop, Previous, Next, Mode Control Switch (CD/DVD)  Expandability  2 Memory slots (Both slots may be occupied)  PC Card slot supports 1 Type II (5mm)  Communications  Integrated V.92/56K modem; Data and fax support  Due to FCC limitations, speeds of 53kbps are the maximum permissible  Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without  notice. Copyright 2003 TAIS satellite_A20-S259.doc  transmission rates during Download. Actual data transmission speeds will var depending on line conditions.  •
stroke, 6mm height; Dedicated Windows® & Application keys support; HotKey function; TouchPad pointing device  CD Control Function: Play/Pause, Stop, Previous, Next, Mode Control Switch (CD/DVD)  Expandability  2 Memory slots (Both slots may be occupied)  PC Card slot supports 1 Type II (5mm)  Communications  Integrated V.92/56K modem; Data and fax support  Due to FCC limitations, speeds of 53kbps are the maximum permissible  Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without  notice. Copyright 2003 TAIS satellite_A20-S259.doc  transmission rates during Download. Actual data transmission speeds will var depending on line conditions.  •
support; HotKey function; TouchPad pointing device  CD Control Function: Play/Pause, Stop, Previous, Next, Mode Control Switch (CD/DVD) Expandability  Memory slots (Both slots may be occupied)  PC Card slot supports 1 Type II (5mm) Communications  Integrated V.92/56K modem; Data and fax support Due to FCC limitations, speeds of 53kbps are the maximum permissible Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Copyright 2003 TAIS satellite_A20-S259.doc transmission rates during Download. Actual data transmission speeds will var depending on line conditions.
Control Switch (CD/DVD)  Expandability  2 Memory slots (Both slots may be occupied)  PC Card slot supports 1 Type II (5mm)  Communications  Integrated V.92/56K modem; Data and fax support  Due to FCC limitations, speeds of 53kbps are the maximum permissible  Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without  notice. Copyright 2003 TAIS satellite_A20-S259.doc  transmission rates during Download. Actual data transmission speeds will var depending on line conditions.
Control Switch (CD/DVD)  Expandability  2 Memory slots (Both slots may be occupied)  PC Card slot supports 1 Type II (5mm)  Communications  Integrated V.92/56K modem; Data and fax support  Due to FCC limitations, speeds of 53kbps are the maximum permissible  Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without  notice. Copyright 2003 TAIS satellite_A20-S259.doc  transmission rates during Download. Actual data transmission speeds will var depending on line conditions.
Expandability  2 Memory slots (Both slots may be occupied)  PC Card slot supports 1 Type II (5mm)  Communications  Integrated V.92/56K modem; Data and fax support  Due to FCC limitations, speeds of 53kbps are the maximum permissible  Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Copyright 2003 TAIS satellite_A20-S259.doc transmission rates during Download. Actual data transmission speeds will var depending on line conditions.
2 Memory slots (Both slots may be occupied)  PC Card slot supports 1 Type II (5mm) Communications  Integrated V.92/56K modem; Data and fax support Due to FCC limitations, speeds of 53kbps are the maximum permissible Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Copyright 2003 TAIS satellite_A20-S259.doc transmission rates during Download. Actual data transmission speeds will var depending on line conditions.
PC Card slot supports 1 Type II (5mm)  Communications  Integrated V.92/56K modem; Data and fax support  Due to FCC limitations, speeds of 53kbps are the maximum permissible  Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Copyright 2003 TAIS satellite_A20-S259.doc transmission rates during Download. Actual data transmission speeds will var depending on line conditions.
Integrated V.92/56K modem; Data and fax support  Due to FCC limitations, speeds of 53kbps are the maximum permissible  Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Copyright 2003 TAIS satellite_A20-S259.doc transmission rates during Download. Actual data transmission speeds will var depending on line conditions.  •
Integrated V.92/56K modem; Data and fax support  Due to FCC limitations, speeds of 53kbps are the maximum permissible  Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Copyright 2003 TAIS satellite_A20-S259.doc transmission rates during Download. Actual data transmission speeds will var depending on line conditions.  •
Due to FCC limitations, speeds of 53kbps are the maximum permissible  Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Copyright 2003 TAIS satellite_A20-S259.doc transmission rates during Download. Actual data transmission speeds will var depending on line conditions.  •
Due to FCC limitations, speeds of 53kbps are the maximum permissible  Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Copyright 2003 TAIS satellite_A20-S259.doc transmission rates during Download. Actual data transmission speeds will var depending on line conditions.  •
Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Copyright 2003 TAIS satellite_A20-S259.doc transmission rates during Download. Actual data transmission speeds will var depending on line conditions.  •  •  ——————————————————————————————
notice. Copyright 2003 TAIS satellite_A20-S259.doc transmission rates during Download. Actual data transmission speeds will var depending on line conditions.  •  •  ——————————————————————————————
transmission rates during Download. Actual data transmission speeds will var depending on line conditions.  • • •
depending on line conditions.  •
•
Ports
POILS
<u> </u>
•
Physical Description
Physical Description: Wanua's Lib.con
Sound
•
Power Supply
•
• Battery life may vary depending on applications, power management settings
and features utilized. Recharge time varies depending on usage. Battery ma
not charge while computer is consuming full power. After a period of time, the
battery will lose its ability to perform at maximum capacity and will need to be
replaced. This is normal for all batteries. To purchase a new battery pack or see information on accessories shipping with your computer, visit the Toshiba
website at
Security
• Bios
•
Operating System
•
•
Additional Software

Created on 9/11/2003 5:34 PM Part Numbers PSA20U-09Z437 PSA20U-09Z433 PSA20U-09Z437W PSA20U-09Z437X Integrated 10/100 Ethernet LAN Integrated Wireless (802.11g) LAN (Atheros) RGB (monitor) port Parallel port 3 Universal Serial Bus ports (2.0) TV-Out (S-Video) RJ-45 LAN port RJ-11 modem port Secure Digital® (SD) slot Dimensions (LxWxH): 13.4" x 11.6" x 1.9" Weight: 7.9lbs LED Indicators: HDD, CD/DVD, DC-IN, Caps Lock, Arrow, Numeric, Main Battery Charging Status, System Sleep / Suspend status, Wireless Communication switch (left side), SD Card (right side) Analog Devices AD1981B Codec Chip, Software sound; 16-bit stereo Stereo Speakers Direct 3D Sound (supported by sound driver); DirectSound and DirectMusic (supported by sound driver); Full Duplex and MIDI (play back) support, 32 voices Sound Volume (by dial) Ports: External Microphone port, headphone port, Line-in port AC Adapter: 120W AC Adapter, 100-240V / 50-60Hz frequency (Universal) input voltage, 15V x 8A Output. Dimensions (LxWxH): 5.7" x 2.1" x 1.7" Weight: 1.4lbs Battery Pack: 12-cell, rechargeable, removable Lithium Ion (Graphite) battery, 10.8V x 8400mAh Dimension (LxWxH): 8.1" x 3.6" x 0.9" nualsLib.con Weight: 1.4lbs Battery Saver (in Windows): Stand by, HDD Auto Off, Display Auto Off, Hibernation Battery life 3h18m\*\*\*; Recharge time(Off/On): Approx 3.5H/3.5~12.5H+ www.accessories.toshiba.com Slot for Kensington Cable lock, HDD and memory (by screw only), User Power-on password, Setup Security (by help of password utility), HDD Password (by TSETUP), Screen Blank (by Hotkey), Keyboard lock (by Hotkey), Screen Saver by software TSETUP, ACPI, PnP, VESA, DPMS, DDC, SM BIOS, PCI BIOS

Microsoft® Windows XP Pro pre-installed (A20-S259)

Microsoft® Windows XP Home pre-installed (A20-S2591)


Windows 2000 component drivers on the web

Microsoft® Office XP Professional

Rev. 1.0

(See Product/Part Numbers

Page 1 of 3





### Related Manuals for Toshiba A20-S259

Desktop Toshiba A20-S259 - Satellite - Pentium 4 2.66 GHz

**Maintenance Manual** 

Maintenance manual (513 pages)

Laptop Toshiba A20-S259 User Manual

A20-s259 user's guide (271 pages)

Laptop Toshiba Satellite A20-S207 Specifications

Satellite a20 series (9 pages)

Laptop Toshiba A205-S5800 User Manual

A205-s5800 user's guide (245 pages)

Laptop Toshiba Satellite A205-S4577 Resource Manual

Toshiba satellite a205-s4577: reference guide (56 pages)

Laptop TOSHIBA Satellite A200 Series User Manual

Toshiba notebook computer (227 pages)

Laptop Toshiba A200 series User Manual

(194 pages)

Laptop TOSHIBA Satellite A200 Series User Manual

Toshiba satellite a200/satellite pro a200 series portable personal computer (222 pages)

Laptop Toshiba Satellite A200 User Manual

Portable personal computer (232 pages)

Laptop Toshiba PORTEGE A200 series Maintenance Manual

Personal computer (342 pages)

Laptop Toshiba A200 Series User Manual

Portable personal computer (154 pages)

Laptop Toshiba Satellite A200 seriers User Manual

(188 pages)

Laptop Toshiba Satellite A200-ST2041 Series Specifications

Toshiba satellite a200-st2041: specifications (8 pages)

Laptop Toshiba satellite A20 series Maintenance Manual

(495 pages)

Laptop Toshiba Satellite A20 Series Field Replaceable Unit

**Documentation** 

(12 pages)

Laptop Toshiba Satellite A25 Resource Manual

Toshiba laptop resource guide (56 pages)

# Summary of Contents for Toshiba A20-S259

### Page 1: Product Highlights

Due to FCC limitations, speeds of 53kbps are the maximum permissible Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Copyright 2003 TAIS satellite\_A20-S259.doc transmission rates during Download.

### Page 2: Product/Part Numbers

Kingston 256MB Memory KTT3614/512 Kingston 512MB Memory Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Copyright 2003 TAIS satellite\_A20-S259.doc Targus Cases...

<u>Page 3</u> Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Copyright 2003 TAIS satellite\_A20-S259.doc Catalog Spec...

<u>Page 4</u> Download. Actual data transmission speeds will vary depending on line conditions. Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Copyright 2003 TAIS satellite A25-S279.doc...

<u>Page 5</u> \*Go to www.accessories.toshiba.com for additional, available accessories Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Copyright 2003 TAIS satellite\_A25-S279.doc MEMBERSHIP FEE,...

<u>Page 6</u> Toshiba America Information Systems Inc. ("TAIS") shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Copyright 2003 TAIS satellite A25-S279.doc Intel Pentium 4 Processor 2.80GHz...

## This manual is also suitable for:

A20-s2591Satellite a20-259Satellite a20-2591Satellite a20 small business series