




Toshiba TWP-TSR75SHKW Instruction Manual

Ro tabletop water purifier

1
Table Of Contents
2
3
4
5
6
7
8
9
10
11
12
13
14



•

[Table of Contents](#)

-

Troubleshooting

•

Bookmarks

[Download this manual](#)

Quick Links



MODEL

TWP-TSR75SHK(W)

TWP-TSR75SHK(M) **TOSHIBA**

Please read the manual carefully before operating the water purifier.
Retain it for future reference.

Instruction Manual

RO Tabletop Water Purifier

Table of Contents

[Next Page](#)

1
2
3
4
5

Related Manuals for Toshiba TWP-TSR75SHKW

[Water Filtration Systems Toshiba TWP-TSR76THK Instruction Manual](#)

Ro tabletop water purifier (28 pages)

[Water Filtration Systems Toshiba TWP-N1861UUFKW Instruction Manual](#)

(22 pages)

[Water Filtration Systems Toshiba TWP-N1890UK\(W\) Instruction Manual](#)

(30 pages)

Summary of Contents for Toshiba TWP-TSR75SHKW

[Page 1](#) Instruction Manual RO Tabletop Water Purifier MODEL TWP-TSR75SHK(W) TWP-TSR75SHK(M) Please read the manual carefully before operating the water purifier. Retain it for future reference.

[Page 2: Table Of Contents](#)

1. Safety Instruction-----	1-1
Safety instructions-----	1-2 Packing list-----
2. Product Introduction-----	2-1 Name of parts-----
-----	2-2 Control panel-----
-----	2-3 Water treatment process diagram-----
-----	2-4 Electric schematic diagram-----
-----	2-5 How to use-----
3. Troubleshooting-----	
4. Filter Introduction-----	
4-1 Filter introduction-----	
4-2 Filter change-----	5.

[Page 3: Safety Instruction](#)

1-1 Safety instructions...

[Page 4](#) 220-240V, don't Do not II undrinkable water to the tank of water purifier.

[Page 5](#) Do not switch on if there is a possibility that the water in the heater is frozen. Power connections must be made with reliably grounded devices. This product is only suitable for safe use in the area below 1500 meters above sea level.

[Page 6](#) 10 for 4-2 Filter Change. purifier In order to avoid a hazard due to inadvertent resetting of the thermal cut-out, this appliance must not be supplied through an external switching device, such as a timer, or connected to a circuit that is regularly switched on and off by the utility.

[Page 7: Packing List](#)

Unintended use of the appliance or damage to the housing may result in the escape of dangerous UV-C radiation. UV-C radiation may, even in little doses, cause harm to the eyes and skin. Appliances that are obviously damaged must not be operated. The user is not allowed to replace the UV-C emitter individually.

[Page 8: Control Panel](#)

2-2 Control panel Filter life indicator UV antibacterial indicator Raw water/purified water tank water shortage indicator Temperature selection area 200ml Quantitative button Filter reset button Water outlet button Button instructions 6 Water temp options • 93°-99° Boiled water •

[Page 9: Electric Schematic Diagram](#)

2-4 Electric schematic diagram 2-5 How to use Notes: The installation shall be conducted by professional in local sell on commission and service site. First use instruction 1. Open the package, place it on the level table, and install the water tray. 2.

[Page 10: Troubleshooting](#)

6. After the completion of water preparation, the internal pipeline is cleaned by emptying the internal water tank. Internal emptying: In the standby state, hold the " Ambient Water " and " Formula Milk " buttons at the same time for 3 seconds to enter the drainage mode; At this time, the Ambient water icon ashes, and other icons keep on.

[Page 11: Filter Introduction](#)

Troubleshooting Issues Please check if the power is connected. No power supply □ Please check whether the supply voltage meets the requirements □ Failure to heat normally of 220-240V±15%. Please check whether the water tank is installed in place and whether □...

[Page 12: Filter Change](#)

A small amount of residual water may ow out during the process of replacing lter, which is normal. □ Filter model□FIST. □ 1. When all of the three grids of the lter life ash, please contact with Toshiba service for purchasing new lter. Filter life 2. The power must be cut o before replacing the lter.

[Page 13: Technical Parameters](#)

5. Technical Parameters 5-1 Basic parameter Model TWP-TSR75SHK(W) / TWP-TSR75SHK(M) Rated voltage/ frequency 220-240V~ / 50Hz Rated hot water capacity ≥90°C, 20L/h Rated power 2190W Rated quantity of pure water 2500L Puri ed water ow 0.2L/min Inlet water pressure 0.05-0.1MPa Work pressure of RO membrane 0.45-0.8MPa Suitable water resource for using...

This manual is also suitable for:

[Twp-tsr75shkm](#)