

Whirlpool ADN 630 Instructions For Installation, Use And Maintenance Manual

Barbecues lava stone

| |
|-------------------|
| 1 |
| 2 |
| 3 |
| 4 |
| 5 |
| 6 |
| 7 |
| 8 |
| 9 |
| 10 |
| 11 |
| 12 |
| Table Of Contents |
| 13 |

| |
|--|
| |
|--|

•

[Table of Contents](#)

•

Bookmarks

| |
|--|
| |
|--|

[Download this manual](#)

Quick Links



Instructions for installation,
use e maintenance


BARBECUES LAVA STONE

ADN 629

ADN 630

0814_GB_42

04/2008



[Table of Contents](#)

[Next Page](#)

1
2
3
4
5

Related Manuals for Whirlpool ADN 630

[Grill Whirlpool W11176204A Use & Care Manual](#)

Beverage center (32 pages)

[Grill Whirlpool AKT 325 Operation](#)

(2 pages)

Summary of Contents for Whirlpool ADN 630

[Page 1](#) 0814_GB_42 Instructions for installation, use e maintenance BARBECUES LAVA STONE ADN 629 ADN 630 04/2008...

[Page 2](#) CHARACTERISTICS Supplied by: Date: Customer Service: e-mail 0814_GB_42 - BARBECUES LAVA STONE 04/2008 2 · 12...

[Page 3](#) INDEX Diagram Characteristics of the appliances Technical data 4 Installation instructions 4.1 Safety rules 4.2 Structure, framework and safety devices of the appliances 4.3 Assembly 4.3.1 Installation premises 4.3.2 Statutory regulations and technical requirements 4.3.3 Installation 4.3.4 Gas connection 4.3.5 Smoke extraction Operation preparation 5.1 Preparation and Start-up 5.1.1 Start-up...

[Page 4](#) 1 - DIAGRAM ADN 630 ADN 629 Gas 1/2" Data plate Gas 1/2" Gas 1/2" Data plate Data plate 0814_GB_42 - BARBECUES LAVA STONE 04/2008 4 · 12...

[Page 5: Characteristics Of The Appliances](#)

3 - TECHNICAL DATA Model Description Dimensions in mm. (LxDxH) ADN 629 Gas lava stone grill 400 x 700 x 875 ADN 630 Gas lava stone grill - 2 cooking zones 800 x 700 x 875 TABLE 1 ADN 629 ADN 630 Model...

[Page 6: Installation Instructions](#)

4 - INSTALLATION INSTRUCTIONS 4.1 Safety rules 4.3 Assembly 4.3.1 Installation premises • Only a local gas utility technician is authorized to carry out gas installations and connections. The statutory regulations (applied The appliance must be installed in a well-ventilated room, and if in Germany VDE, Austria ÖVE, Switzerland SEV, etc.) and connec- possible under a range hood (check current regulations).

[Page 7: Set-Up For Operation](#)

5 - SET-UP FOR OPERATION 5.1 Preparation and Start-up 5.1.4 Power check with volumetric method Using a gas meter and a stopwatch, you can read the volume of gas output per time unit. The correct volume corresponds to the value Before starting up the appliance, remove the protective wrapping.

[Page 8: Maintenance](#)

5 - SET-UP FOR OPERATION Fig. 2 Tightening the screw reduces the capacity and loosening the screw 5.1.11 Replacement of burner injector increases it. To change to another type of gas, replace the nozzle on To change injector (pos. 30 fig. 3), pull out the fat tray and loosen burner (pos.

[Page 9: Replacing Parts](#)

5 - SET-UP FOR OPERATION 5.3 Replacing parts After any maintenance or repair work, replace the con- trol panel and the lower panel. All parts must be replaced by authorized technicians After replacing gas input components, check operation only! again and test for leakage. To replace the following parts first remove all the control knobs and control panel (after loosening

the fixing screws), then extract the ignition wire.

[Page 10: Turning The Appliance Off In Case Of Breakdown](#)

6 - INSTRUCTIONS FOR USE 6.2.2 Lighting the main burner and temperature adju- The appliance must be checked at least once a year. For this reason, stment a service agreement contract is recommended. To light the main burner, after light the pilot burner, place the knob in the maximum or minimum position so that the main burner igni- 6.5 Recommendations for the treatment of tes.

[Page 11](#) 6 - INSTRUCTIONS FOR USE • As for mechanical cleaning, it is recommended to use only steel 6.5.3 The 2002/96/EC (WEEE) Directive: wool or natural, plastic or steel bristle brushes. Steel wool or information to users brushes with “stainless steel” can cause rust due to rubbing. Newly This informational note is meant only for formed rust spots can be removed with slightly abrasive liquid Fig.

[Page 12](#) THE MANUFACTURER RESERVES THE RIGHT TO MAKE ANY CHANGES DEEMED NECESSARY. THE MANUFACTURER CANNOT BE HELD RESPONSIBLE IF THE INSTRUCTIONS CONTAINED IN THIS MANUAL ARE NOT OBSERVED. WHIRLPOOL EUROPE srl V.le Guido Borghi, 27 I - 21025 Comerio - VA...

This manual is also suitable for:

[Adn 629](#)