



Toshiba e-STUDIO1355 Series Service Manual

Tray heaters

1
2
3

--


•

Bookmarks

--

[Download this manual](#)

Quick Links



Models

e-STUDIO1355 Series

:

Service Manual Correction – Tray Heaters

Subject:

Overview

Corrections are needed to the "Connecting the Tray Heaters" section of the e-STUDIO1355 Series Service Manual.

Detail

Please download the corrected manual to ensure the following corrections with your service

manual. The corrected manual is version 00a or later, posted on 3/25/2011.

TOSHIBA
Leading Innovation >>>

Models: e-STUDIO1355 Series

Subject: Service Manual Correction – Tray Heaters

Overview

Cop
Dat
Pag

red)

Location of the Incorrect Description

Installation > Main Machine > Installation > Connecting the Tray Heaters of the Main Machine

(pages 54 ~ 56 in the e-STUDIO1355 Series Service Manual v00)

Corrected Text

Connecting the Tray Heaters of the Main Machine

The machine comes from the factory

disconnected. Tray heater

location has high humidity.

Consult with the customer before connecting the tray heaters.

Doing this procedure connects the

at the following locations:

☐ One unit below the transfer unit

☐ Two units in the paper tray unit (if installed)

☐ One unit in the scanner unit (if installed)

☐ One unit in the LCH (if installed)

Copyright-2009 Toshiba America Business Solutions, Inc. (TABS). This publication contains proprietary and confidential information retained for resale and use by authorized TABS dealers. Unauthorized use of this information is prohibited. TABS makes no express or implied warranty, including implied warranties of merchantability for a particular purpose, with regard to this technical publication and disclaims any claim arising by reason of the possession or use thereof.

without

the tray heaters manual. The corrected manual is version 00a or later, posted on 3/25/2011.

is optional. The heaters should be connected if the

following

anti-condensation heaters inside the main machine

(if installed) (pages 54 ~ 56 in the e-STUDIO1355 Series Service Manual v00)

Get other manuals <https://www.bkmanuals.com>

Copier Bulletin TSP-1078

Date:

4/8/2011

Page:

1 of 3

(Corrections are in

already

installed

but

TOSHIBA

Leading Innovation >>>

Models: e-STUDIO1355 Series

Subject: Service Manual Correction – Tray Heaters

Overview

Corrections are needed to the “Connecting the Tray Heaters” section of the e-STUDIO1355 Series Service Manual.

Detail

Please download the corrected manual or store the following correction manual. The corrected manual is version 00a or later, posted on 3/25/2011.

Location of the Incorrect Description

Installation > Main Machine > Installation > Connecting the Tray Heaters

(pages 54 ~ 56 in the e-STUDIO1355 Series Service Manual v00)

Corrected Text

Connecting the Tray Heaters of the Main Machine

The machine comes from the factory **without the tray heaters **already disconnected**. Tray heater **installation** is optional. The heaters should be connected if the location has high humidity.**

Consult with the customer before connecting the tray heaters.

Doing this procedure connects the **following anti-condensation heaters.**

Cop
Dat
Pag

[Next Page](#)

1
2
3

Related Manuals for Toshiba e-STUDIO1355 Series

[All in One Printer Toshiba e-studio905 Operating Instructions Manual](#)

(396 pages)

[All in One Printer Toshiba e-studio905 Operating Instructions Manual](#)

Scanner reference (192 pages)

[Heater Toshiba RH-251218EEU Manual](#)

(76 pages)

[Heater Toshiba RBC-VNMC-HE1 Installation Instructions Manual](#)

Vn unit heater controls (8 pages)

[Heater Toshiba SF-P2218EEU Instructions Manual](#)

(84 pages)

Summary of Contents for Toshiba e-STUDIO1355 Series

[Page 1](#) □ One unit in the scanner unit (if installed) □ One unit in the LCIT (if installed)

Copyright-2009 Toshiba America Business Solutions, Inc. (TABS). This publication contains proprietary and confidential information retained for reference purpose by authorized TABS dealers. Unauthorized use of this information is prohibited.

[Page 2](#) 1. Switch off the main power switch and disconnect the power cord from the power source. 2. Open the PSU box [A]. To set the connector 1. Connect the white connector [B] to CN602 on the AC drive board [C]. NOTE: □...

[Page 3](#) 1. Remove the small connector [A] from the relay connector and then connect it to connector CN606. 2. Clamp the relay connector [B] to the bracket of the AC drive board. 3. Connect the large connector [C] to connector CN602 as described in the previous procedure.