



Whirlpool ED2GVEXVD User Instructions

Whirlpool ed2gvexvd: user guide

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18

19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36

• PAGE

1

OF 36 GO

•

[Table of Contents](#)

•


Troubleshooting

•

Bookmarks

--

Available languages



Quick Links

[1 Table of Contents](#)

[2 Installation Instructions](#)

[3 Refrigerator Use](#)


[4 Refrigerator Care](#)

[5 Troubleshooting](#)

[6 Accessories](#)

[7 Water Filter Certifications](#)

[Download this manual](#)





THANK YOU for purchasing this high-quality product. If you should experience a problem not covered in TROUBLESHOOTING, please visit our website at www.whirlpool.com for additional information. If you still need assistance, call us at 1-800-253-1301.

In Canada, visit our website at www.whirlpool.ca or call us at 1-800-807-6777.

You will need your model and serial number, located on the inside wall of the refrigerator compartment.

Para obtener acceso a "Instrucciones para el usuario del refrigerador" en español, o para obtener información adicional acerca de su producto, visite: www.whirlpool.com.

Necesitará su número de modelo y de serie, ubicado en el interior del compartimiento del refrigerador.

REFRIGERATOR SAFETY.....1

INSTALLATION INSTRUCTIONS.....2

REFRIGERATOR USE.....5

REFRIGERATOR CARE.....8

TROUBLESHOOTING	9
ACCESSORIES	11
WATER FILTER CERTIFICATIONS	12
PERFORMANCE DATA SHEETS	13
WARRANTY	17

We have provided many important safety messages in this manual and on your appliance. Always read and obey all safety messages.

This is the safety alert symbol.

This symbol alerts you to potential hazards that can kill or hurt you and others.

All safety messages will follow the safety alert symbol and either the word "DANGER" or "WARNING."

These words mean:

All safety messages will tell you what the potential hazard is, tell you how to reduce the chance of injury, and tell you what can happen if the instructions are not followed.

W10213155A

Table of Contents / Table des matières

REFRIGERATOR SAFETY

Your safety and the safety of others are very important.

SÉCURITÉ DU RÉFRIGÉRATEUR	19
INSTRUCTIONS D'INSTALLATION	20
UTILISATION DU RÉFRIGÉRATEUR	23
ENTRETIEN DU RÉFRIGÉRATEUR	27
DÉPANNAGE	28
ACCESSOIRES	30
FEUILLES DE DONNÉES SUR LA PERFORMANCE	31
GARANTIE	35

You can be killed or seriously injured if you don't immediately follow instructions.

You can be killed or seriously injured if you don't follow instructions.

[Next Page](#)

1
2
3
4
5

Related Manuals for Whirlpool ED2GVEXVD

[Refrigerator Whirlpool W10321467A User Instructions](#)

Whirlpool refrigerator user manual (52 pages)

[Refrigerator Whirlpool ED2DHEXW Product Dimensions](#)

Side by side refrigerator (1 page)

[Refrigerator Whirlpool ED5DHEXWB - 25' Dispenser Refrigerator Energy Manual](#)

25.1 cubic feet automatic defrost side-mounted freezer with through-the-door-ice service (2 pages)

[Refrigerator Whirlpool ED5FVAXWL Energy Manual](#)

Automatic defrost side-mounted freezer with through-the-door-ice service (2 pages)

[Refrigerator Whirlpool ED2CHQXT Dimensions](#)

Side by side refrigerator (1 page)

[Refrigerator Whirlpool ED5FVAXW Dimension Manual](#)

Side by side refrigerator (1 page)

[Refrigerator Whirlpool ED5KVEXVB - 25CF Texture Dr Plastic HANDLMECHANICAL CTRL Energy Manual](#)

Automatic defrost side-mounted freezer with through-the-door-ice service 25.1 cubic feet (2 pages)

[Refrigerator Whirlpool ED5KVEXVQ - 25' Dispenser Refrigerator Energy Manual](#)

Automatic defrost side-mounted freezer with through-the-door-ice service 25.1 cubic feet (2 pages)

[Refrigerator Whirlpool W10193172A User Instructions](#)

Whirlpool refrigerator user instructions (53 pages)

[Refrigerator Whirlpool ED5FHAXVY - 25.3 cu. ft. Refrigerator User Instructions](#)

User instructions (37 pages)

[Refrigerator Whirlpool ED5FVGXSS01 Parts List](#)

Whirlpool refrigerator parts list (22 pages)

[Refrigerator Whirlpool ED5FVGXSS04 Parts List](#)

Whirlpool refrigerator parts list (22 pages)

[Refrigerator Whirlpool ED5LVAXVB00 Parts List](#)

Whirlpool refrigerator parts list (22 pages)

[Refrigerator Whirlpool ED5FHEXN Use & Care Manual](#)

Whirlpool ed5fhxn: user guide (40 pages)

[Refrigerator Whirlpool ED5GTGXN Refrigerator Use & Care Manual](#)

Whirlpool ed5gtgx: user guide (40 pages)

[Refrigerator Whirlpool ED2GHEXNB05 Use & Care Manual](#)

(41 pages)

Summary of Contents for Whirlpool ED2GVEXVD

[Page 1: Table Of Contents](#)

THANK YOU for purchasing this high-quality product. If you should experience a problem not covered in TROUBLESHOOTING, please visit our website at www.whirlpool.com for additional information. If you still need assistance, call us at 1-800-253-1301. In Canada, visit our website at www.whirlpool.ca or call us at 1-800-807-6777.

[Page 2: Installation Instructions](#)

WARNING: To reduce the risk of fire, electric shock, or injury when using your refrigerator, follow these basic precautions: Plug into a grounded 3 prong outlet. Do not remove ground prong. Do not use an adapter. Do not use an extension cord.

[Page 3](#) To ensure proper ventilation for your refrigerator, allow for (1.25 cm) space on each side and at the top. When installing your refrigerator next to a fixed wall, leave 2" (5.08 cm) minimum on each side (depending on your model) to allow for the door to swing open.

[Page 4](#) Tighten the compression nut. Do not overtighten. 3. Use the tube clamp on the back of the refrigerator to secure the tubing to the refrigerator as shown. This will help avoid damage to the tubing when the refrigerator is pushed back against the wall.

[Page 5: Refrigerator Use](#)

Settings to the right of the mid-setting make the temperature colder. Wait 24 hours before you put food into the refrigerator. If you add food before the refrigerator has cooled completely, your food may spoil.

[Page 6](#) HIGH (closed) for best storage of fresh, leafy vegetables. Chilled Door Bin (on some models) Cool air from the freezer is directed to the refrigerator door bin directly beneath the vents. NOTE: The dairy compartment and can rack are not associated with the Chilled Door Bin feature.

[Page 7](#) To Dispense Ice: 1. Press the button to select the desired type of ice. **WARNING Cut Hazard** Use a sturdy glass when dispensing ice. Failure to do so can result in cuts. 2. Press a sturdy glass against the ice dispenser lever. Hold the glass close to the dispenser opening so ice does not fall outside of the glass.

[Page 8: Refrigerator Care](#)

Non-Indicator Water Filter (on some models) If your refrigerator does not have the water filter status light, you should change the water filter cartridge at least every 6 months depending on your water quality and usage. If the water flow to the water dispenser or ice maker decreases noticeably before 6 months have passed, replace the water filter more often.

[Page 9: Troubleshooting](#)

Refrigerator Operation The motor seems to run too much Your new refrigerator may run longer than your old one due to its high-efficiency compressor and fans. The refrigerator may run even longer if the room is warm, a large food load is added, doors are opened often, or if the doors have been left open.

[Page 10](#) Are there minerals (such as sulfur) in the water? A water filter may need to be installed to remove the minerals. Is there a water filter installed on the refrigerator? Gray or dark discoloration in ice indicates that the water filtration...

[Page 11: Accessories](#)

See "Water Supply Requirements." **ACCESSORIES** To order replacement filters, call 1-800-442-9991 and ask for the part number listed below or contact your authorized Whirlpool dealer. In Canada, call 1-800-807-6777. Stainless Steel Cleaner and Polish: Order Part #4396095...

[Page 12: Water Filter Certifications](#)

WATER FILTER CERTIFICATIONS...

[Page 13: Performance Data Sheets](#)

PERFORMANCE DATA SHEETS Model T2WG2L/T2RFGW2 Capacity 200 Gallons (757 Liters) Model T2WG2/T2RFGW2 Capacity 200 Gallons (757 Liters) This system has been tested according to NSF/ANSI Standards 42 and 53 for the reduction of the substances listed below. The concentration of the indicated substances in water entering the system was reduced to a concentration less than or equal to the permissible limit for water leaving the system, as specified in NSF/ANSI Standards 42 and 53.

[Page 14](#) Model T1WG2L/T2RFGW2 Capacity 200 Gallons (757 Liters) Model T1WG2/T2RFGW2 Capacity 200 Gallons (757 Liters) This system has been tested according to NSF/ANSI Standards 42 and 53 for the reduction of the substances listed below. The concentration of the indicated substances in water entering the system was reduced to a concentration less than or equal to the permissible limit for water leaving the system, as specified in NSF/ANSI Standards 42 and 53.

[Page 15](#) Model P2WG2L/P2RFGW2 Capacity 200 Gallons (757 Liters) Model P2WG2/P2RFGW2 Capacity 200 Gallons (757 Liters) This system has been tested according to NSF/ANSI Standards 42 and 53 for the reduction of the substances listed below. The concentration of the indicated substances in water entering the system was reduced to a concentration less than or equal to the permissible limit for water leaving the system, as specified in NSF/ANSI Standards 42 and 53.

[Page 16](#) Model P1WG2L/P2RFGW2 Capacity 200 Gallons (757 Liters) Model P1WG2/P2RFGW2 Capacity 200 Gallons (757 Liters) This system has been tested according to NSF/ANSI Standards 42 and 53 for the reduction of the substances listed below. The concentration of the indicated substances in water entering the system was reduced to a concentration less than or equal to the permissible limit for water leaving the system, as specified in NSF/ANSI Standards 42 and 53.

[Page 17: Warranty](#)

5. Cosmetic damage, including scratches, dents, chips or other damage to the finish of your major appliance, unless such damage results from defects in materials or workmanship and is reported to Whirlpool within 30 days from the date of purchase.

[Page 18](#) Notes...

[Page 19: Sécurité Du Réfrigérateur](#)

Nous vous REMERCIONS d'avoir acheté ce produit de haute qualité. Si vous rencontrez un problème non mentionné dans la section DÉPANNAGE, veuillez visiter notre site Web www.whirlpool.com pour des informations supplémentaires. Si vous avez toujours besoin d'assistance, veuillez nous téléphoner au 1-800-253-1301. Au Canada, visitez notre site Web www.whirlpool.ca ou téléphonez-nous au 1-800-807-6777.

[Page 20: Instructions D'installation](#)

Mise au rebut de votre vieux réfrigérateur AVERTISSEMENT Risque de suffoquer Enlever les portes de votre vieux réfrigérateur. Le non-respect de cette instruction peut causer un décès ou des lésions cérébrales. IMPORTANT : L'emprisonnement et l'étouffement des enfants ne sont pas un problème du passé. Les réfrigérateurs jetés ou abandonnés sont encore dangereux, même s'ils sont laissés abandonnés pendant "quelques jours seulement".

[Page 21](#) REMARQUES : Il est recommandé de ne pas installer le réfrigérateur près d'un four, d'un radiateur ou de toute autre source de chaleur. Ne pas installer le réfrigérateur dans un endroit où la température baissera au-dessous de 55°F (13°C). La largeur de la cavité d'encastrement doit être d'au moins 36"...

[Page 22](#) Lire toutes les instructions avant de commencer. IMPORTANT : Si on doit mettre en marche le réfrigérateur avant qu'il soit raccordé à la canalisation d'eau, placer la commande de la machine à glaçons à la position OFF (arrêt). Raccordement à une canalisation d'eau 1.

[Page 23: Utilisation Du Réfrigérateur](#)

Les réglages indiqués dans la section précédente devraient être corrects pour l'utilisation normale du réfrigérateur domestique. Les réglages Refrigerator sont faits correctement lorsque le lait ou le jus est aussi froid que vous l'aimez et lorsque la crème glacée est ferme.

[Page 24](#) CONDITION/RAISON : AJUSTEMENT : RÉFRIGÉRATEUR trop tiède Régler la commande du RÉFRIGÉRATEUR à un degré plus élevé CONGÉLATEUR trop tiède/ Régler la commande trop peu de glaçons du CONGÉLATEUR à un degré plus élevé RÉFRIGÉRATEUR trop froid Régler la commande du RÉFRIGÉRATEUR à...

[Page 25](#) Le distributeur de glace Le système de distribution ne fonctionne pas lorsque la porte du congélateur est ouverte. La glace est distribuée du bac d'entreposage de la machine à glaçons dans le congélateur lorsque le levier de distribution est abaissé. REMARQUE : Certains modèles distribuent des glaçons en cubes et de la glace concassée.

[Page 26](#) À NOTER : Accorder 24 heures pour produire la première quantité de glaçons. Jeter les trois premières quantités de glaçons produites. La qualité de vos glaçons dépend de la qualité de l'eau fournie à votre machine à glaçons. Éviter de brancher la machine à...

[Page 27: Entretien Du Réfrigérateur](#)

ENTRETIEN DU RÉFRIGÉRATEUR Nettoyage AVERTISSEMENT Risque d'explosion Utiliser un produit de nettoyage ininflammable. Le non-respect de cette instruction peut causer un décès, une explosion ou un incendie. Les sections de réfrigération et de congélation se dégivrent automatiquement. Toutefois, nettoyer les deux sections environ une fois par mois pour éviter une accumulation d'odeurs.

[Page 28: Dépannage](#)

Essayer d'abord les solutions suggérées ici ou visiter notre site Internet et la FAQ (foire aux questions) Aux É.-U., www.whirlpool.com Le réfrigérateur ne fonctionne pas AVERTISSEMENT Risque de choc électrique Brancher sur une prise à 3 alvéoles reliée à la terre.

[Page 29](#) Les ampoules ne fonctionnent pas Une ampoule est-elle desserrée dans la douille ou grillée? Voir "Remplacement des ampoules d'éclairage". La lumière du distributeur est-elle réglée à OFF (arrêt)? Sur certains modèles, la lumière du distributeur ne fonctionne que si l'on appuie sur un levier/la plaque du distributeur. Si on désire que la lumière du distributeur reste allumée en permanence, régler la lumière du distributeur à...

[Page 30: Accessoires](#)

ACCESSOIRES Pour commander des filtres de rechange, composer le 1-800-442-9991 et demander le numéro de pièce indiqué ci-dessous ou contacter votre marchand autorisé Whirlpool. Au Canada, composer le 1-800-807-6777. Nettoyant et poli pour acier inoxydable : Commander la pièce N° 4396095 Cartouche du filtre de la base standard : Commander la pièce N°...

[Page 31: Feuilles De Données Sur La Performance](#)

FEUILLES DE DONNÉES SUR LA PERFORMANCE Système de filtration d'eau de la grille de la base Modèle T2WG2L/T2RFGW2 Capacité 200 gallons (757 litres) Modèle T2WG2/T2RFGW2 Capacité 200 gallons (757 litres) Ce produit a été testé selon les normes NSF/ANSI 42 et 53 pour la réduction des substances énumérées ci-dessous. La concentration des substances indiquées dans l'eau entrant dans le système a été...

[Page 32](#) Système de filtration d'eau de la grille de la base Modèle T1WG2L/T2RFGW2 Capacité 200 gallons (757 litres) Modèle T1WG2/T2RFGW2 Capacité 200 gallons (757 litres) Ce produit a été testé selon les normes NSF/ANSI 42 et 53 pour la réduction des substances énumérées ci-dessous. La concentration des substances indiquées dans l'eau entrant dans le système a été...

[Page 33](#) Système de filtration d'eau de la grille de la base Modèle P2WG2L/P2RFGW2 Capacité 200 gallons (757 litres) Modèle P2WG2/P2RFGW2 Capacité 200 gallons (757 litres) Ce produit a été testé selon les normes NSF/ANSI 42 et 53 pour la réduction des substances énumérées ci-dessous. La concentration des substances indiquées dans l'eau entrant dans le système a été...

[Page 34](#) Système de filtration d'eau de la grille de la base Modèle P1WG2L/P2RFGW2 Capacité 200 gallons (757 litres) Modèle P1WG2/P2RFGW2 Capacité 200 gallons (757 litres) Ce produit a été testé selon les normes NSF/ANSI 42 et 53 pour la réduction des substances énumérées ci-dessous. La concentration des substances indiquées dans l'eau entrant dans le système a été...

[Page 35: Garantie](#)

été acheté. Le service doit être fourni par une compagnie de service désignée par Whirlpool. LE SEUL ET EXCLUSIF RECOURS DU CLIENT DANS LE CADRE DE LA PRÉSENTE GARANTIE LIMITÉE CONSISTE EN LA RÉPARATION PRÉVUE...

[Page 36](#) All rights reserved. ® Registered Trademark/TM Trademark of Whirlpool, U.S.A., Whirlpool Canada LP Licensee in Canada Printed in Mexico Tous droits réservés. ® Marque déposée/TM Marque de commerce de Whirlpool, U.S.A., emploi licencié par Whirlpool Canada LP au Canada Imprimé au Mexique...

This manual is also suitable for:

Ed5dhexwEd2kvexvEd5dhexwlEd5fvaxwlEd5fvgxwsEd5gvexvd ... [Show all](#)