

TOSHIBA

Toshiba SJ-V12 Service Data

Stereo amplifier deck

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18



-

Bookmarks

[Download this manual](#)

Quick Links



STEREO AMPLIFIER

Amplifier

Rated Output Power:

Total Harmonic

Distortion:

Input Terminals:

Output Terminals:

Input/Output

Terminal:

- Graphic Equalizer

Signal-to-noise Ratio:

m Cassette Deck

Track System:

Recording System:

SER
FILE

TOSHIBA

STEREO AMPLIFIER DECK

HA 2882.
SERVICE
DATA
FILE NO.
170-239

SER
FILE I

SPECIFICATIONS

20W per channel, 10% THD,
at 8 ohms, 1 kHz
0.2% at half rated output
power, 1 kHz
MIC (Mono, 6.3mm diameter),
CD, PHONO
Headphones, speakers,
turntable power source

Tuner
Center frequencies: 63 Hz,
250 Hz, 1 KHz, 4 KHz, 12 KHz
Adjustment range: ± 10 dB
Phono: 72 dB CD: 85 dB

4-track, 2-channel stereo
AC bias (85 kHz)

Heads:

Wow and Flutter:

Frequency Response:

Signal-to-noise Ratio:

Motors:

= General

Power Supply:

Power Consumption:

Dimensions:

Weight:

Deck A: Pb: 1

Deck B: Rec/Pb: 1 Erase: 1

0.07% (WRMS)

40-16,000 Hz

(Chrome position tape)

56 dB

Capstan motor (electronically
controlled DC type): 2

Reel motor (DC motor): 2

220V ~, 50 Hz (Europe,
Germany)

240V ~w, 50 Hz (U.K.,
Australia)

57 watts

340(W) x 188.5(H)

x 250(D)mm

5.5kg

TE, TD, TU, AV

PRINTED IN JAPAN 27905559 May, 1986

TOSHIBA

STEREO AMPLIFIER DECK

SJ-V12



SPECIFICATIONS

Amplifier

Rated Output Power: 20W per channel, 10% THD,
at 8 ohms, 1 kHz

Total Harmonic

Distortion: 0.2% at half rated output
power, 1 kHz

Input: 4 terminals MIC (Mono, 6.3mm diameter),

Heads: Deck A: F
Deck B: F

Wow and Flutter: 0.07% (W
Frequency Response: 40-16,000
(Chrome p

Signal-to-noise Ratio: 56 dB

Motors: Capstan m

[Next Page](#)

1
2
3
4
5

Related Manuals for Toshiba SJ-V12

[Amplifier Toshiba SB-A50 Service Data](#)

Stereo amplifier (13 pages)

[Amplifier Toshiba SY-335 Quick Start Manual](#)

(7 pages)

[Amplifier Toshiba SB-M12 Service Data](#)

(10 pages)

[Amplifier Toshiba SC-M15 Manual](#)

Stereo power amplifier (10 pages)

[Amplifier Toshiba SB-420 Service Data](#)

(14 pages)

[Amplifier Toshiba SY-330 Service Data](#)

(9 pages)

[Amplifier Toshiba SC-335 Service Data](#)

Stereo power amplifier (7 pages)

[Amplifier Toshiba SB-A65 Service Data](#)

(15 pages)

[Amplifier Toshiba XB-1000 Service Data](#)

Integrated digital av amplifier (35 pages)

[Amplifier Toshiba SB-M36 Service Data](#)

(11 pages)

[Amplifier Toshiba SB-M30 Service Data](#)

(11 pages)

[Amplifier Toshiba TLP7820 Reference Manual](#)

Isolation amplifier application circuits voltage sensing (19 pages)

Related Products for Toshiba SJ-V12

[Toshiba SB-A50](#)

[Toshiba SC-M15](#)

[Toshiba SB-M30](#)

[Toshiba SB-M36](#)

[Toshiba SB-A65](#)

[Toshiba SB-420](#)

[Toshiba SB-M12](#)

[Toshiba SD-6200N](#)

[Toshiba SD-185](#)

[Toshiba SD-P91SKN](#)

[Toshiba SP562AT-E](#)

[Toshiba SD2805 - Carousel DVD And CD Player](#)

[Toshiba SD-9500E](#)

[Toshiba Strata GVMU](#)

[Toshiba Satellite S50-A Series](#)

[Toshiba SDK990KU](#)