


Sanyo PDG-DWL2500 - 2500 Lumens Specifications

2500/2000 lumens wxga/xga ultra short throw projector

1	1		





## 2500/2000 LUMENS PDG-DWL2500/DXL2000

## WXGA/XGA ULTRA SHORT THROW PROJECTOR

Built-in Network

THE WORLD'S SHORTEST PROJECTION DISTANCE


Project a large 80" diagonal image from the world's shortest projection distance of 13(DWL2500) -15(DXL2000) inches is achieved by a newly developed ultra short-focus mirror optical system. This projector is perfect for giving effective lectures or presentations in educational settings. A maximum projected image size of 110" diagonal. This projector can be placed in a variety of locations including table tops, walls, ceiling, or floors. LARGE-SCREEN 3D PROJECTION CAPABILITY

The "Frame Sequential Display Format" a technology that rapidly altern between left-eye and right-eye images for 3D technology enables the viewing of 3D images wh coaring 3D glasses.

ı

3D glasses (sold separately) are required in order to view projected images in 3D. (DLP Link and IR formats compatible.)			
NETWORKING CAPABILITY			
The PDG-DWL2500/DXL2000 is equipped with SANYO's exclusive PJ			
Network Interface for wired networking. A common feature among SANYO's extensive line of commercial projectors. Networking allows the monitoring of			
projector functions and operation remotely via a web browser. Emails can			
be sent automatically to report operating status.			
NEARLY MAINTENANCE FREE			l
This projector offers long periods of maintenance-free use, without the need			
for lamp replacement, and filter replacement. The PDG-DWL2500/DXL2000			
is equipped with SANYO's proprietary hybrid filter, composed of multiple			
filter layers, and the lamp life has been improved compared to conventional			
models. The longer lamp lifespan and long life filter saves time and money.  COMPACT DESIGN FOR SAVING SPACE IN INSTALLATION			
A newly developed single chip DLP format optical engine makes the			
projector more compact.			
CLOSED CAPTION	8		
The PDG-DWL2500/DXL2000 is Closed Caption compatible.			
Optional compact wall mount 1904 CH-EX06)			1
Optional simple and compact wall-mount (POA-CH-EX06) is available for			l
PDG-DWL2500 and DXL2000.	9		
WXGA/XGA ( )			
3D Ready	3		
Ultra Classed Continu			
Closed Caption Short-Throw			<u> </u>
*1	9		
ULTRA SHORT THROW PROJECTOR	1		
PDG-DWL2500	3		
Resolution	8	i i	
Brightness (typical)			
Contrast Ratio (Full on / off)			
Image Size			
Aspect Ratio Projection Lamp			
Scanning Frequency			
Fan Noise			
Voltage Power Consumption			
WUXGA, WXGA, UXGA, SXGA/+, XGA, SVGA, VGA, Mac			l
Input signal compatibility			l
Analog: 480i/p, 575i/p, 720p(50/60), 1080i(50/60)			l
HDMI: 480p, 575p, 720p(50/60), 1080i/p(50/60) Color System			
Projection Lens (inch)			
Throw Ratio			
Throw Distance (feet) Zoom / Focus			
Up / Down Ratio			
Digital Keystone Correction			
Digital Zoom Speaker Output	8		
Weight (lbs)			
Dimensions (inch) W,H,D			
Replacement Lamp			
Replacement Remote Filter hour* (hour)			
Lamp Life * (hour)			
D-sub 15 x 1 (RGB, Component) D-sub 15 x 1 (RGB, Monitor out)	50		
PC/Video			
Mini DIN 4pin x 1 (S-Video)			
RCA x 1 (Composite) Input			
HDMI x 1 (Ver.1.3)			

Stereo mini jack x 1



## Related Manuals for Sanyo PDG-DWL2500 - 2500 Lumens

Projector Sanyo PDG-DWL2500 Service Manual

(98 pages)

Projector Sanyo PDG-DWL2500 Owner's Manual

Sanyo projector user manual (82 pages)

Projector Sanyo PDG-DWL2500 - 2500 Lumens Functional

**Specifications** 

Expand series command functional specifications (73 pages)

Projector Sanyo PDG-DWL2500 - 2500 Lumens Owner's Manual

Network set-up and operation (60 pages)

Projector Sanyo PDG-DWL2500 - 2500 Lumens Specifications

Basic serial command specifications (25 pages)

Projector Sanyo PDG-DWL2000 Specifications

Ultra short throw projector (2 pages)

Projector Sanyo PDG-DWL2500 Dimensional Drawing

Sanyo projector dimensional drawing (1 page)

Projector Sanyo PDG-DXL2000S Specifications

Print specs (1 page)

Projector Sanyo PDG-DWL2500 Specifications

Wxga/xga ultra short throw projector (1 page)

Projector SANYO PDG-DXL2000 Owner's Manual

Multimedia projector (142 pages)

Multimedia projector Sanyo PDG-DXL2000 Service Manual

(98 pages)

Projector Sanyo PDG-DXL2000 - 2000 Lumens Specifications

Expand serial command functional specifications (73 pages)

Projector Sanyo PDG-DXL2000 Network Manual

Sanyo projector user manual (60 pages)

Projector Sanyo PDG-DXL2000 - 2000 Lumens Specifications

Basic serial command specifications (25 pages)

Projector Sanyo PDG-DXL2000 Maintenance And Cleaning

(5 pages)

Projector Sanyo PDG-DWL100 Owner's Manual

(63 pages)

## Related Products for Sanyo PDG-DWL2500 - 2500 Lumens

Sanyo PDG-DWT50L - WXGA DLP Projector

Sanyo PDG-DWL100 - WXGA DLP Projector

Sanyo PDG-DWT50KL

Sanyo PDGDXT10L - XGA DLP Projector

Sanyo PDG-DET100L - SXGA+ DLP Projector

Sanyo PDG-DHT100L - DLP Projector - HD 1080p

Sanyo PDG-DHT8000L - 8000 Lumens

Sanyo PDG-DSU30 - 2500

Sanyo PDG-DXL100 - XGA DLP Projector

Sanyo PDG-DSU20N - SVGA DLP Projector

Sanyo PDG-DSU20 - SVGA DLP Projector

Sanyo PDG-DSU21B

Sanyo PDG-DSU20B

Sanyo PDG-DSU20E

Sanyo PJLINK PDG-DXL100

Sanyo PDG DSU21 - SVGA DLP Projector

This manual is also suitable for:

Pdg-dxl2000