

Toshiba Thrive AT105-T10162 Specifications

Toshiba thrive tablet detailed product specification

Bookmarks

•

Quick Links Download this manual See also: User Manual, Manual Del Usuario



Thrive[™] Tablet Detailed Product Specification



Platform □ Android[™] 3.1, Honeycomb

5 fully cutomizable home screens 2 Processor and Graphic □ NVIDIA ® Tegra ™ 2 1GHz Dual-Core Mobile Processor 0 ® NVIDIA GeForce

o Interna OBSPRABA

+ Display
and Interface
10.1" diagonal high resolution screen at 1280 x 800 native resolution
Qapacitive Multi-touch (supports optional capacitive stylus)
Wide-viewing Angle
LED backlight
Widescreen 16:10 aspect ratio
Toshiba Adaptive Display Technology
o Toshiba Resolution+ Video Enhancement Technology
] Virtual Keyboard with Swype
5 Storage
] Internal Storage: 16GB
Sound
] Stereo Speakers
SRS
Premium Voice Suite
Toshiba Sound Enhancements
] 3.5mm stereo headphone jack
Cameras
Tameras Front 2MP HD webcam with microphone Back 5MP webcam with auto-focus and digital zoom lange Lib.Con
] Back 5MP webcam with auto-focus and digital zoom 1 CALLE CALL CALL CALL CALL CALL CALL CAL
720p video capture
Ports and Expansion
Full-size SD Card slot
Support for optional SD, SD-HC, and SDXC (reads/writes at
SDHS speed) cards
] Full sized HDMI port] Full sized USB v2.0 port
] Mini-USB v2.0 port
] Dock connector port
Wireless and Connectivity
] Wi-Fi
Wireless networking (802.11b/g/n)] Bluetooth
version 3.0 + HS
Sensors and Location
] Gyroscope
] Accelerometer] Ambient Light Sensor
] Digital Compass

7		
Power and Battery		
🛛 Prismatic Stilmilon Battery 23 W-hours		
0		
 30W 100-240V AC Adapter Battery Life Rating- Included 6 cell, up to 11 hours, 0 minutes 		
Physical Description		
Easy Grip Back Cover in Black Tie User-replaceable (optional colors available)		
Dimensions (W x D x H): 10.75" x 0.62" x 6.97"		
Weight: Starting at 1.6 lbs.		
Physical Buttons		
Power		
0 Mahara Cambral		
Volume Control		
Screen Rotation Lock		
0		
Part Number: PDA01U-00102M		
3		
S		
Graphics		
®		
© Copyright 2011 Toshiba America Information Systems Inc. All Rights reserved. TAIS shall not be liable for damages of any kind for use of this information, which is subject to	change without notice.	
This product specification is variable and subject to change pri		
1		
Back Cover Lock		
0 Multimentia Disular ala		
Multimedia Playback		
🛛 Adobe		
	nuals	
□ Supported Formats: AAC, H.263, H.264, MP3, MIDI, MPEG-4, A0	CC+	
Enhanced, MIDI, AMR-NB, AMR-WB, AAC+,WAVE, Ogg Vorbis, V		
Software		
Toshiba Software and Utilities		
TOSHIBA App Place		
0		
TOSHIBA BookPlace™		
0		
TOSHIBA Start Place		
ہ TOSHIBA Media Player		
0		
TOSHIBA Service Station		
0		
TOSHIBA File Manager		
TOSHIBA User's Guide		
o TOSHIBA User Registration		
0		
🛛 Google and Android Apps		
Android [™] Browser		
0		
Android [™] Market		
0		

cal**cTa®SHIBA**

Clock

o Gallery

0

Gmail"

Google eBooks™

0

Google Mail o

Google Maps™

Google Maps Street View

Google Maps Navigation

Google Movie Maker

^o Google Music

0

Google Places

o Google Latitude™

^o Google Search

0

Google Calendar/Calendar Sync

^o Google Contacts/Contact Sync

^o Google Mail

0

Google Talk™

Google Voice Search

o YouTube™

∘ □ Third-party Apps

Kaspersky Tablet Security

LogMeIn Ignition o

Hardwood Backgammon by SilverCreek Games

o Hardwood Euchre by SilverCreek Games

o Hardwood Solitaire IV by SilverCreek Games

o Hardwood Hearts by Silvercreek Games

o Hardwood Spades by Silvercreek Games

^o MOG Music

0

Printer Share™

0

Quickoffice o

ManualsLib.con

Need for Speed[™] Shift by EA Mobile

0

Temperature			
Relative Humidity			
(non-condensing)			
Thermal Gradient			
Altitude			
(relative to sea level)			
Shock			
Vibration			
2 YEAR STANDARD LIMITED WARRANTY			
Thrive™ Tablet AT105-T10162			
UPC: 883974915859			
Flash Supported			
SM ®			
9			
compatible			
5° to 40° C			
20% to 85%			
15° C per hour (max)			
0 to 10,000 feet			
15G			
0.5G			
-30° to 60° C			
10% to 90%			
20° C per hour (max)			
0 to 40,000 feet 120G			
2.0G			
11	Mэ	n 1 2	l ih con
Page 1 of 3	IVIA	nuo	Lib.con

Next Page

1 2 3

Related Manuals for Toshiba Thrive AT105-T10162

Tablet Toshiba AT105-SP0102C Manual Del Usuario

User guide 2 (142 pages) Tablet Toshiba AT105-SP0160M User Manual

At105-sp0160m user's guide (132 pages) Tablet Toshiba AT1S5 Manual Del Usuario

Tablet de 7 pulgadas (132 pages) <u>Tablet Toshiba Thrive AT105-T108S Specifications</u>

Toshiba thrive tablet detailed product specification (3 pages) Tablet Toshiba Thrive AT105-SP101L Specifications

Toshiba thrive tablet detailed product specification (3 pages) <u>Tablet Toshiba PDA01U-00101F Brochure</u>

Brochure (3 pages)

Tablet Toshiba Excite AT305-T64 Specifications

Excite 10 tablet (3 pages)

Tablet Toshiba Thrive 10.1 8GB User Manual

Toshiba thrive 10.1 8gb: user guide (131 pages) Tablet Toshiba AT100 User Manual

(86 pages)

Tablet Toshiba AT1S0 User Manual

(82 pages)

Tablet Toshiba AT1S0 User Manual

(83 pages)

Tablet Toshiba Excite Pure AT10 User Manual

A series (132 pages)

Tablet Toshiba AT10LE-A Series User Manual

(103 pages)

Tablet Toshiba AT10-B User Manual

(86 pages)

Tablet Toshiba AT10-C User's Information Manual

(18 pages)

Tablet Toshiba Excite Write Specifications

(3 pages)

Summary of Contents for Toshiba Thrive AT105-T10162

Page 1 2 YEAR STANDARD LIMITED WARRANTY Screen Rotation Lock © Copyright 2011 Toshiba America Information Systems Inc. All Rights reserved. TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice.

<u>Page 2</u> Product Series Legal Footnote. The product specifications and configuration information are designed for a product Series. Your particular model may not have all the features and specifications listed or illustrated. For more detailed information about the features and specifications on your particular model, please visit Toshiba's Web site at pcsupport.toshiba.com.

<u>Page 3</u> Battery Life Rating. Actual battery life may vary depending on settings, application usage, features or tasks selected, network configuration, operating temperature and many other factors. Battery tests were conducted by Toshiba using specific preproduction Thrive units and software. Testing consisted of full battery discharge while performing each of the following

tasks: video playback,, Internet browsing using Wi-Fi and standby mode.