Service Maintenance Functions - Sanyo CHDXR09663* Service Manual

2-way eco-i multi system

```
1
2
3
Table Of Contents
4
5
6
7
8
9
10
11
12
13
14
15
16
17
```

Table of Contents







17. Service Maintenance Functions The outdoor unit EEPROM settings can be used for the following functions. 17-1. Outdoor Unit Noise Countermeasure: EEPROM 05 (set at each outdoor unit) This unit includes 3 types of Quiet modes. (However, when they are engaged, operation is in Quiet mode 24 hours a day.) Selecting a Quiet mode results in operation that gives priority to reducing noise. Because these modes involve restrictions on outdoor unit fan modes and the operation frequency, the capacity will be somewhat mode

3				
		capacity will begin to	decrease during heating operation at low outd	oor
temperatures				
		perature is below stand		
17-2. Anti-	slime coun	termeasures EEI	PROM setting OC (set only on the main	unit)
This setting of	controls the o	pperation of the drain p	oump.	
Setting				
O	(f f t t		
Normal Control	(setting at tim	e of factory ship ment)		
pump	o operates for 2	20 minutes at 2-hour interv	vals.	
pump	operates for 2	20 minutes at 20-minute in	tervals.	
numr	anaratas san	eta ntly		
	operates con	'	tdoor FEDDOM 3E (got only on outdoor	it No
Pelay	eu Start r	or Each System: Ou	tdoor EEPROM 3E (set only on outdoor	unit No.
The area with		an ha dalawad "	a to the get such as a day and a	
	1	1	ng to the set system addresses.	
	educes the v	oltage drop by prevent	ting multiple systems from starting at the sam	e time when
opera-				
	ted after mul	tiple operating system:	s were stopped due to a power outage or othe	r cause.
Setting				
No delayed sta	rt (setting at ti	me of factory shipment)		
1	re (Seeing de en	ine or ructory simplificate,		
Start begins aft	ter [1 second x	System address]		
2				
Start begins aft	ter [2 seconds	x System address]		
3 Start bogins aft	tor [3 coconds	x System address]		
_			OM 48 (set only on outdoor unit No. 1)	**************************************
	1		it is shipped from the factory. However, the autom	atic backup
	1 '	changing this setting to	• • •	acie backup
Normal operati				
14				
factory shipme	1			
Noise reduced	by approx. 1 -	2 dB from		
12 the catalog val				
Noise reduced		3 dB from		
11	., app =	- uz		
the catalog val	ue.			
Noise reduced	by approx. 5 d	B from the		
10				
catalog value. Effect		T		
Description				
Effect				
1 - 30				
W-2WAY ECC	i SYSTEM			
Control Fund	tions			
Amount of ca	pacity reduct	ion		
0				
Approx. 0.5 hp				
Approx. 1.2 hp				

Approx. 1.8 hp	
Tal	ole of Contents
n	Previous Page
	Previous Page Next Page

...

Quick Links:	
Outdoor Unit Control Panel Led Display	

Related Manuals for Sanyo CHDXR09663*

<u>Air Conditioner Sanyo XM18AAB Installation Instructions Manual</u>

W-2way system air conditioner (50 pages)

Air Conditioner Sanyo ECO-i AHX0752 Technical Data Manual

(265 pages)

Air Conditioner Sanyo MINI ECO-i XHX1252 Service Manual & Test Run

Service Manual

(190 pages)

Air Conditioner Sanyo ECO-i CHDZR07263 Series Service Manual

(146 pages)

Air Conditioner Sanyo CHDZ07263 Service Manual

(128 pages)

Air Conditioner Sanyo AHX0752 Service Manual

W-2way eco-i multi system (114 pages)

Air Conditioner Sanyo W-3WAY ECO-i 85464369098000 Installation

Instructions Manual

W-3way eco-i system air conditioner (106 pages)

Air Conditioner Sanyo 85464359982001 Installation Instructions

Manual

W-2way system air conditioner (96 pages)

Air Conditioner Sanyo Mini ECO-i CHXR03652 Service Manual

(93 pages)

Air Conditioner Sanyo Mini ECO-i 85464359981002 Installation

Instructions Manual

Sanyo air conditioner installation instructions (90 pages)

Air Conditioner Sanyo R410A Installation Instructions Manual

W-3way eco-i system air conditioner (54 pages)

Air Conditioner Sanyo ECO R410A Installation Instructions Manual

Eco-i system air conditioner (48 pages)

Air Conditioner Sanyo XHX1252 Instruction Manual

Split system air conditioner (20 pages)

Air Conditioner Sanyo THX2452 User Manual

(4 pages)

Air Conditioner Sanyo DHX4852 Manual

Indoor unit (4 pages)

Air Conditioner Sanyo THX1852 Manual

Indoor unit (4 pages)

Related Content for Sanyo CHDXR09663*

SPW-C483GYH8 Service Functions Of Remote Controller

Sanyo SPW-C483GYH8

SPW-T253GH56 Service Functions Of Remote Controller

Sanyo SPW-T253GH56

SPW-U253GH56 Service Functions Of Remote Controller

Sanyo SPW-U253GH56

SPW-X253GH56 Service Functions Of Remote Controller

Sanyo SPW-X253GH56

COOL I Basic Functions Of The Service Valves

Sanyo COOL

KS3082 Basic Functions Of The Service Valves

Sanvo KS3082

SPW-UMR74EXH56 Servicing And Maintenance Functions

Sanyo SPW-UMR74EXH56

XHS3632 Service Functions Of Optional Wired Remote Controller Sanyo XHS3632

This manual is also suitable for:

Chdx09663Chdxr07263Chdx07263Uhx0762Ahx0752Uhx0962 ... Show all