
TOSHIBA

Toshiba B-SX4T Specifications


B-sx4 & b-sx5 barcode label printer

2								
•								









B-SX4 & B-SX5 TOSHIBA Specification B-SX4T Printhead Resolution 8 dots/mm (203 dpi) Print Width Maximum 104 mm (4.09") Print Length Print Speed up to 254 mm/sec (10 ips) Ribbon Save Serial port, bi-directional parallel port, Expansion I/0*, PCMCIA I/F**, 10/100 Internal LAN I/F**, USB** UPC/EAN/JAN, Code 39, Code 93, Code 128, NW7, MSI, Industrial 2 of 5, ITF, Postnet, RSCC, KIX-code Data Matrix, PDF 417, Maxicode, QR code, Micro PDF 417 Bitmap font (21 fonts), Outline font (7 fonts), Writable characters (132 fonts); Optional true-Type fonts (20 types) Swing cutter module, rotary cutter module, strip module + rewinder***, USB Interface, Built-in LAN board, Expansion I/O***, 2slot-PCMCIA I/F board, RFID kit Dimensions 291 mm (W) x 460 mm (D) x 308 mm (H) Weight 18 kg / 39.7 lbs. (without media and ribbon) The B-SX4 and B-SX5 are packed with advantageous features for the user, including: high speed printing leading to increased efficiency and productivity time-saving and minimal training due to fast and easy handling reduced downtime and increased productivity as a result of high reliability minimal repair and recovery costs, and maximized ROI during total life cycle Eyeue perfect readability of labels & barcodes due to built-in high quality print technology supplied with Bartender TEG UltraLite labeling software TOSHIBA TEC AMERICA. TOSHIBA TEC CANADA INC. 4401-A Bankers Circle 370 Britannia Road East, Unit #1 Atlanta, GA 30360 Mississauga, Ontario U.S.A. L4Z 1X9, Canada Telephone (770) 449-3040 Telephone (905) 899-8283 Fax (770) 449-1152 **OSHIBA** Fax (905) 890-0082 www.toshibatecusa.com www.toshibateccanada.com B-SX5T Thermal Transfer / Direct Thermal Edge type 12.05 dots/mm (306 dpi) Maximum 127.5 mm (5.02") Maximum 1.500 mm (59") Maximum 1.500 mm (59*) up to 203 mm/sec (8 ips) Standard 19 kg / 41.9 lbs. (without media and ribbon) All company and/or product names are trademarks of their respective owners. All features and specifications described in this brochure are subject to change without notice. www.toshibatecusa.com

TOSHIBA

With over 20 years experience TOSHIBA B-SX4 & B-SX5 t


phamaceuticals, textiles,

d , High q

B-SX4 & B-SX5

iture in mind, the next level. emicals, manufacturing,





Related Manuals for Toshiba B-SX4T

B-sx4t series, b-sx5t series external equipment interface specification (375 pages)

Barcode Reader Toshiba SX4T - TEC B B/W Direct Thermal Owner's Manual

B-sx4t series (119 pages)

Barcode Reader Toshiba B-452-R Printer Driver Operating Manual

(105 pages)

Printer Toshiba B-SX4T Series Owner's Manual

B-sx4t series (54 pages)

Printer Toshiba B-SX4T Specifications

Toshiba b-sx4t: specifications (2 pages)

Printer Toshiba B-SX5T SERIES Owner's Manual

Tec thermal printer (120 pages)

Printer Toshiba B-SX5T Product Description

(57 pages)

Barcode Reader Toshiba B-SX6T Series Owner's Manual

Toshiba barcode printer owner's manual (139 pages)

Barcode Reader Toshiba B-SX8T SERIES Owner's Manual

Toshiba barcode printer owner's manual (139 pages)

Barcode Reader Toshiba B-SA4TM Series Owner's Manual

(132 pages)

Barcode Reader TOSHIBA B-SA4TP SERIES Owner's Manual

Barcode printer (132 pages)

Barcode Reader Toshiba B-SV4T SERIES Owner's Manual

(42 pages)

Barcode Reader Toshiba B-SV4T Series Safety Precautions

(2 pages)

Barcode Reader Toshiba B-SV4T Series Instructions

Supply loading instructions (3 pages)

Barcode Reader Toshiba B-SV4D Series Owner's Manual

(34 pages)

Barcode Reader Toshiba B-SX4 Series Key Operations Manual

(136 pages)

Summary of Contents for Toshiba B-SX4T

Page 1: Specifications

With over 20 years experience in producing barcode label printers, the TOSHIBA TEC AMERICA TOSHIBA TEC CANADA INC. TOSHIBA B-SX4 & B-SX5 thermal transfer/direct thermal industrial printers 4401-A Bankers Circle 370 Britannia Road East, Unit #1 provide world leading innovation and reliability. Built with the future in mind,...

<u>Page 2</u> UHG 869.5 Internet, E-mail, FTP, SML, RFID manuals (Programming, Supply, etc.), The TOSHIBA print heads also extend The BCI can also communicate with The B-9704-U1-QP option enables the BarTender TEC UltraLite label printing the print head life (100 km lifetime).

This manual is also suitable for:

B-sx5t