



Whirlpool WHED20 Installation And Operation Manual

Undersink drinking water system

1	
Table Of Contents	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	

--

•

[Table of Contents](#)

-

Troubleshooting

•

Bookmarks

--

Quick Links

[1 Filter Cartridge Replacement](#)

[Download this manual](#)



WHED20 Model

How to install, operate and

maintain your Undersink

Drinking Water System

Do not return to store

If you have questions or concerns when
installing, operating or maintaining your
Undersink Drinking Water Filter System
call our toll free number:

The Whirlpool logo, featuring a stylized swirl icon to the left of the word "Whirlpool" in a bold, serif font, with a registered trademark symbol (®) to the upper right of the word.

Whirlpool®

1-866-986-3223

Monday - Friday, 8 am - 9 pm EST

System tested and certified by NSF International against

NSF/ANSI Standard 42 and 53, for the reduction of the

chlorine taste and odor. See the performance data sheet.

7278646 (Rev. C 9/21/05)

Product # 83-161



[Table of Contents](#)

[Next Page](#)

1
2
3
4
5

Related Manuals for Whirlpool WHED20

[Water Filtration Systems Whirlpool WHED20 Installation And Operation Manual](#)

Undersink drinking water filter system (11 pages)

[Water Filtration Systems Whirlpool WHED20 Installation And Operation Manual](#)

Undersink drinking water filter system (11 pages)

[Water Dispenser Whirlpool WHED20 Datasheet](#)

Drinking water filter (2 pages)

[Water System Whirlpool WHER25 Operation Manual](#)

Reverse osmosis drinking water system (28 pages)

[Water System Whirlpool WHES48 Installation & Operation Manual](#)

(29 pages)

[Water System WHIRLPOOL WHER12 Installation And Operation Manual](#)

Reverse osmosis drinking water system (24 pages)

[Water System Whirlpool 4373526 Installation Instructions](#)

Pure delivery water system (5 pages)

Summary of Contents for Whirlpool WHED20

[Page 1](#) WHED20 Model How to install, operate and maintain your Undersink Drinking Water System Do not return unit to store If you have questions or concerns when installing, operating or maintaining your Undersink Drinking Water Filter System call our toll free number:...

[Page 2: Table Of Contents](#)

30 - 125 psi (207 - 689 kPa) Min. - Max. Supply Water Temperature 40 - 100 _F (4 - 38 _C) Inlet - Outlet 3/8" quick connect fittings and tubing included Questions? Visit www.whirlpool.com or call toll free 1-866-986-3223...

[Page 3: Parts Of The System / Tools And Materials Needed / Typical Installation Drawing](#)

NOTE: Be sure to allow a minimum space of 1-1/2" under the system Fig. 1 for removing the filter cartridges, in order to change the cartridges. Questions? Visit www.whirlpool.com or call toll free 1-866-986-3223...

[Page 4: Installation Steps](#)

Water Filter inlet thread sealing tape on threads cold water shutoff cold water pipe 3/8" compression fitting insert ferrule cold water pipe 3/8" tubing to Water Filter inlet cold water shutoff Fig. 2 Questions? Visit www.whirlpool.com or call toll free 1-866-986-3223...

[Page 5: Step 2 - Make Hole For Faucet](#)

3. Install battery in base. See "Battery Change" section for instructions. faucet 1/4 turn to connect faucet to base faucet base screw rubber washer toggle bolt hole in sink or countertop Fig. 3 Questions? Visit www.whirlpool.com or call toll free 1-866-986-3223...

[Page 6: Step 4 - Make Tubing Connections](#)

3/4" engagement Incorrect partial engagement Fig. 4 Disconnect Tubing: 1. Push the collet inward and hold with a finger while pulling the tubing out. collet (depress to remove tubing)

tubing Fig. 5 Questions? Visit www.whirlpool.com or call toll free 1-866-986-3223...

[Page 7: Filter Cartridges](#)

Whirlpool Undersink Drinking Water Filter system model WHED20 with replacement element pack WHEEDF conforms to NSF/ANSI 42 and 53 for the specific performance claims as verified and substantiated by test data.

[Page 8: Faucet Electronics](#)

Cause: Tubing not cut square. Correction: Cut tubing square. Cause: Tubing nicked. Correction: Remove nicked portion, reinsert tubing into fitting. Cause: Outer tubing surface not smooth. Correction: Remove rough portion, reinsert tubing into fitting. Questions? Visit www.whirlpool.com or call toll free 1-866-986-3223...

[Page 9: Warranty](#)

This warranty applies to consumer-owned installations only. R Registered trademark/TM Trademark of Whirlpool, USA. Manufactured under license by Ecodyne Water Systems, Woodbury, Minnesota E 2005 Whirlpool Corporation. All rights reserved. Questions? Visit www.whirlpool.com or call toll free 1-866-986-3223...

[Page 10: Exploded View](#)

Exploded View Questions? Visit www.whirlpool.com or call toll free 1-866-986-3223...

[Page 11: Repair Parts](#)

Head Assembly WHEEDF5 Rep'l Filter Element (2 pack) 7281013 Push-In Fitting Kit, 3/8" 9041700 Hanger Washer (2 req'd) 9006062 Screw (2 req'd) 7278646 Owner's Manual z Not illustrated For replacement parts call 1-866-986-3223. Questions? Visit www.whirlpool.com or call toll free 1-866-986-3223...